Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







Shrubs





Roses



Herbaceous Perennials



Price List

Fall 1938 Spring 1939

Henry Kohankie & Son . . .

Painesville, Ohio

30 Miles East of Cleveland on Rt. 20

Tel. Main 137



PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of eight hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

1-4 Each	5-24 Each	25 & up Each
Abelia grandiflora. Glossy Abelia. 3'		
12 to 15 in., 3 in. pots50	.40	.35
15 to 18 in., 3 in. pots	.50	.40
18 to 24 in., 4 in. pots	.60	.50
schumanni. 5'		
12 to 18 in., 4 in. pots 1.50	1.25	
Abies balsamea. Balsam Fir. 50'		
2 ftB&B 3.00	2.50	2.00
3 ftB&B 3.75	3.00	2.50
4 ftB&B 4.75	4.00	3.50
5 ftB&B 6.00	5.00	
6 ftB&B 7.50	6.00	
7 ftB&B 10.00		
8 ftB&B 15.00		
concolor. White Fir. 70'		
18 inB&B 2.50	2.00	1.50
2 ftB&B 4.50	3.00	2.50
3 ftB&B 6.00	5.00	4.50
4 ftB&B 8.00	7.00	6.00
5 ftB&B 10.00	8.50	7.50
6 ftB&B 12.50	10.00	
7 ftB&B 15.00	12.50	
8 ftB&B 18.00	15.00	
9 ftB&B 20.00	18.00	
10 ftB&B 25.00	20.00	

For larger sizes to 20 ft., add \$10.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Abies.	Bach	Bach	Hach
concolor violacea. Purplecone Whi	te Fir.	70'	
2 ftB&B	6.00	5.00	4.50
3 ftB&B	7.50	6.00	5.50
4 ftB&B	10.00	7.50	
5 ftB&B	12.50	10.00	
firma. Momi Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.50	4.50	
fraseri. Fraser Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.00	4.75	
4 ftB&B	6.50	6.00	
5 ftB&B	7.50	7.00	
6 ftB&B	10.00		
homolepis. Nikko Fir. 60'			
3 ft	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00	0.00	
nobilis glauca. Blueleaf Noble Fir. 15 inB&B	5.00		
	6.00		
18 in			
nordmanniana. Nordmann Fir. 75	•		
3 ftB&B	5.00		
4 ftB&B	6.00		
pectinata. Silver Fir. 50'			
2 ftB&B	4.00		
3 ftB&B	5.00		
pectinata pyramidalis. Sentinel Fir.	10'		
18 inB&B	4.00		
2 ftB&B	5.00		
veitchi. Veitch Fir. 80'			
3 ftB&B	5.00	4.50	3.50
4 ftB&B	6.00	5.50	5.00
	10.00	8.50	
	12.50		
	40.00		
14 ftB&B	60.00		

Acanthopanax pentaphyllum. Five-leave	1-4 Each ed Ara	5-24 Each	25 & up Each
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.75	
ricinifolium. Castor Aralia. 25'			
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
10 to 12 ft	10.00	9.00	
12 to 14 ft	15.00	12.50	
ricinifolium maximowiczi. 25'			
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
10 ft	18.00		
Acer buergerianum. Trident Maple. 40	,		
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00		
12 to 14 ft	15.00		
14 to 16 ft	20.00		
cappadocicum. Coliseum Maple. 40) '		
12 to 14 ft	15.00		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
1½ to 1½ in	2.00	1.60	1.35
1½ to 1¾ in	2.50	1.90	1.65
1 % to 2 in	3.00	2.25	2.00
2 to 2½ in	3.50		
2 ½ to 3 in	4.50		
3 to 3½ in	6.00		
3 ½ to 4 in	7.50	6.50	

	1-4 Each	5-24 Each	25 & up Each
Acer	2200011	220011	
dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
1½ to 1¾ in	3.00	2.25	
1 % to 2 in	3.50	2.75	
2 to $2\frac{1}{2}$ in	4.50	3.50	•
$2\frac{1}{2}$ to 3 in	6.00	5.00	
3 to 3½ in	7.50	6.50	
dasycarpum wieri. Wier Maple. 75	,		
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.25	
$1\frac{3}{4}$ to 2 in	3.50	2.75	
2 to $2\frac{1}{2}$ in	5.00	3.50	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
griseum. Paperbark Maple. 25'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	6.00	5.00	
japonicum aureum. Goldenmoon Ma	ple. 1	5 '	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	7.50		
mandshuricum. Manchurian Maple.	<i>30</i> ′		
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.00	8.00	
negundo. Box Elder. 60'			
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	2.00	1.50
1 % to 2 in	3.00	2.50	
2 to 2½ in	3.75	3.00	
$2\frac{1}{2}$ to 3 in	5.00	4.00	

THENT DEED, OH			J
	1-4 Each		25 & up Each
Acer			
nigrum. Black Maple. 80'			
8 to 10 ft	4.50	4.00	
1 1/4 to 1 1/2 in	5.00	4.50	
1½ to 1¾ in	5.50	5.00	
1 3/4 to 2 in	6.50		
2 to 2½ in	7.50		
-:I		•	
nikoense. 40'	0 = 0		
2 to 3 ft	3.50		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	2.25	1.75	1.50
3 to 4 ftB&B	2.50	2.00	1.75
4 to 5 ftB&B	3.50	2.75	2.25
5 to 6 ftB&B	4.50	3.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10'	2 50	3.00	2.50
2 to 3 ft	3.50 5.00	$\frac{3.00}{4.50}$	
3 to 4 ft			
		6.00	5.00
5 to 6 ft., heavyB&B		12.50	
6 to 8 ft., heavyB&B	20.00		
palmatum dissectum atropurpureu	m.		
Purple Threadleaf Japanese Maple	3. 6'		
18 to 24 inB&B	8.50		
2 to 3 ftB&B	10.00		
palmatum filicifolium. Fernleaf M	anle.	10'	
2 to 3 ftB&B	_		
3 to 4 ft			
4 to 5 ftB&B			
4 00 0 10	12.00		
palmatum roseo-marginatum. Pink	kedge 1	Maple. 10)°
2 to 3 ftB&B			
3 to 4 ftB&B	10.00		
pennsylvanicum. Striped Maple. 2	5 '		
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	

				1-4 Each	5-24 Each	25 & up Each
Acer				Bach	Laci	Bacii
platanoio	les.	Nor	way Maple. 75'			
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.25	1.75	1.50
1 1/4	to	$1\frac{1}{2}$	in	2.50	2.00	1.75
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.50	2.75	2.50
1 3/4	to	2	in	4.50	3.50	3.00
2	to	$2\frac{1}{2}$	in	5.50	4.25	3.75
$2\frac{1}{2}$	to	3	in	7.00	5.50	4.50
3	to	3 ½	in	10.00	7.50	
3 ½	to	4	in	12.50	10.00	
4	to	5	in. spec	25.00		
platanoid	les	globo	sum. Globe Nor	way Mo	ple.	
2 ye	ear,	6 ft.	standards	4.00		
platanoid	les	schwe	edleri. Schwedler	Maple.	<i>60'</i>	
6	to	8	ft	2.50	2.00	1.75
8	to	10	ft	3.00	2.25	2.00
1 1/4	to	$1\frac{1}{2}$	in	3.75	2.75	2.50
1 ½	to	$1\frac{3}{4}$	in	4.50	3.75	3.25
1 3/4	to	2	in	6.00	5.00	4.00
2	to	$2\frac{1}{2}$	in	10.00	7.50	
2 ½	to	3	in	12.50	10.00	
3	to	3 ½	in	17.50	15.00	
3 ½	to	4	in	25.00		
pseudopl	ata	nus.	Sycamore Maple.	<i>60</i> ′		
6	to	8	ft	2.50	2.00	
8	to	10	ft	3.00	2.25	
1 1/4	to	$1\frac{1}{2}$	in	3.75	2.75	
1 ½	to	$1\frac{3}{4}$	in	4.50	3 .7 5	
rubrum.	$R\epsilon$	ed Ma	ple. 75'			
6	to	8	ft	2.25	2.00	1.50
8	to	10		3.00	2.50	2.00
1 1/4	to	1 ½	in	3.75	3.00	2.50
1 ½			in	4.50	4.00	3.25
1 3/4	to	2	in	6.50	5.50	4.50
2	to	2 ½	in	9.00	7.50	6.50
2 ½	to	3	in	12.50	10.00	8.50
3	to	3 ½	in	15.00	12.50	10.00
3 ½	to	4	in	20.00		
4	to	4 1/2	in	30.00		
4 1/2	to	5	in	40.00		

Acer	1-4 Each	5-24 Each	25 & up Each
saccharum. Sugar Maple. 75'	2 2 5		
8 to 10 ft	2.25	1.75	1.50
1½ to 1½ in	3.00	2.25	2.00
1½ to 1¾ in	3.75	3.00	2.50
1¾ to 2 in	4.50	4.00	3.25
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$6.50 \\ 7.50$	5.006.50	$\frac{4.00}{5.00}$
3 to $3\frac{1}{2}$ in	12.50	10.00	$\frac{5.00}{7.50}$
$3\frac{1}{2}$ to 4 in	15.00	12.50	1.00
4 to 4½ in	25.00	20.00	
$4\frac{1}{2}$ to 5 in	35.00	20.00	
1/2 00 0 111	00.00		
spicatum. Mountain Maple. 20'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.00 1.25	1.00	
5 to 6 ft	1.75	1.00 1.25	
0 00 0 10	1.10	1.20	
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'			
2 year	.60	.45	.35
ė.			
Aesculus carnea. Red Horsechestnut. 40	0'		
4 to 5 in	60.00		
5 to 6 in	75.00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00		
1½ to 2 in	6.00		
2 to 2½ in	7.50		
	10.00		

111111111111111111111111111111111111111	1-4	5-24	25 & up
	Each	Each	Each
Aesculus			
hippocastanum. Horsechestnut. 70'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	4.50	4.00	3.50
1 3/4 to 2 in	5.00	4.50	
2 to 2½ in	6.00	5.00	
$2\frac{1}{2}$ to 3 in	9.00	7.50	
3 to $3\frac{1}{2}$ in	15.00	12.50	
$3\frac{1}{2}$ to 4 in	18.00		
4 to 5 in	25.00		
hippocastanum baumanni.			
Double White Horsechestnut. 50'			
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.75	2.75	2.50
1½ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.00	3.50
1 3/4 to 2 in	5.50	4.50	4.00
· ·	7.50	6.00	5.00
$2\frac{1}{2}$ to 3 in	10.00	7.50	6.00
3 to $3\frac{1}{2}$ in	15.00	12.50	
	18.00	15.00	
4 to 5 in	25.00		
parviflora. Dwf. Horsechestnut. 12	P		
	3.50		
3 to 4 ft	4.50		
0 00 ± 10	4.00		
turbinata. Japanese Horsechestnut.	30'		
3 to 4 in	25.00		
	35.00		

	1-4 Each	5-24 Each	25 & up Each
Ailanthus glandulosa. Tree of Heaven		234011	Zacii
6 to 8 ft	. 1.75	1.50	1.25
8 to 10 ft	. 2.00	1.75	1.65
10 to 12 ft	. 2.25	2.00	
1½ to 1¾ in	. 2.75	2.50	
1 3/4 to 2 in	. 3.50	2.75	
2 to 2½ in	. 4.00	3.25	
$2\frac{1}{2}$ to 3 in	. 6.00	5.00	
3 to 4 in	. 7.50	6.00	
vilmoriniana. 50'			
8 to 10 ft		1.75	
10 to 12 ft		2.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		2.50	
1 % to 2 in		3.00	
2 to 2½ in		3.50	
$2\frac{1}{2}$ to 3 in		5.00	
3 to $3\frac{1}{2}$ in	. 7.50		
Akebia lobata. Threeleaf Akebia. 15'			
2 year	75	.60	.50
3 year from pots	. 1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	45	.35	.25
-		.35	.25 .30
2 year	55		
2 year	55	.40	
2 year	55	.40	
2 year	55 30' . 1.25	.40	
2 year	55 .30' . 1.25 . 1.75	.40 1.00 1.50	
2 year	55 .30' . 1.25 . 1.75 . 2.50	1.00 1.50 2.00	
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50	1.00 1.50 2.00 3.00	
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50	1.00 1.50 2.00 3.00	
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00	1.00 1.50 2.00 3.00	
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.50	1.00 1.50 2.00 3.00 4.00	.30
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75	1.00 1.50 2.00 3.00 4.00	1.00 1.25
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 1.75 . 2.00	1.00 1.50 2.00 3.00 4.00 1.25 1.50	1.00 1.25 1.50
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 2.00 . 2.75	1.00 1.50 2.00 3.00 4.00 1.25 1.50 1.75	1.00 1.25 1.50 2.00
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 2.00 . 2.75 . 3.00	1.00 1.50 2.00 3.00 4.00 1.25 1.50 1.75 2.50	1.00 1.25 1.50 2.00
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 2.00 . 1.75 . 2.00 . 2.75 . 3.00 . 4.00	1.00 1.50 2.00 3.00 4.00 1.25 1.50 1.75 2.50 2.75	1.00 1.25 1.50 2.00 2.50
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 2.00 . 1.75 . 2.00 . 4.00 . 4.00 . 6.50	1.00 1.50 2.00 3.00 4.00 1.25 1.50 1.75 2.50 2.75 3.50	1.00 1.25 1.50 2.00 2.50
2 year	55 .30' . 1.25 . 1.75 . 2.50 . 3.50 . 5.00 . 1.75 . 2.00 . 1.75 . 2.00 . 4.00 . 4.00 . 6.50 . 40'	1.00 1.50 2.00 3.00 4.00 1.25 1.50 1.75 2.50 2.75 3.50	1.00 1.25 1.50 2.00 2.50

Alnus	1-4 Each	5-24 Each	25 & up Each
incana. Speckled Alder. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1 1/4 to 1 1/2 in	2.50	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.00
1 % to 2 in	3.75	3.00	2.50
2 to 2½ in	4.50	3.50	3.00
2½ to 3 in	6.00	5.00	4.00
japonica. Japanese Alder. 50'			
6 to 8 ft	2.25	2.00	
8 to 10 ft	2.75	2.50	
1½ to 1¾ in	3.50	3.00	
2 to 2½ in	5.00	4.00	
pendula. 30'			
2 yr. 4 ft. stems	5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	4.00	3.00	
viridis. European Green Alder. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
Althea. (See Hibiscus).			
Amelanchier alnifolia. Saskatoon. 7'			
3 to 4 ft	1.50		
4 to 5 ft	1.75		
asiatica. 35'			
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
6 to 8 ft	2.50		
canadensis. Downy Shadblow. 30'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.75	1.25	1.00
6 to 8 ft	2.50	2.00	
6 to 8 ft. standards	3.00	2.50	
8 to 10 ft. standards	4.00	3.00	

	1-4		25 & up
Amelanchier.	Each	Each	Each
laevis. Allegheny Serviceberry. 35'			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.50	3.00	
6 to 8 ft. standards	3.00	2.50	
8 to 10 ft. "	4.00	3.50	
laevis rosea. 35'			
3 to 4 ft. standards	2.00	1.75	
4 to 5 ft. "	2.50	2.00	
5 to 6 ft. "	3.50	3.00	
oblongifolia. Thicket Shadblow. 25	•		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.25	1.00
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.00	2.50	
6 to 8 ft. clumpsB&B	12.50		
8 to 10 ft. clumpsB&B	15.00		
10 to 12 ft. clumpsB&B	20.00		
rotundifolia, syn. vulgaris.			
European Shadblow. 25'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.70	.60	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	2.25	1.75	1.25
8 to 10 ft	3.00	2.50	
6 to 8 ft. standards	3.00	2.50	
8 to 10 ft. "	4.00	3.50	
*	15.00		
10 to 12 ft. "B&B			
sanguinea. Roundleaf Shadblow. 8			
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	2.00		
6 to 8 ft	2.50		
8 to 10 ft	3.50		

Stolonifera. Running Shadblow. 4' 18 to 24 in		1-4 Each	5-24 Each	25 & up Each
18 to 24 in. .40 .30 .25 2 to 3 ft. .50 .40 .35 3 to 4 ft. .65 .55 .50 Amorpha canescens. Lead Plant. 2' 15 to 18 in. .45 .35 .30 18 to 24 in. .50 .40 .35 2 to 3 ft. .60 .45 .40 fruticosa. Indigobush. 10' 10' 2 2 to 3 ft. .40 .30 .25 4 to 5 ft. .40 .30 .25 .40 .30 .25 4 to 5 ft. .50 .40 .35 .50 .40 .35 5 to 6 ft. .60 .50 .40 .40 .30 .25 4 to 8 ft. .75 .60 .60 .50 .40 6 to 8 ft. .75 .60 .40 .35 .40 .35 2 year. .60 .50 .45 .40 .35 .45 .40 .35 .45 hencylar december. 15' .50 .40 .35 .40 .30 .25	Amelanchier			
2 to 3 ft	stolonifera. Running Shadblow. 4'			
Amorpha canescens. Lead Plant. Z' 15 to 18 in	18 to 24 in	.40	.30	.25
Amorpha canescens. Lead Plant. 2' 15 to 18 in	2 to 3 ft	.50	.40	.35
15 to 18 in	3 to 4 ft	.65	.55	.50
18 to 24 in. .50 .40 .35 2 to 3 ft. .60 .45 .40 fruticosa. Indigobush. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .35 5 to 6 ft. .60 .50 .40 6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. 15' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 henryana. Silvervein Creeper. 15' from 4-inch pots. .75 .60 .50 4 year. .40 .30 .25 2 year. .40 .30 .25 3 year. .40 .30 .25 2 year. .50 .40 .35 4 year. .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 26' 2 year. .75 .60 .50	Amorpha canescens. Lead Plant. 2'			
2 to 3 ft. .60 .45 .40 fruticosa. Indigobush. 10' .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .35 5 to 6 ft. .60 .50 .40 6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. .16' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 henryana. Silvervein Creeper. 15' .60 .50 .45 herryana. Silvervein Creeper. 15' .60 .50 .50 heterophylla. Porcelain Ampelopsis. 25' .25' .29 .40 .30 .25 3 year. .60 .50 .45 .40 .30 .25 4 year. .60 .50 .45 .40 .30 .25 2 year. .75 .60 .50 .45 .40 .30 .25 3 year. .60 .50 .45 .40 .30	15 to 18 in	.45	.35	.30
fruticosa. Indigobush. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .35 5 to 6 ft. .60 .50 .40 6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. 15' 2 year. .40 .30 .25 3 year .50 .40 .35 4 year. .60 .50 .45 henryana. Silvervein Creeper. 15' .60 .50 .45 henryana. Silvervein Creeper. 15' .60 .50 .45 heterophylla. Porcelain Ampelopsis. 25' 2 year. .40 .30 .25 3 year. .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year. .75 .60 .50 3 year. .40 .30 .25 3 year. .40 .30 <td>18 to 24 in</td> <td>.50</td> <td>.40</td> <td>.35</td>	18 to 24 in	.50	.40	.35
2 to 3 ft	2 to 3 ft	.60	.45	.40
3 to 4 ft	fruticosa. Indigobush. 10'			
4 to 5 ft. .50 .40 .35 5 to 6 ft. .60 .50 .40 6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. 15' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 heterophylla. Porcelain Ampelopsis. 25' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year. .75 .60 .50 3 year. .75 .60 .50 4 beterophylla elegans, syn. sieboldi. 15' 2 year. .40 .30 .25 3 year. .40 .30 .25 .40 .35 .4 .40 .30 .25 3 year. .50 .40 .35 .4 .40 .30 .25 3 year. .50 .40 .35 .4 .40	2 to 3 ft	.35	.25	.20
5 to 6 ft. .60 .50 .40 6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. 15' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 henryana. Silvervein Creeper. 15' from 4-inch pots. .75 .60 .50 heterophylla. Porcelain Ampelopsis. 25' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year. .75 .60 .50 3 year. .100 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 quinquefolia. Virginia Creeper. 35' .25 .15 2 year. .50 .40 .30				
6 to 8 ft. .75 .60 Ampelopsis aconitifolia. Monkshood Vine. 15' .2 year. .40 .30 .25 3 year. .50 .40 .35 .45 4 year. .60 .50 .45 henryana. Silvervein Creeper. 15' From 4-inch pots. .75 .60 .50 heterophylla. Porcelain Ampelopsis. 25' 2 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year. .75 .60 .50 3 year. 1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year. .40 .30 .25 3 year. .50 .40 .35 4 year. .60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year. .35 .25 .15 3 year. .40 .30 .20 4 year. .50 .40 .30 .20 4 year. .50 .40 .30 .20 4 year. .50 .40 .30 .20 4 year. .50 .40 .30 .20 4 year. .50 .40 .30				
Ampelopsis aconitifolia. Monkshood Vine. 15' 2 year				.40
2 year	6 to 8 ft	.75	.60	
3 year .50 .40 .35 4 year .60 .50 .45 henryana. Silvervein Creeper. 15' from 4-inch pots .75 .60 .50 heterophylla. Porcelain Ampelopsis. 25' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year .75 .60 .50 3 year .75 .60 .50 4 year .40 .30 .25 3 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 .25 .15 3 year .35 .25 <td< td=""><td>Ampelopsis aconitifolia. Monkshood Vin</td><td>ne. 15'</td><td></td><td></td></td<>	Ampelopsis aconitifolia. Monkshood Vin	ne. 15'		
4 year	2 year	.40	.30	.25
henryana. Silvervein Creeper. 15' from 4-inch pots	3 year	.50	.40	.35
from 4-inch pots .75 .60 .50 heterophylla. Porcelain Ampelopsis. 25' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year .75 .60 .50 3 year 1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .50 .40 .35 2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 .50 .40 .30 2 year .35 .25 .15 3 year .35 .25 .15 3 year .40 .30 .20	4 year	.60	.50	.45
heterophylla. Porcelain Ampelopsis. 25' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year .75 .60 .50 3 year 1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year .35 .25 .15 3 year .35 .25 .15 3 year .30 .20	henryana. Silvervein Creeper. 15'			
2 year40 .30 .25 3 year50 .40 .35 4 year60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year75 .60 .50 3 year1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year40 .30 .25 3 year50 .40 .35 4 year60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year35 .25 .15 3 year40 .30 .20 4 year50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year35 .25 .15 3 year35 .25 .15	from 4-inch pots	.75	.60	.50
3 year	heterophylla. Porcelain Ampelopsis	. 25'		
4 year .60 .50 .45 heterophylla amurensis. Amur Ampelopsis. 25' 2 year .75 .60 .50 3 year 1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year .35 .25 .15 3 year .35 .25 .15 3 year .40 .30 .20	2 year	.40	.30	.25
heterophylla amurensis. Amur Ampelopsis. 25' 2 year	3 year	.50	.40	.35
2 year	4 year	.60	.50	.45
2 year .75 .60 .50 3 year 1.00 .75 .60 heterophylla elegans, syn. sieboldi. 15' 2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' 2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year .35 .25 .15 3 year .35 .25 .15 3 year .40 .30 .20	heterophylla amurensis. Amur Am	pelopsis.	25'	
heterophylla elegans, syn. sieboldi. 15' 2 year				.50
2 year .40 .30 .25 3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' .25 .15 2 year .35 .25 .15 3 year .40 .30 .20	3 year	1.00	.75	.60
3 year .50 .40 .35 4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' .25 .15 2 year .35 .25 .15 3 year .40 .30 .20	heterophylla elegans, syn. sieboldi	. 15'		
4 year .60 .50 .45 quinquefolia. Virginia Creeper. 35' .35 .25 .15 2 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' .25 .15 2 year .35 .25 .15 3 year .40 .30 .20	2 year	.40	.30	.25
quinquefolia. Virginia Creeper. 35' 2 year. .35 .25 .15 3 year. .40 .30 .20 4 year. .50 .40 .30 quinquefolia englemanni. Englemann Creeper. 35' 2 year. .35 .25 .15 3 year. .40 .30 .20	3 year	.50	.40	.35
2 year .35 .25 .15 3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper .35' 2 year .35 .25 .15 3 year .40 .30 .20	4 year	.60	.50	.45
3 year .40 .30 .20 4 year .50 .40 .30 quinquefolia englemanni. Englemann Creeper .35' 2 year .35 .25 .15 3 year .40 .30 .20	quinquefolia. Virginia Creeper. 35'			
4 year	2 year	.35	.25	.15
quinquefolia englemanni. Englemann Creeper. 35' 2 year	3 year			
2 year	4 year	.50	.40	.30
3 year	quinquefolia englemanni. Englema	nn Creey	ner. 35	,
			•	
4 year				
	4 year	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.	230011	230011	220011
quinquefolia murorum. Wall Creep	er.		
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul C	reeper.	<i>35'</i>	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 4	40 °		
2 year	.45	.35	.25
3 year	.55	.45	.35
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy.	8 '		
2 year from pots	.65	.60	.50
Amygdalus davidiana. Chinese Wild Ped	ich. 25'		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
davidiana alba. 25'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
nana georgica. Russian Almond. 6			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft		1.50	
persica alboplena. Double White P			
	.60	.50	
	1.00	.75	
5 to 6 ft	1.25	1.00	
persica Clara Meyer. Double Pink	Peach.	10'	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
persica rosea plena. Double Pink F	Peach.	10'	
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
persica rubroplena. Double Red Pe	ach. 10	,	
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Andromeda. (See Pieris).	Each	Dacii	Bach
Aralia japonica. Angelica Tree. 25'			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.40	1.00	.90
6 to 8 ft	2.00	1.75	1.25
pentaphyllum. (See Acanthopanax).			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	2.00	1.50	1.00
8 to 10 ft	2.50	2.25	1.75
Arctostaphylos uva-ursi. Bearberry.			
3 ½ in. pots	.60	.50	
Aristolochia sipho. Dutchman's Pipe. 30) '		
2 year		1.00	.75
	1.20	1.00	•••
tomentosa. 30'			
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
atropurpurea. Purple Chokeberry.	<i>8</i> ′		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
melanocarpa. Black Chokeberry. 6	*		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
melanocarpa elata. Glossy Chokebe			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65		.50
4 to 5 ft	.75	.65	.60
		.00	.00
Artemesia abrotanum. Southernwood. 5			
3 to 4 ft	.35	.25	.20
4 to 5 ft	.45	.35	.25
5 to 6 ft	.60	.45	.35
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	

	1-4	5-24	25 & up Each
Azalea amoena. Amoena Azalea. 4'	Each	Each	Each
10 to 12 inB&B	1.25		
12 to 15 inB&B	1.75		
15 to 18 inB&B	2.25		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	3.00
24 to 30 inB&B	4.50	4.00	
ledifolia. Snow Azalea. 6'			
18 to 24 inB&B	3.50		
24 to 30 inB&B	4.00		
lutea. 10'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	2.50
3 to 4 ftB&B	4.00	3.50	
poukhanensis. Korean Azalea. 6'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	
3 to 4 ftB&B	6.00	5.00	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	2.50
yodogawa. Yodogawa Azalea. 4'			
18 to 24 inB&B	3.00		
24 to 30 inB&B	3.50		

•	1-4 Each	5-24 Each	25 & up Each
Baccharis halimifolia. Groundselbush.	10'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
*Benzoin aestivale. Spice Bush. 12'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.90	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	1.75
8 to 10 ft. clumps B&B	15.00		
Berberis julianae. Wintergreen Barberr	y. 5'		
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.75	2.50	2.25
koreana. Korean Barberry. 6'			
2 to 3 ft	1.50	1.25	
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
thunbergi. Japanese Barberry. 4'			e
15 to 18 in	.25	.20	.15
18 to 24 in	.35	.25	.18
24 to 30 in	.40	.30	.20
30 to 36 in	.50	.40	.30
2 to $2\frac{1}{2}$ ft. spec	.85	.75	
2½ to 3 ft. spec	1.25	1.00	
3 to 3½ ft. spec	1.75	1.50	
thunbergi atropurpurea. $Redleaf\ J$	apanese	Barber	ry. 5'
18 to 24 in	.50	.40	.35
24 to 30 in	.65	.50	.40
30 to 36 in	75		.50
36 to 42 in	1.00	.75	
thunbergi minor. Box Barberry. 2	,		
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.40	.35
		.50	
18 to 24 in	$.60 \\ .75$.60	.55
24 to 30 III	.10	.00	.00

	1-4 Each		25 & up Each
Berberis			
thunbergi pluriflora. 5'			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
30 to 36 in	.50	.40	.30
thunbergi pluriflora erecta. Truehe	dge Co	lumnber	ry.
9 to 12 in	.35.	.25	.20
12 to 15 in	.45	.35	.30
15 to 18 in	.50	.40	.35
triacanthophora. Threespine Barl	berry.	5 '	
6 to 9 in., 4 inch pots	.75	.60	
12 to 18 in	1.00	.75	
verruculosa. Warty Barberry. 3'			
6 in., 4 inch pots	1.25	1.00	
Berchemia racemosa. Japanese Supplejo	ick. 3'	,	
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
*Betula alba. European White Birch. 5	0 '		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1 ½ to 1½ in			2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.75	
1 ¾ to 2 in	3.50		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5.00		3.50
$2\frac{1}{2}$ to 3 in	6.00	5.00	
*alba fastigiata. Pyramidal White	Birch.	<i>50</i> ′	
6 to 8 ft	4.00	3.50	
	5.00		
10 to 12 ft	7.50	6.00	
*alba laciniata. Cutleaf Weeping I	Birch.	35'	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		4.00	
1 % to 2 in		5.00	
2 to 2½ in	7.50	6.00	
*fontinalis. Water Birch. 40'			
6 to 8 ft	3.50		

	1-4 Each	5-24 Each	25 & up Each
*Betula			
*lenta. Sweet Birch. 40'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2.25
1½ to 1¾ in	3.50	3.00	2.75
1 % to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	
*lutea. Yellow Birch. 50'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
*maximowicziana. Monarch Birc	h. 60'		
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
1 \(\) to \(2 \) in	6.00	5.00	
*nigra. River Birch. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00		
2½ to 3 in	6.50		
*papyrifera. Canoe Birch. 40'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft		2.25	2.00
1¼ to 1½ in		2.75	2.50
1½ to 1¾ in		3.25	3.00
1 3/4 to 2 in		3.75	3.25
2 to $2\frac{1}{2}$ in		4.50	4.00
2½ to 3 in		6.00	
3 to 3½ in		7.50	
3½ to 4 in		10.00	

	1-4 Each	5-24 Each	25 & up Each
Betula ***			
*papyrifera cordifolia. 40'	E 00		
1½ to 1¾ in	5.00		
2 to 2½ in	7.50		
*populifolia. Gray Birch. 40'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
1 ½ to 1 ½ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.75
1 3/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	6.50	5.50	
Bignonia grandiflora. Chinese Trumpete	creeper.	20'	
2 year	.75	.60	.50
3 year	.85	.75	.60
4 year	1.00	.85	.75
grandiflora Mad. Gallen. 20'			
2 year	1.00	.75	
radicans. Trumpetcreeper. 30'			
2 year	.30	.20	.15
3 year	.35	.25	.20
		•	
	30'	F0	
2 year	.75	.50	
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50		
Broussonetia papyrifera. Paper Mulber	ry. 40'		
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
Bruckenthalia spiculifolia. Spikeheath.	1'		
6 in., 3 inch pots		1.25	
· ·			
Buddleia davidi. Orange-eye Butterfly			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
davidi superba. 5'			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Buddleia			
davidi veitchi. Veitch Butterfly			
2 to 3 ft		.20	.15
3 to 4 ft		.30	.20
4 to 5 ft	50	.35	.30
farquhari. 5'			
2 to 3 ft	30	.20	.15
3 to 4 ft	40	.30	.20
4 to 5 ft	50	.35	.30
5 to 6 ft	60	.50	.40
Ile de France. 4'			
2 to 3 ft	50	.35	.25
intermedia. Wisteria Butterfly B	ush. 5'		
2 to 3 ft	30	.20	.15
3 to 4 ft	40	.30	.20
lindleyana. Lindley Butterfly Bus	sh. 5'		
2 to 3 ft		.20	.15
3 to 4 ft		.30	.20
paniculata.			
3 to 4 ft	40	.35	.25
4 to 5 ft		.40	.35
		· ·	
Buxus microphylla.	60	50	.40
12 to 15 in		.50	·
15 to 18 in	10	.00	.50
microphylla koreana.			
6 to 8 in	65	.5 5	.50
10 to 12 in	. 1.00	.75	.60
sempervirens handsworthi.			
6 to 8 ft	60	.50	.40
Callicarpa americana. American Beau		6'	
2 to 3 ft	75	.65	
giraldiana. 6'			
2 to 3 ft	75	.65	.60
japonica. Japanese Beautyberry.	4'		
18 to 24 in	•	.30	.20
2 to 3 ft		.35	

	1-4 Each	5-24 Each	25 & up Each
Callicarpa			
purpurea. Chinese Beautyberry. 4'	4.0	0.0	0.0
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
Calluna vulgaris. Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alba. White Heather. 2'		•	
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alporti. Alport Heather. 2	•		
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'	75	60	50
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
Calycanthus floridus. Sweet Shrub. 5'	0=	9.0	0.5
18 to 24 in	.35	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
occidentalis. California Sweetshrub.	12'		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25		
Caragana arborescens. Siberian Peatree.			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
boisi. 6'			
2 to 3 ft	1.00	.75	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	

*C Labele European Hembern	1-4 Each 60'	5-24 Each	25 & up Each
*Carpinus betulus. European Hornbeam.		1 75	1 50
2 to 3 ft	$2.00 \\ 2.75$	1.75 2.50	1.50
3 to 4 ft		$\frac{2.50}{3.25}$	2.25
4 to 5 ft	3.50		3.00
5 to 6 ft	4.50	4.00 4.75	3.75
6 to 8 ft	5.50		4.50
8 to 10 ft	7.50 15.00	6.50 12.50	6.00
Sheared plants, 4 to 8 ft. quoted			
*caroliniana. American Hornbeam.	<i>40</i> ′		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.75	2.25	2.00
5 to 6 ft	3.25	2.75	2.50
6 to 8 ft	4.50	3.75	3.50
8 to 10 ft	6.00	5.50	5.00
10 to 12 ft	12.50	10.00	
Sheared plants, 4 to 10 ft., quoted			
*japonica. 40'	1		
2 to 3 ft	2.00	1.50	
3 to 4 ft., bushy	3.00	2.50	
4 to 5 ft., bushy	3.50	3.00	
*yedoensis. 25'			
2 to 3 ft	2.25	2.00	1.75
3 to 4 ft	2.75	2.25	2.00
4 to 5 ft	3.50	3.00	
5 to 6 ft	5.00		
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
tangutica. 5'	•		•
10 to 12 in., 4 inch pots	1.00	.80	.75
Castanea sativa. Spanish Chestnut. 60'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
Catalpa bignonioides nana syn. bungei.			
Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	

Catalaa	1-4 Each	5-24 Each	
Catalpa			
speciosa. Western Catalpa. 30'			
8 to 10 ft	1.50	1.25	
1½ to 1¾ in	1.75	1.50	1.25
1 ¾ to 2 in	2.00	1.75	1.50
Ceanothus americanus. Jersey Tea. 3'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
Cedrela sinensis. Chinese Cedrela. 50'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
Cedrus deodara Deodar. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00		
libani. Cedar of Lebanon. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00		
Celastrus orbiculatus. Oriental Bittersw	eet. 20'	,	
2 year		.30	.20
3 year	$.45 \\ .60$.35	.25 $.35$
	• • •	• 20	•00
scandens. Native Bittersweet. 25'	40	20	or.
2 year	.40 $.45$.30	.25
4 year	.60	.45	.40
± ycar	.00	.40	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00
1 % to 2 in	4.00	3.75	
2 to 2½ in	5.00	4.00	
$2\frac{1}{2}$ to 3 in	7.50	5.00	
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	

Cephalanthus occidentalis. Button Busi	1-4 Each h. 6'	5-24 Each	25 & up Each
9 + 2 9 + 4	15	95	20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
*Cercidiphyllum japonicum. Katsura T			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	7.50	6.50	
*	15.00		
10 to 12 ft. specB&B	20.00		
12 to 14 ft. specB&B	25.00		
*japonicum sinense. Chinese Katsa	ura Tre	e. 50'	
2 to 3 ft	3.50		
3 to 4 ft	5.00		
*Cercis canadensis. American Redbud.	<i>15</i> ′		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. specB&B	7.50		
8 to 10 ft. specB&B	10.00		
10 to 12 ft. specB&B	15.00		
*chinensis. Chinese Redbud. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	5.00	4.00	3.50
			0.00
Chamaecyparis lawsoniana. Lawson Cyn			
2 ftB&B	3.00	2.50	
3 ftB&B		3.50	
4 ftB&B		5.00	
5 ftB&B		7.50	
6 ftB&B	12.50	10.00	
lawsoniana pendula. Weeping Law	son Cy	press.	15'
3 ftB&B	7.50	6.00	
4 ftB&B	10.00	8.00	
5 ftB&B	12.50		

		1-4 Each	5-24 Each	25 & up Each
Chamaecyp	aris			
lawson	iana Triomphe de Boskoop	. 40'		
3	ftB&B	4.00	3.50	3.00
4	ftB&B	6.00	5.00	4.00
5	ftB&B	9.00	7.50	
6	ftB&B	12.00	•	
nootka	tensis. Nootka Cypress. 75'			
2	ftB&B	3.00	2.50	2.25
3	ftB&B	4.00	3.00	2.75
4	ftB&B	5.00	4.50	
5	ftB&B	7.50	6.00	
6	ftB&B	9.00	7.50	
obtusa	compacta. Compact Hinoki	Cypres	rs. 10'	
2	ftB&B	3.00	2.50	2.25
3	ftB&B	4.00	3.50	$\frac{2.25}{3.25}$
4	ftB&B	5.50	5.00	4.50
5	ftB&B	7.50	6.00	4.00
6	ftB&B	10.00	7.50	
7	ftB&B	12.50	10.00	
obtusa	crippsi. Yellow Hinoki Cyp	ress. 1	'.O'	
3	ftB&B	5.00		
4	ftB&B	6.00		
.1			4 <i>51</i>	
	gracilis. Slender Hinoki Cy			
$\frac{2}{2}$	ftB&B	4.00	3.50	
3	ftB&B			
	ftB&B			
	ftB&B ftB&B	12.50		
7	ftB&B	15.00	10.00 12.50	
obtusa	nana. Dwarf Hinoki Cypres	ss. 3'		
12	inB&B	3.50	3.00	
15	inB&B	4.00	3.50	
	inB&B	6.00	5.00	
24	inB&B	7.50		

Chamasannaui.	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis pisifera. Sawara Cypress. 30'			
•	2.50	2.00	1.75
2 ftB&B 3 ftB&B	$\frac{2.50}{3.75}$	3.00	2.75
4 ftB&B	5.00		
5 ftB&B	6.50	5.00	4.50
6 ft. specB&B	9.00	7.50	1.00
7 ft. specB&B		10.00	
8 ft. specB&B			
9 ft. specB&B			
10 ft. specB&B			
For larger sizes to 16 ft., add \$5.			
p. aurea. Golden Sawara Cypress.	<i>30</i> ′		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.00	5.00	
6 ft. specB&B	10.00		
7 ft. specB&B	12.50		
8 ft. specB&B	15.00		
9 ft. specB&B	17.50		
10 ft. specB&B	20.00		
For larger sizes to 16 ft., add \$5.	00 per	foot.	
p. filifera. Thread-branched Japane	se Cyp	ress. 15	,
2 ftB&B	3.50	3.00	2.50
3 ftB&B			3.00
	6.00		
4 ft. specB&B	12.00	10.00	
5 ft. specB&B			
6 ft. specB&B			
7 ft. specB&B			
8 ft. specB&B	25.00	22.50	
9 ft. specB&B	35.00		
p. filifera aurea.			
Golden Thread-branched Japanese	Cypres	s. 10'	
18 in. spdB&B	3.50	2.75	
24 in. spdB&B	4.50	3.75	
30 in. spdB&B	6.00	5.00	
36x36 in. specB&B			

PAINESVILLE, OH	O		31		
	Each 1-4	Each 5-24	Each 25 & up		
Chamaecyparis p. filifera aurea	1-4	0-24	25 & up		
48x48 in. specB&B	15.00				
54x54 in. specB&B					
60x60 in. specB&B					
ooxoo m. specb&b	20.00				
p. filifera aurea nova.					
Variegated Thread-branched Japa	nese C	ypress.	10'		
18 to 24 in. spdB&B	3.00				
24 to 30 in. spdB&B	4.00				
30 to 36 in. spdB&B	5.00				
36 to 42 in. spdB&B	7.50				
42 to 48 in. spdB&B	10.00				
48 to 54 in. spdB&B	15.00				
p. plumosa. Plume Cypress. 30'					
2 ft. shearedB&B	2.50	2.00	1.75		
3 ft. shearedB&B	3.75	3.00	2.50		
4 ft. shearedB&B	5.00	4.00	3.75		
	6.00	5.00	4.50		
	8.00	7.00	6.50		
7 ft. shearedB&B	10.00	9.00	8.00		
8 ft. shearedB&B	15.00	12.50			
9 ft. shearedB&B	18.00	15.00			
10 ft. shearedB&B	20.00	18.00			
For larger sizes to 16 ft., add \$5.0	00 per	foot.			
3 ft. high x 4 ft. spread ex.					
specB&B	7.50				
4 ft. high x 5 ft. spread ex.					
specB&B	12.50				
5 ft. high x 6 ft. spread ex.					
specB&B	15.00				
p. plumosa aurea. Goldenplume Cypress. 25'					
2 ft. shearedB&B	2.50	2.00	1.75		
3 ft. shearedB&B	3.75	3.00	2.50		
4 ft. shearedB&B	5.00	4.00	3.75		
5 ft. shearedB&B	6.00	5.00	4.50		
6 ft. shearedB&B	8.00	7.00	6.00		
7 ft. shearedB&B	10.00	8.50	7.50		
	15.00	12.50	10.00		
9 ft. shearedB&B	18.00	15.00			
10 ft. shearedB&B	20.00	18.00			

Chamaecyparis p. plumosa aurea For larger sizes to 16 ft., add \$5.00 per foot. 2 ft. high x 3 ft. spread ex. spec. B&B 5.00 3 ft. high x 4 ft. spread ex. spec. B&B 7.50 4 ft. high x 5 ft. spread ex. spec. B&B 12.50 5 ft. high x 6 ft. spread ex. spec. B&B 3.00 2.50 24 in. B&B 3.50 3.00 2.50 36 in. B&B 4.00 3.50 42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 6.00 5.00 60 in. B&B 7.50 6.00 60 in. B&B 8.00 7.00 7 ft. B&B 8.00 7.00 7 ft. B&B 8.80 7.00 7 ft. B&B 8.80 15.00 9 ft. B&B 8.80 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 8.8 3.00 2.50 3 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 8.50			1-4 Each	5-24 Each	25 & up Each
2 ft. high x 3 ft. spread ex.	Chamaecyp	aris p. plumosa aurea	134611	Hacii	Liacii
spec.	For la	rger sizes to 16 ft., add \$5.0	00 per	foot.	
3 ft. high x 4 ft. spread ex. spec	2	ft. high x 3 ft. spread ex.			
spec.		specB&B	5.00		
spec.	3	ft. high x 4 ft. spread ex.			
spec. B&B 12.50 5 ft. high x 6 ft. spread ex. spec. B&B 15.00 p. plumosa lutescens. (Globe form). 5' 24 in. B&B 3.00 2.50 2.00 30 in. B&B 3.50 3.00 2.50 36 in. B&B 4.00 3.50 42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 10.00 8.00 P. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. 4 ft. B&B 5.00 4.50 5 ft. B&B 8.00 7.00 7 ft. B&B 15.00 12.50 9 ft. B&B 15.00 12.50 9 ft. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 3.00 3.50 3.00 4 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50			7.50		
spec. B&B 12.50 5 ft. high x 6 ft. spread ex. spec. B&B 15.00 p. plumosa lutescens. (Globe form). 5' 24 in. B&B 3.00 2.50 2.00 30 in. B&B 3.50 3.00 2.50 36 in. B&B 4.00 3.50 42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 10.00 8.00 P. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. 4 ft. B&B 5.00 4.50 5 ft. B&B 8.00 7.00 7 ft. B&B 15.00 12.50 9 ft. B&B 15.00 12.50 9 ft. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 3.00 3.50 3.00 4 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50	4	ft. high x 5 ft. spread ex.			
p. plumosa lutescens. (Globe form). 5' 24 in		_	12.50		
p. plumosa lutescens. (Globe form). 5' 24 in	5	ft. high x 6 ft. spread ex.			
24 in. 2.50 2.00 30 in. 3.50 2.50 36 in. 3.50 2.50 36 in. 3.50 42 in. 8.8 5.00 4.00 48 in. 8.8 7.50 6.00 60 in. 8.00 7.00 8.00 P. plumosa sulphurea. </td <td></td> <td>specB&B</td> <td>15.00</td> <td></td> <td></td>		specB&B	15.00		
24 in. B&B 3.00 2.50 2.00 30 in. B&B 3.50 3.00 2.50 36 in. B&B 4.00 3.50 42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 10.00 8.00 p. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 6.50 5.50 5.00 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00	ula∵.a	mosa lutescens. (Globe form)). <i>5'</i>		
30 in		· · · ·		2.50	2.00
36 in. B&B 4.00 3.50 42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 10.00 8.00 p. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50			3.50		2.50
42 in. B&B 5.00 4.00 48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 7.50 6.00 F. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 P. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00					_,,,
48 in. B&B 6.00 5.00 54 in. B&B 7.50 6.00 60 in. B&B 7.50 6.00 9 plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00					
54 in. B&B 7.50 6.00 60 in. B&B 10.00 8.00 p. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared B&B 3.00 2.50 2.00 3 ft. sheared B&B 4.00 3.50 3.00 4 ft. sheared B&B 5.50 4.50 4.00 5 ft. sheared B&B 8.50 7.00 6.00 7 ft. sheared B&B 10.00 9.00 8 ft. sheared B&B 15.00 12.50 9 ft. sheared B&B 15.00 12.50 9 ft. sheared B&B 20.00			6.00	5.00	
p. plumosa sulphurea. Sulphurplume Cypress. 25' 4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared B&B 3.00 2.50 2.00 3 ft. sheared B&B 4.00 3.50 3.00 4 ft. sheared B&B 5.50 4.50 4.00 5 ft. sheared B&B 6.50 5.50 5.00 6 ft. sheared B&B 8.50 7.00 6.00 7 ft. sheared B&B 15.00 12.50 9 ft. sheared B&B 15.00 12.50 9 ft. sheared B&B 15.00 12.50 9 ft. sheared B&B 20.00				6.00	
4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 10.00 9.00 8 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00	60		10.00	8.00	
4 ft. B&B 5.00 4.50 5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 10.00 9.00 8 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00					
5 ft. B&B 6.50 5.50 6 ft. B&B 8.00 7.00 7 ft. B&B 10.00 8.50 8 ft. B&B 15.00 12.50 9 ft. B&B 18.00 15.00 p. squarrosa. Moss Retinospora. 30' 2 ft. sheared. B&B 3.00 2.50 2.00 3 ft. sheared. B&B 4.00 3.50 3.00 4 ft. sheared. B&B 5.50 4.50 4.00 5 ft. sheared. B&B 6.50 5.50 5.00 6 ft. sheared. B&B 8.50 7.00 6.00 7 ft. sheared. B&B 10.00 9.00 8 ft. sheared. B&B 15.00 12.50 9 ft. sheared. B&B 20.00	p. plui	mosa sulphurea. Sulphurplur	ne Cyp	ress. 25	,
6 ft	4	ftB&B	5.00	4.50	
7 ft. 8.50 8 ft. 12.50 9 ft.	5	ftB&B	6.50	5.50	
8 ft	6	ftB&B	8.00	7.00	
9 ft	7	ftB&B	10.00	8.50	
p. squarrosa. Moss Retinospora. 30' 2 ft. sheared.	8	ftB&B	15.00	12.50	
2 ft. sheared.	9	ftB&B	18.00	15.00	
2 ft. sheared.	p. squ	arrosa. Moss Retinospora. E	30 '		
3 ft. sheared		•		2.50	2.00
4 ft. sheared				3.50	
5 ft. sheared					
6 ft. shearedB&B 8.50 7.00 6.00 7 ft. shearedB&B 10.00 9.00 8 ft. shearedB&B 15.00 12.50 9 ft. shearedB&B 20.00					
8 ft. shearedB&B 15.00 12.50 9 ft. shearedB&B 20.00				7.00	6.00
9 ft. shearedB&B 20.00	7	ft. shearedB&B	10.00	9.00	
	8	ft. shearedB&B	15.00	12.50	
10 ft sheared R&R 25.00	9	ft. shearedB&B	20.00		
10 10. Sheared	10	ft. shearedB&B	25.00		
Chamaedaphne calyculata. Leatherleaf. 3'					
15 to 18 in	_			2 50	
18 to 24 in					
24 to 30 in					

	1-4 Each	5-24 Each	25 & up Each
Chionanthus virginica. White Fringe.	25 '		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25	1.75	1.50
6 to 8 ft	3.00	2.25	2.00
8 to 10 ft	4.00	3.00	
5 to 6 ft. specB&B	7.50	6.00	
6 to 8 ft. specB&B	10.00	7.50	
8 to 10 ft. specB&B	12.50		
Cladrastis lutea. Yellow Wood. 30'			
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	7.50	6.00	5.00
10 to 12 ft	12.50	10.00	
12 to 14 ft	15.00	12.50	
Clematis apiifolia. October Clematis. 2	5 '		
2 year		.40	.30
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.			
2 year	1.00	75	
· ·	1.00	.10	
fargesi.			
2 year, 3 in. pots	1.00	.75	
flammula. Plume Clematis. 15'			
2 year	1.00	.75	
hybrids. Large Flowering Clematis			
2 year		.60	
Jackmanni, Mad. Ed. Andre, Ho		• • •	
Duchess of Edinburg.	5 7		
	151		
ligusticifolia. Western Virgins-bord		CO	F 0
2 year	.75	.60	.50
montana rubens.			
3 inch pots	1.00	.75	.65
montana undulata.			
3½ inch pots	1.00		
â vă mior banni i i i i i i i i i i i i i i i i i i			

	1-4 Each	5-24 Each	25 & up Each
Clematis			
montana wilsoni.			
3 inch pots	1.00	.75	
orientalis. Oriental Clematis. 12'			
2 year	.50	.40	.30
paniculata. Sweet Autumn Clematis.	25'		
2 year	.35	.25	.20
3 year	.45	.35	.25
serratifolia. Korean Clematis.			
2 year	1.00	.75	.60
tangutica. Golden Clematis. 12'			
2 year	.60	.50	.40
texensis syn. coccinea. Scarlet Cler	natis.	10'	
2 year	.60	.50	.40
veitchi. 10'			
3 inch pots	1.00	.75	
viorna. Leatherflower.			
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.35	.25	.20
3 year	.45		.25
vitalba. Travelers-joy. 25'			
2 year	60	.50	.40
	•••	•00	• • •
viticella. Italian Clematis. 10'	75	CO	
2 year	.75	.60	
Clerodendron trichotomum. Harlequin	${\it Horyb}$	wer. 6'	,
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
Clethra alnifolia. Sweet Pepper Bush.	5 '		
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
2 to 3 ft		.55	
3 to 4 ft	,75	.65	.60

	1-4	5-24	25 & up
Clethra	Each	Each	Each
paniculata. 5'			
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Colutea arborescens. Bladder Senna. 10	o'		
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
cilicica. Cilician Bladder Senna. 6'			
2 to 3 ft	1.50		
media. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern. 3'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	• 40
		•00	
Cornus alba. Tatarian Dogwood. 10'	٠	0.5	20
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45 $.60$.35	.35
4 to 5 ft	.75	.60	.50
6 to 8 ft		.75	.50
alba elegantissima. Silverblotch D	.65		50
2 to 3 ft	.75	.55	.50 .60
4 to 5 ft	.75	.80	.70
5 to 6 ft	1.00	.90	.10
6 to 8 ft	1.25	1.15	
	1.20	1,10	
alba sibirica. Coral Dogwood. 10'	25	.25	.20
2 to 3 ft	.35 $.45$.25	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.90	.75
alba spaethi. Golden variegated De	.65	.55	.50
	.75	.65	.60
4 to 5 ft	1.00	.75	.00
T 00 U 10	1.00	.10	

36 HENRY KOHANKIE	& SON		
	1-4 Each	5-24 Each	25 & up Each
Cornus	Each	Each	Each
alternifolia. Pagoda Dogwood. 20	,		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
amomum syn. sericea. Silky Dogw	wood. 1	0'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	•00
*florida. White Flowering Dogwoo		•••	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	$\frac{1.50}{2.00}$	1.50	1.35
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	$\frac{2.25}{3.25}$
8 to 10 ft			4.50
5 to 12 ft., heavy spec.,	0.00	0.00	7.00
B&B at \$1.50 per foot.			
· · · · · · · · · · · · · · · · · · ·		051	
florida plena. Dbl. White Flg. Dog			250
2 to 3 ftB&B			
3 to 4 ftB&B			
4 to 5 ftB&B		5.00	4.50
5 to 6 ft. specB&B			
6 to 8 ft. specB&B			
8 to 10 ft. specB&B		008	
florida rubra. Red Flowering Dog			4 ===
2 to 3 ft		2.00	
3 to 4 ftB&B			
4 to 5 ftB&B			
5 to 6 ftB&B			
6 to 8 ftB&B		8.50	7.50
5 ft., heavy specB&B			
6 ft., heavy specB&B			
7 ft., heavy specB&B			
8 ft., heavy specB&B	25.00		

1-4	5-24	25 & up
Each	Each	Each

Cornus

florida w	elchi. Variegated-leaved	Dogwo	od. 25'	
	3 ftB&B			
	4 ftB&B			
*kousa.	Kousa Dogwood. 20'			
	3 ft	1 25	1.00	75
	4 ft		-1.25	
	5 ft. heavyB&B		1.20	1.00
	6 ft. heavyB&B			
	8 ft. heavyB&B			
	rnelian Cherry. 20'			
2 to	3 ft	1.00	.85	.75
	4 ft	1.25		
	5 ft	1.75		
	6 ft	2.50		
	8 ft	3.50	_,_,	
	10 ft	4.50	$\frac{3.25}{4.25}$	
0 10	10 10,,	4.00	4.20	4.00
	. Japanese Cornelian Cher	_	•	
3 to	4 ft	2.00		
paniculat	a. Gray Dogwood. 15'			
	3 ft	.50	.45	.40
3 to	4 ft	.65	.55	.50
	5 ft	.90	.75	.65
5 to	6 ft	1.00	.85	
pubescens				
•	4 ft	.75	.60	.50
rugosa.	Roundleaf Dogwood. 10	•		
	5 ft			
	Bloodtwig Dogwood. 1			
_	3 ft	.35	.25	.20
	4 ft	.45	.35	.25
	5 ft	.60	.45	.35
	6 ft	.75	.60	.50
	8 ft	1.00	.75	.60
	viridissima. Greentwig		od. 10'	
_	3 ft	.50	.40	.30
	4 ft	.60	.50	.40
	5 ft	.75	.60	.55
	6 ft	1.00		.65

	1-4 Each	5-24 Each	25 & up Each	
Cornus	Bach	Bach	134011	
stolonifera. Red Osier Dogwood.	8 '			
2 to 3 ft	.35	.25	.20,	
3 to 4 ft	.45	.35	.25	
4 to 5 ft	.60	.45	.35	
5 to 6 ft	.75	.60	.50	
6 to 8 ft	1.00	.75	.65	
stolonifera flaviramea. Goldentwig				
2 to 3 ft	.50	.40	.35	
3 to 4 ft	.65	.50	.45	
4 to 5 ft	.75	.65		
Corylus americana. American Hazelnut.	. 10'			
2 to 3 ft	.55	.45	.40	
3 to 4 ft	.65	.55	.50	
4 to 5 ft	.75	.65	.60	
5 to 6 ft	1.00	.80	.75	
6 to 8 ft	1.50	1.25	1.00	
avellana. Filbert. 15'				
2 to 3 ft	.65	.55	.50	
3 to 4 ft	.75	.65	.60	
4 to 5 ft	1.00	.80	.75	
5 to 6 ft	1.25	1.00	.90	
6 to 8 ft	1.75	1.50	1.25	
avellana atropurpurea. Purple File	bert.	!5 '		
2 to 3 ft	4.00	3.50		
3 to 4 ft	4.50	4.00		
4 to 5 ft	6.00	5.00		
5 to 6 ft	7.50	6.00		
heterophylla setchuenensis. Chine	se Ha	zelnut.	12'	
18 to 24 in	2.00			
2 to 3 ft	2.50			
rostrata. Beaked Hazelnut. 6'				
2 to 3 ft		.75	.60	
3 to 4 ft	1.25			
4 to 5 ft	1.50	1.25	1.00	
*Cotoneaster acutifolia. Peking Cotoneaster. 12'				
2 to 3 ft	.55	.45	.40	
	.65		.50	
4 to 5 ft	.75		.60	
5 to 6 ft	1.00	.80	.75	

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster	220011	2300011	,
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
adpressa. Creeping Cotoneaster. 2	•	*	
6 to 8 in. from pots	1.25	1.00	.75
ambigua. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
apiculata. $ heta'$			
9 to 12 in. from pots	1.50	1.25	
dammeri. 2'	200		
	1 75	1 50	
6 to 8 in, from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	
4 to 5 ftB&B	2.50	2.25	2.00
divaricata. Spreading Cotoneaster.	6 '		
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
12 to 18 in., 4 in. pots	1.25	1.00	.75
foveolata. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
f The Theory and Continuous ton	101		
francheti. Franchet Cotoneaster.		1 50	
18 to 24 inB&B 2 to 3 ftB&B	1.75	1.50 1.75	
12 to 18 in., 4 in. pots		1.00	.75
12 to 10 m., + m. pots	1.20	1.00	.10
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.25	1.00	.75
horizontalis. Rock Cotoneaster. 3'	•		
12 to 15 in. spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75	1.50	1.25
18 to 24 in. spd. from pots	2.50	2.00	

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster. 5	;*		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
15 to 18 in., 3 in. pots	1.25	1.00	
integerrima. European Cotoneaste	r. 6'		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
*lucida. <i>12'</i>			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
melanocarpa. 6'			
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.25	2.00	
4 to 5 ftB&B	3.00	2.50	
microphylla. Rockspray. 6'			
10 to 12 in., 4 in. pots	1.50	1.25	1.00
moupinensis. Mupin Cotoneaster.	10'		
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.25	2.00	1.75
4 to 5 ftB&B	3.00	2.50	2.25
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
obscura. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
racemiflora soongarica. 6'		•	
2 to 3 ftB&B	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
rotundifolia. Roundleaf Cotoneaste			
10 to 12 in. from pots		1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
rosea. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	$\dot{2}.25$	2.00
salicifolia. Willowleaf Cotoneaster.	10'		
2 to 3 ftB&B		2.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75	1.50	1.25
simonsi. Simons Cotoneaster. 8'			
2 to 3 ftB&B	2.25	2.00	
3 to 4 ftB&B	2.50		
12 to 18 in., 4 in. pots	1.25		.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in. from pots	1.50	1.25	
wilsoni. Wilson Cotoneaster. 5'	2.00	1,20	2,00
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B			
15 to 18 in., 4 in. pots		1.00	
zabeli. 6'			
15 to 18 in., from pots	1.50	1.25	1.00
*Crataegus aprica. 20'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
arkansana. Arkansas Hawthorn. 3	30 '		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
*arnoldiana. Arnold Hawthorn. 26	0'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft		3.00	
8 to 10 ft	5.00	4.00	3.50

	1-4	5-24	25 & up
*Crataegus.	Eac	h Each	Each
*carrierei. Carriere Hawth	norn. 20'		,
4 to 5 ft		0 1.75	1.50
5 to 6 ft			2.00
6 to 8 ft			2.50
8 to 10 ft		0 4.00	3.50
6 to 8 ft. standards,	quoted on	request.	
*coccinea. Thicket Hawtho	rn. 20'		
3 to 4 ft		5 1.50	1.25
4 to 5 ft	2.0	0 1.75	1.50
5 to 6 ft		5 2.25	2.00
6 to 8 ft	3.5	0 3.00	2.50
8 to 10 ft	5.0	0 4.00	3.50
*coccinioides. 20'			
4 to 5 ft	2.0	0 1.75	1.50
5 to 6 ft	2.7	5 2.25	2.00
6 to 8 ft	3.5	0 3.00	
*cordata. Washington Have	thorn. 20'		
3 to 4 ft		0 1.75	1.50
4 to 5 ft	2.5	0 2.25	2.00
5 to 6 ft	3.0	0 2.50	2.25
6 to 8 ft	3.5	0 3.00	2.75
8 to 10 ft		0 4.50	4.00
10 to 12 ft	\dots 7.5	0 6.00	5.00
*crusgalli. Cockspur Thorn	n. 30'		
3 to 4 ft	1.7	5 1.50	1.25
4 to 5 ft	2.0	0 1.75	1.50
5 to 6 ft	2.7	5 2.25	2.00
6 to 8 ft	3.5	0 3.00	2.50
8 to 10 ft	5.0	0 4.00	3.50
10 ft. spec	.B&B 18.0	0 15.00	
*cuneata. Nippon Hawthon	rn. 20'		
4 to 5 ft	2.7	5 2.50	2.25
5 to 6 ft	3.5	0 2.75	2.50
6 to 8 ft	4.0	0 3.50	3.00
*hupehensis. 20'			
3 to 4 ft	2.5	0 2.00	
4 to 5 ft	3.2	5 2.75	
5 to 6 ft	3.7	5 3.25	
6 to 8 ft	4.5	0 4.00	

	0		40		
	1-4 Each	5-24 Each	25 & up Each		
ataegus	Bacii	Васп	Bach		
*macracantha. Spike Hawthorn. 20) '				
3 to 4 ft	2.50				
*mollis. Downy Hawthorn. 20'					
3 to 4 ft	1.75	1.50	1.25		
4 to 5 ft	2.00	1.75	1.50		
5 to 6 ft	2.75	2.25	2.00		
6 to 8 ft	3.50	3.00	2.50		
8 to 10 ft	5.00	4.00	3.50		
*monogyna. English Hawthorn. 20) '				
5 to 6 ft	3.00	2.50	2.00		
6 to 8 ft	3.50	3.00	2.50		
8 to 10 ft	5.00	4.00			
*nitida. Glossy Hawthorn. 15'					
3 to 4 ft	2.00	1.75			
4 to 5 ft	2.50	2.25			
5 to 6 ft	3.00	2.50			
6 to 8 ft	4.00	3.00			
8 to 10 ft	6.00	5.00			
*oxyacantha. English Hawthorn.	20 '				
5 to 6 ft	2.50	2.00	1.75		
6 to 8 ft	3.50	3.00	2.50		
8 to 10 ft	4.50	4.00	3.50		
8 to 10 ft. specB&B	12.50				
*oxyacantha plena. Dbl. White Ti	horn.	<i>15</i> ′			
5 to 6 ft	3.00	2.75	2.50		
6 to 8 ft	3.50	3.25	3.00		
8 to 10 ft	5.00	4.50	4.00		
*oxyacantha pauli. Paul's Scarlet	Thorn.	<i>15</i> ′			
5 to 6 ft	3.00	2.75	2.50		
6 to 8 ft	3.50	3.25	3.00		
8 to 10 ft	5.00	4.50	4.00		
*oxyacantha punicea. Sgl. Red Thorn. 15'					
5 to 6 ft	3.00	2.75	2.50		
6 to 8 ft	3.50	3.25	3.00		
8 to 10 ft	5.00	4.50	4.00		
*peregrina. Persian Hawthorn. 15'					
3 to 4 ft	2.50	2.00			
4 to 5 ft	3.00	2.50			
8 to 10 ft	7.50				

	1-4 Each	5-24 Each	25 & up Each
Crataegus.	Hach	Hacii	Пасп
*persistens. 15 ^t			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	5.00	
*pinnatifida major. Peking Hawtho	orn. 20) '	
3 to 4 ft	2.50	2.00	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 18'			
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn. 2	25 '		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.00	2.75
	2.00	0.00	
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft		1.50	1.25
	2.00	1.75	1.50
	2.75		2.00
6 to 8 ft	3.50		
8 to 10 ft	5.00	4.00	3.50
pyracantha coccinea. Scarlet Fire		<i>10'</i>	
12 to 15 in., 4 in. pots	1.25	1.00	
pyracantha lalandi. Laland Firetho	rn. 10	•	
18 to 24 in. bushy B&B	3.50	3.00	
2 to 3 ft. bushy B&B	4.00	3.50	
3 to $3\frac{1}{2}$ ftB&B			
$3\frac{1}{2}$ to 4 ftB&B	6.50	5.50	
12 to 15 in. 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.25	1.00	.75
*succulenta. Fleshy Hawthorn. 20) '		
3 to 4 ft	2.00	1.75	1.50
	2.50	2.25	2.00
5 to 6 ft	3,50	2.75	

	1-4 Each	5-24 Each	25 & up Each
Crataegus	Buch	134011	Zacn
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
*viridis. 35'			
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	5.00	4.00	
Cryptomeria japonica lobbi. Lobb Cryp	otomeri	a. 20'	
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ftB&B	10.00	7.50	6.50
7 ftB&B	12.50		
8 ftB&B	15.00		
9 ftB&B	20.00		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica. Flowering Quince. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.60	.45	
japonica alba. White Flg. Quince. 5	5'		
	1.50	1.25	
japonica alpina. Salmon Flg. Quine	e. 4'		
18 to 24 in	1.75		
2 to 3 ft	2.00		
japonica Columbia. Deep Rose Fl	g. Quin	ice. 5'	
18 to 24 in	1.75		
japonica Falconet Charlet. White	Flg. Q	uince. 6'	
2 to 3 ft	2.00		
	2.50		
4 to 5 ft	3.50		
japonica pygmaea. Dwarf Jap. Qu			
		.35	
2 to 3 ft	,50	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Cydonia			
japonica rosea grandiflora. Pink	Flg. Qu	ince. 6'	
15 to 18 in	1.50	1.25	
japonica rosea plena.			
Dbl. Pink Flowering Quince. 5'			
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
japonica umbilicata. Navel Flower	ina Quir	nce. 8'	
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75		
4 to 5 ft	1.00		.60
4 to 5 ft. heavyB&B	7.50		
japonica Vermilion. Red Flg. Quit	1.50	1.25	
kermesiana semi-plena. Rose Pink			4
2 to 3 ft	2.00	1.75	
maulei. Lesser Flowering Quince.	<i>5</i> ′		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
Cytisus nigricans. Spike Broom. 4'			
12 to 15 in	.60	.50	.40
scoparius. Scotch Broom. 10'	•00	•••	• • •
18 to 24 in	60	.50	.45
scoparius andreanus. Paradise Bro			.35
	.00	.40	.00
spachianus. 6'	CO	F0	
10 to 12 in., 4 in. pots	.60	.50	
Daphne cneorum. Garland Flower. 1'			
8 to 10 in. spdB&B	.85	.70	.60
10 to 12 in. spdB&B	1.00	.85	.75
12 to 15 in. spdB&B	1.50	1.35	1.25
mezereum. February Daphne. 4'			
15 to 18 inB&B	1.50	1.25	1.00
18 to 24 inB&B			
2 to 2½ ftB&B			
mezereum alba. White February I		4'	
18 to 24 inB&B	_		1.25
24 to 30 inB&B			
24 00 00 m	2.00	1.70	1.00

	1-4	5-24	25 & up
Decumaria barbara.	Each	Each	Each
3 yr. from pots	.50	.45	.40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
30 to 36 in	.75	•	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
2½ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
lemoine avalanche. Avalanche Deu	itzia. 4		
2 to 2½ ft	.50	.40	.35
2½ to 3 ft	.60	.50	.40
lemoine compacta. $ ilde{\it 5'}$			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
myriantha Boule Rose. Dbl. Pink			•••
18 to 24 in		.40	.30
2 to 3 ft	.60	.50	
	.00	.50	.40
parviflora. Mongolian Deutzia. 5'		,	
18 to 24 in	.40	.30	
2 to 3 ft	.50	.35	.30
rosea. Rose-paniele Deutzia. 5'			
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
2½ to 3 ft	.75	.60	.50
3 to 3½ ft	1.00	.75	.60
rosea campanulata. Bellflower Dev	itzia. 5	,	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea eximea. Pink Choice Deutzia	5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40

Doub.:	1-4 Each	5-24 Each	25 & up Each
Deutzia rosea venusta. White-panicle Deutz	zia. 5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 3½ ft	.75	.60	.50
0 10 0 /2 10	.10	.00	.00
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	
scabra candidissima. Snowflake Dec	ut~ia	10'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
0 10 4 10	.40	.50	.20
scabra Pride of Rochester. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
scabra rosea plena. 12'			
2 to 3 ft	.35	.25	.20
	.40	.30	.25
3 to 4 ft		.40	.35
4 to 5 ft	.50	.40	.50
scabra watereri. Waterer's Deutzia	. 12'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
scabra wellsi. Wells Deutzia. 12'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
vilmorinae. Vilmorin Deutzia. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Diervilla sessilifolia. Southern Bush Hon	neusuck	le. 5'	
2½ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
		.00	.40
trifida. Dwarf Bush Honeysuckle.		4 ==	0.**
2 to 3 ft			
3 to 4 ft	.65	.50	.40
(See also Weigela)			

	1-4 Each	5-24 Each	25 & up Each
Diospyros virginiana. Common Persimm		<u>l</u> uach	присп
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
	4.00	0.00	
Dirca palustris. Leatherwood. 6'			
18 to 24 in	2.00		
Elaeagnus angustifolia. Russian Olive.	20 '	•	
3 to 4 ft	.60	.45	.40
4 to 5 ft	.70	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
0 10 10	2.00	1.10	1.00
argentea. Silverberry. 12'			
3 to 4 ft	.60	.45	.40
4 to 5 ft	.70	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
longipes. Cherry Elaeagnus. 6'			
2 to 3 ft	.75	.60	
		.00	
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
Elsholtzia stauntoni. 4'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
Enkianthus campanulatus. Redvein Enk			
12 to 18 in	1.50	1.25	
perulatus. White Enkianthus. 6'			
12 to 18 in	1.50	1.25	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.00	75	60
	1.00	.79	.60
darleyensis. 2'	1 00		0.0
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60

Eucommia ulmoides. 80		1-4 Each	5-24 Each	25 & up Each
Euonymus alatus. Winged Euonymus. 10' 2 to 3 ft	Eucommia ulmoides. 60'	•		
Euonymus alatus. Winged Euonymus. 10' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. heavy. B&B 7.50 8 to 10 ft. heavy. B&B 10.00 alatus compacta. Dwarf Winged Euonymus. 6' 2 to 3 ft. 1.00 .75 3 to 4 ft. 1.00 .75 3 to 4 ft. 1.00 .75 3 to 4 ft. 1.00 .85 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75			2.50	
2 to 3 ft	3 to 4 ft	3.50		•
3 to 4 ft	Euonymus alatus. Winged Euonymus.	10'		
4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. heavy B&B 7.50 8 to 10 ft. heavy B&B 10.00 alatus compacta. Dwarf Winged Euonymus. 6' 2 to 3 ft. 1.00 .75 3 to 4 ft. 1.25 1.00 americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 16' 2 to 3 ft 50 .40 .35 3 to 4 ft 60 .50 .45 4 to 5 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 16' 2 to 3 ft 50 .40 .35 3 to 4 ft 60 .50 .45 4 to 5 ft 50 .40 .35 3 to 4 ft 55 .45 .40 4 to 5 ft 55 .45 .40 4 to 5 ft 55 .55 .50 5 to 6 ft 1.00 .85 .75 6 to 8 ft 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft55 .45 .40 4 to 5 ft 55 .55 .50 5 to 6 ft 1.00 .85 .75 6 to 8 ft 1.25 1.10 1.00 europaeus fructu-coccineus. 16' 2 to 3 ft50 .40 .35 3 to 4 ft60 .50 .45 4 to 5 ft50 .40 .35 3 to 4 ft60 .50 .45 4 to 5 ft50 .40 .35 3 to 4 ft60 .50 .45 4 to 5 ft50 .40 .35	2 to 3 ft	.60	.50	.45
5 to 6 ft	3 to 4 ft	.75	.65	.60
6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. heavy B&B 7.50 8 to 10 ft. heavy B&B 10.00 alatus compacta. Dwarf Winged Euonymus. 6' 2 to 3 ft. 1.00 75 3 to 4 ft. 1.25 1.00 americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 16' 2 to 3 ft 50 .40 .35 3 to 4 ft 60 .50 .45 4 to 5 ft 75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft 50 .40 .35 3 to 4 ft 60 .50 .45 4 to 5 ft 55 .45 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft45 .35 .30 3 to 4 ft55 .45 .40 4 to 5 ft55 .45 .40 4 to 5 ft55 .55 .50 5 to 6 ft100 .85 .75 6 to 8 ft55 .45 .40 4 to 5 ft55 .45 .40 4 to 5 ft55 .45 .40 4 to 5 ft55 .55 .50 5 to 6 ft100 .85 .75 6 to 8 ft55 .45 .40 4 to 5 ft55 .45 .40 4 to 5 ft55 .45 .40 4 to 5 ft55 .50 5 to 6 ft50 .35 .55 6 to 8 ft50 .40 .35 3 to 4 ft55 .45 .40 4 to 5 ft55 .45 .40 5 to 6 ft55 .45 .40 6 to 8 ft55 .45 .40	4 to 5 ft	1.00	.80	.75
6 to 8 ft. heavy	5 to 6 ft	1.25	1.10	1.00
8 to 10 ft. heavy B&B 10.00 alatus compacta. Dwarf Winged Euonymus. 6' 2 to 3 ft. 1.00 .75 3 to 4 ft. 1.25 1.00 americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 .45 .45 .65 .60 5 to 6 ft. 1.00 .85 .75 .65 .60 .60 .50 .45 4 to 5 ft. .60 .50 .45 .45 .45 .45 .35 .30 3 to 6 ft. .1.25 1.10 1.00 .85 .75 .6 to 8 ft. .125 1.10 1.00 europaeus.	6 to 8 ft	1.75	1.50	1.25
alatus compacta. Dwarf Winged Euonymus. 6' 2 to 3 ft. 1.00 .75 3 to 4 ft. 1.25 1.00 americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 .45 .55 .50 5 to 6 ft. 1.00 .85 .75 .50	6 to 8 ft. heavyB&B	7.50		
2 to 3 ft	8 to 10 ft. heavyB&B	10.00		
3 to 4 ft. 1.25 1.00 americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 16' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 <tr< td=""><td>alatus compacta. Dwarf Winged E</td><td>Euonymi</td><td>ıs. 6'</td><td></td></tr<>	alatus compacta. Dwarf Winged E	Euonymi	ıs. 6'	
americanus. Brook Euonymus. 8' 3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 16' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fru	2 to 3 ft	1.00	.75	
3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 2 2 45 .35 .30 3 to 4 ft. .55 .45 .40 .4 .4 .45 .35 .50 5 to 6 ft. .55 .55 .50 .55 .50 .55 .50 5 to 6 ft. .1.25 1.10 1.00 .85 .75 .6 to 8 ft.	3 to 4 ft	1.25	1.00	
3 to 4 ft. 1.00 atropurpureus. Native Wahoo. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 2 2 45 .35 .30 3 to 4 ft. .55 .45 .40 .4 .4 .45 .35 .50 5 to 6 ft. .55 .55 .50 .55 .50 .55 .50 5 to 6 ft. .1.25 1.10 1.00 .85 .75 .6 to 8 ft.	americanus. Brook Euonymus. 8'			
atropurpureus. Native Wahoo. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 2 1.45 .35 .30 3 to 4 ft. .55 .45 .40 .4 .4 .45 .35 .30 3 to 6 ft. .55 .45 .40 .4 .40 .4 .55 .50 .5 .50 .5 .50 .5 .50 .5 .50 .5 .50 .40 .35 .		1.00		
2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europeaus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. <t< td=""><td></td><td></td><td></td><td></td></t<>				
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 16' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60				
4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .100 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 16' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60		.50		.35
5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60		.60		.45
6 to 8 ft. 1.25 1.10 1.00 bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	4 to 5 ft	.75	.65	.60
bungeanus. Winterberry Euonymus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 european Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europeaus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	5 to 6 ft	1.00	.85	.75
2 to 3 ft	6 to 8 ft	1.25	1.10	1.00
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	bungeanus. Winterberry Euonymu	ıs. 15'		
4 to 5 ft. .75 .65 .60 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	2 to 3 ft	.50	.40	.35
5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	3 to 4 ft	.60	.50	.45
6 to 8 ft. 1.25 1.10 1.00 europaeus. European Burning Bush. 15' 2 to 3 ft	4 to 5 ft	.75	.65	.60
europaeus. European Burning Bush. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	5 to 6 ft	1.00	.85	.75
2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	6 to 8 ft	1.25	1.10	1.00
3 to 4 ft. .55 .45 .40 4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	europaeus. European Burning Bus	h. 15'		
4 to 5 ft. .65 .55 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	2 to 3 ft	.45	.35	.30
5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 europaeus fructu-coccineus. 15' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .60	3 to 4 ft	.55	.45	.40
6 to 8 ft	4 to 5 ft	.65	.55	.50
europaeus fructu-coccineus. 15' 2 to 3 ft	5 to 6 ft	1.00	.85	.75
2 to 3 ft .50 .40 .35 3 to 4 ft .60 .50 .45 4 to 5 ft .75 .65 .60	6 to 8 ft	1.25	1.10	1.00
3 to 4 ft	europaeus fructu-coccineus. 15'			
3 to 4 ft	2 to 3 ft	.50	.40	.35
4 to 5 ft	· · · · · · · · · · · · · · · · · · ·	.60	.50	.45
5 to 6 ft	4 to 5 ft	.75	.65	.60
	5 to 6 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
latifolius. Broadleaf Burning Bush.	<i>10'</i>		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	:55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	
15 to 18 in	1.25	1.00	
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
patens syn. sieboldianus. 8'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.90	.80	.75
radicans. Wintercreeper. 15'	•••	,00	•••
8 to 12 in	.40	.30	.25
12 to 15 in	.50		
15 to 18 in	.60	.45	.40
radicans acutus. Sharpleaf Winterc	reeper.	1'	
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
radicans argenteo-marginatus. Silveredge Wintercreeper. 1'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50		
15 to 18 in	.60		
radicans carrieri. Glossy Wintercre	eper.	?'	
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
radicans colorata. 10'			
12 to 15 in	.40	.30	.25
15 to 18 in	.55	.45	.35
18 to 24 in	.65	.55	.45

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
radicans minima. Baby Wintercree	eper. 1	,	
8 to 12 in. from pots	.45	.35	.30
12 to 15 in. from pots	.55	.45	.40
radicans vegetus. Bigleaf Wintercr	eeper.	4'	
12 to 15 in	.55	.45	.40
15 to 18 in	.65	.55	.50
18 to 24 in	.80	.70	.65
24 to 30 in	1.50	1.25	
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia hupehensis. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Exochorda grandiflora. Pearl Bush. 10			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.65	.55	.45
	.75	.65	
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.00
6 to 8 ft. specB&B		1.00	
	12.50		
giraldi wilsoni. Wilson Pearlbush.	15'		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	$\frac{2.50}{3.00}$		
4 00 0 10	5.00		
Fagus americana. American Beech. 60			
2 to 3 ftB&B	3.50	3.00	2.75
3 to 4 ftB&B		4.00	
	6.00	5.00	4.75
	8.50	7.50	
6 to 8 ftB&B	12.50	10.00	

Fagus	1-4 Each	5-24 Each	25 & up Each
sylvatica. European Beech. 75'			
	3.50	3.00	2.50
4 to 5 ftB&B	4.50	4.00	3.50
	6.50	5.50	5.00
6 to 8 ftB&B	9.00	8.00	7.50
8 to 10 ftB&B	12.50	10.00	9.00
10 to 12 ftB&B	20.00	15.00	
12 to 14 ftB&B	25.00	20.00	
sylvatica fastigiata. Pyramidal Bee		•	
8 to 10 ftB&B	20.00		
sylvatica heterophylla. Fernleaf I	Beech.	25'	
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	12.50		
sylvatica pendula. Weeping Beech	i. 50'		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		
10 to 12 ftB&B	25.00		
12 to 14 ftB&B	35.00		
sylvatica purpurea. Purple Beech.	75'		
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.50	
5 to 6 ftB&B	10.00	7.50	
6 to 8 ftB&B	12.50	10.00	
8 to 10 ftB&B	15.00		
10 to 12 ftB&B	20.00		
sylvatica riversi. River's Beech.	75 '		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		
10 to 12 ft., 1½ in B&B	25.00		
Fontanesia fortunei. Fortune Fontanesi			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75

Forsythia europea. Albanian Forsythia. 6' 2 to 3 ft		1-4 Each	5-24 Each	25 & up Each
3 to 4 ft	Forsythia europea. Albanian Forsythia.	6'		
4 to 5 ft. 1.25 intermedia. Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 intermedia spectabilis. Showy Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. .100 .75 .60 ovata. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60<		.75		
intermedia. Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 intermedia spectabilis. Showy Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. .100 .75 .60 .40 .30 .55 .45 4 to 5 ft. .100 .75 .60 .40 .30 .40 .35 .25 .20 .30 .40 .50 .40 .50 .40 .50 <td>3 to 4 ft</td> <td>1.00</td> <td></td> <td></td>	3 to 4 ft	1.00		
2 to 3 ft	4 to 5 ft	1.25		
3 to 4 ft	intermedia. Border Forsythia. 8'			
4 to 5 ft	2 to 3 ft	.35	.25	.20
5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 intermedia spectabilis: Showy Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. 1.00 .75 .60 ovata. 8' 2 to 3 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .50	3 to 4 ft	.40	.30	.25
6 to 8 ft	4 to 5 ft	.50	.40	.30
intermedia spectabilis. Showy Border Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. 1.00 .75 .60 4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 .40 .50 .50 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 2 2 2 2 2 2 2 2 2 3 3 .25 .20 3 4 4 5 .35 .30 .4 .5 .5 .20 .3 .4 .5 .5 .20 .3 .4 .5 .5 .20 .3	5 to 6 ft	.65	.55	.45
2 to 3 ft	6 to 8 ft	.90	.75	.60
3 to 4 ft	intermedia spectabilis. Showy Bor	der For	sythia.	8'
4 to 5 ft	2 to 3 ft	.35	.25	.20
5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. 1.00 .75 .60 4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .45 .35 .25 .20 3 to 4 ft. .45 .35 .30 .40 .50 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 sus	3 to 4 ft	.40	.30	.25
6 to 8 ft. .90 .75 .60 ovata. 8' 2 to 3 ft. .75 .50 .40 3 to 4 ft. 1.00 .75 .60 4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to	4 to 5 ft	.50	.40	.30
ovata. 8' 2 to 3 ft .75 .50 .40 3 to 4 ft 1.00 .75 .60 4 to 5 ft 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft .35 .25 .20 3 to 4 ft .45 .35 .30 4 to 5 ft .60 .50 .40 5 to 6 ft .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft .35 .25 .20 3 to 4 ft .45 .35 .30 4 to 5 ft .60 .50 .40 5 to 6 ft .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft .35 .25 .20 3 to 4 ft .40 .30 .25 4 to 5 ft .50 .40 .30 5 to 6 ft .65 .55 .45 6 to 8 ft .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft .35 .25 .20 3 to 4 ft .40 .30 .25 4 to 5 ft .50 .40 .30 5 to 6 ft .50 .40 .30 5 to 6 ft .50 .40 .30	5 to 6 ft	.65	.55	.45
2 to 3 ft. .75 .50 .40 3 to 4 ft. 1.00 .75 .60 4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa siebolai. Siebola Forsythia. 8' 2 to 3 ft. .90	6 to 8 ft	.90	.75	.60
3 to 4 ft. 1.00 .75 .60 4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30	ovata. 8'			
4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30	2 to 3 ft	.75	.50	.40
4 to 5 ft. 1.25 1.00 suspensa. Weeping Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30	3 to 4 ft	1.00	.75	.60
2 to 3 ft		1.25	1.00	
2 to 3 ft	suspensa. Weeping Forsythia. 6'			
3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30 65 .55 .45 <	* *	.35	.25	.20
5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .55 .45		.45	.35	.30
5 to 6 ft. .75 .60 .50 suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .55 .45		.60	.50	.40
suspensa atrocaulis. Purple Stem Forsythia. 6' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30 5 to 6 ft. .55 .45		.75	.60	.50
2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .50 .40 .30 5 to 6 ft. .55 .45		Forsyth	hia. 6'	
4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .55 .45				.20
5 to 6 ft. .75 .60 .50 suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45	3 to 4 ft	.45	.35	.30
suspensa fortunei. Golden Bell. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45	4 to 5 ft	.60	.50	.40
2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45	5 to 6 ft	.75	.60	.50
2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45	suspensa fortunei. Golden Bell. 8	31		
3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45	_		.25	.20
4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45				
5 to 6 ft. .65 .55 .45 6 to 8 ft. .90 .75 .60 suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .40 .30 .25 4 to 5 ft. .50 .40 .30 5 to 6 ft. .65 .55 .45				
6 to 8 ft				
suspensa sieboldi. Siebold Forsythia. 8' 2 to 3 ft .35 .25 .20 3 to 4 ft .40 .30 .25 4 to 5 ft .50 .40 .30 5 to 6 ft .65 .55 .45				
3 to 4 ft	suspensa sieboldi. Siebold Forsyth			
3 to 4 ft	2 to 3 ft	.35	.25	.20
4 to 5 ft	,	.40	.30	.25
		.50	.40	.30
6 to 8 ft	5 to 6 ft	.65	.55	.45
	6 to 8 ft	.90	.75	.60

Forsythia	1-4 Each	5-24 Each	25 & up Each
viridissima. Greenstem Forsythia.		~~	2.0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Fothergilla gardeni. Dwarf Fothergilla	. 3'		
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50		
Franklinia (see Gordonia)		•	
Fraxinus americana. White Ash. 80'			
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 ³ / ₄ to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	0.00
$2 \frac{1}{2}$ to 3 in	6.50	5.50	
chinensis. Chinese Ash. 50'	0.00	0.00	
	2.00		
3 to 4 ft	2.00		
excelsior. European Ash. 100'	4 55	1 50	1.05
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
1 ¾ to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.00	
lanceolata. Green Ash. 60'			
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
	6.50	5.50	5.00
3 to 3½ in	10.00	7.50	
3½ to 4 in	12.50		
mandshurica. Manchurian Ash. 80			
6 to 8 ft		1.50	1.25
8 to 10 ft		1.75	
nigra. Black Ash. 80'		1	1.00
8 to 10 ft	2.50	2.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	2.50	2.00	
1 ½ to 1½ in	3.50		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50		
$1\frac{3}{4}$ to 2 in	6.00		
1/4 00 2 111	0.00	0,00	

Gaylussacia baccata. Black Huckleberr	1-4 Each ry. 3'	5-24 Each	25 & up Each
15 to 18 inB&B	2.50	2.00	
	3.00	2.50	
18 to 24 inB&B	5.00	2.50	
Genista juncea. 2'			
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.60	.50	.40
	.00	.00	.40
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	.75	.60	.50
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Ginkgo biloba. Maidenhair-tree. 60'			
6 to 8 ft	3.25	2.50	2.25
8 to 10 ft	3.75	3.25	2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.00	4.50
1 % to 2 in	7.50	6.00	5.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10.00	8.50	7.50
2 ½ to 3 in			10.00
3 to 3½ in			10.00
Gleditsia elegantissima. 20'	20.00	20.00	
	9 50	2.00	
3 to 4 ft	2.50	2.00	
	3.00	2.50	
japonica. Japanese Honeylocust. 4			
3 to 4 ft			
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.50	
1 % to 2 in	6.50	5.00	
2 to $2\frac{1}{2}$ in	9.00	7.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	

	1-4 Each	5-24 Each	25 & up Each
Gleditsia	Liacii	Bacii	220011
triacanthos inermis. Thornless Hor	neylocus	1. 50'	
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1 % to 2 in	6.50	5.00	
2 to 2½ in	9.00	7.50	
Gordonia alatamaha. 20'			
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	7.50		
Gymnocladus dioica. Kentucky Coffeetr	ee. 40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	6.50	5.00	
2 to 3 in	15.00		
Halesia tetraptera. Great Silverbell. 15	7		
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	
10 to 12 ft	3.50	3.00	
8 to 10 ft. specB&B	10.00		
Hamamelis japonica. Japanese Witchh	azel. 20) <i>'</i>	
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
	_,,,	2110	2,00
japonica rubra. 20'			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	3.00	2.50	2.00
vernalis. Vernal Witch Hazel. 6'			
2 to 3 ft	1.50	1.00	.75
3 to 4 ft	1.75	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
vernalis tomentella. 6'			
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.25	1.75	1.50
4 to 5 ft	2.50	2,25	

	1-4 Each	5-24 Each	
Hamamelis	330011	130011	2300
virginiana. Witch Hazel. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
Hedera helix. English Ivy. 20'			
2 year, 4 in. pots	.50	.40	.30
3 year, 4 in. pots	.60	.50	.40
1 1 411 477 7			
helix Albany. Albany Ivy.	75	CO	
2 yr., 3 in. pots	.75	.60	
helix baltica. 15'			
2 year, 3 in. pots	.75	.60	.50
, ,			
helix conglomerata. 10'			
2 year, 3 in. pots	1.00		
helix gracilis. Small-leaved English	Im	10'	
2 year, 3 in. pots		.40	.30
3 year, 3 in. pots			.40
σ γεαι, σ π. ρους	.00	.00	• • • • • • • • • • • • • • • • • • • •
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.00	.75	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties.			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft. hvy B&B	10.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc-White.			
Lady Stanley-White, shaded	rose.		
Rubra Plena—Red.			
Speciosa Plena-Pink.			

	1-4 Each	5-24 Each	25 & up Each
Hibiscus	20011	1340011	134(11
single varieties.			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
Coelestis—Blue.			
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			
variegatus. Variegated leaved Alt	hea. 8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.55	.50
variegatus meehani. Meehan's Va	riegated	Althea	. 6'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
Hicoria ovata. Shagbark Hickory. 75'			
3 to 4 ft	1.50		9
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthorn.	12'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00		
Holodiscus discolor ariaefolius. 4'			
2 to 3 ft	1.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.50	2.50	2.00
Hydrangea arborescens. Smooth Hydra	ingea. 6	,	
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60		.40
4 to 5 ft	.75	.60	.50
arborescens grandiflora. Snowhill	Hydrang	ea. 6'	
	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50

	te Bort		
•	1-4 Each	5-24 Each	25 & up Each
Hydrangea	2300011	230011	230011
cineria sterilis. Ashy Hydrangea.	<i>6</i> ′		
2 to 3 ft	.50	.40	
	•••	• 10	
opuloides Otaksa. 3'			
4 year	.75	.60	.50
opuloides Thos. Hogg. 3'			
4 year	.75	.60	.50
		•00	•••
paniculata. Panicle Hydrangea. 10		٠.	0.0
2 to 3 ft	.45		.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
paniculata grandiflora. Peegee Hyd	drangea.	<i>10</i> ′	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
3 to 4 ft., tree form	1.25	1.00	
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'	7.5	0.0	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.00	.85	.75
quercifolia. Oakleaf Hydrangea. 4	,		
2 to 3 ft	1.00	.85	
3 to 4 ft	1.25		
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. 5'	•••	• • •	•00
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort. 4'	•00	.10	
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
	.75	.55	.50
3 to 4 ft		.99	.00
bucklei. Mountain St. Johnswort.		2.0	F 0
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Hypericum			
kalmianum. 4'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
lobocarpum. 6'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
moserianum. Goldflower. 2'			
15 to 18 in	.55	.45	.40
18 to 24 in	.65	.55	.50
patulum. Japanese Hypericum. 3'			
18 to 24 in	.75	.60	.50
patulum henryi. Henry Hypericum. 18 to 24 in	4' .60	.50	.45
2 to 3 ft	.75	.55	.50
2 00 0 10	. 10	.00	•00
prolificum. Shrubby St. Johnswort.	5'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
Idesia polycarpa. 40'	•		
3 to 4 ft	1.50	1.25	
	,,		
Hex cornuta. Chinese Holly. 10'	0.00		
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	1.75
18 inB&B	3.50	3.00	2.50
24 inB&B	5.00	4.00	3.50
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
crenata latifolia. 10'			
18 to 24 inB&B			
24 to 30 inB&B	4.00	3.50	
crenata microphylla. Little Leaf Ja	panese	Holly.	10'
15 inB&B	2.50	2.25	2.00
18 inB&B	3.50	3.00	2.50
24 inB&B	5.00	4.00	
geniculata. δ'			
3 to 4 ft	1.50	1.25	

	1-4 Each	5-24 Each	25 & up Each
Ilex			
glabra. Inkberry. 8'			
12 to 15 in	1.75	1.50	1.35
15 to 18 inB&B	2.25	2.00	1.75
18 to 24 inB&B	2.75	2.50	2.25
24 to 30 inB&B	3.50	3.00	2.75
30 to 36 inB&B	5.00	4.00	
36 to 42 inB&B	6.00	5.00	
laevigata. Smooth Winterberry. 6			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	.60
monticola. Mountain Winterberry.	<i>10</i> ′		
3 to 4 ft	1.25	1.00	
opaca. American Holly. 40'			
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.50	3.75	3.25
4 ftB&B	6.50	5.00	4.50
5 ftB&B	10.00	7.50	6.00
6 ftB&B	12.50	10.00	7.50
7 ftB&B	15.00	12.50	
8 ft	20.00		
serrata. syn. sieboldi. Finetooth H	Holly.	<i>12</i> ′	
2 to 3 ft			.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
verticillata. Common Winterberry.	<i>6'</i>		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
verticillata chrysocarpa. Yellow-fra	uited W	Vinterber	ry. 6'
2 to 3 ft	1.50	1.25	1.00
Indigofera amblyantha. Pink Indigo. 6	3'		
2 to 3 ft	1.25	1.00	.75
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00		
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
Itea virginica. Sweetspire. 3'			
2 to 3 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Jamesia americana. 3'	1 50	1 05	
10 to 12 in., 4 in. pots	1.50	1.25	
Jasminum nudiflorum. Winter Jasmine.	3'		
15 to 18 in		.40	.30
18 to 24 in		.50	
12 to 15 in. $2\frac{1}{2}$ in. pots	.60	.50	.40
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
nigra. Black Walnut. 80'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.25	
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
$2\frac{1}{2}$ to 3 in	7.50	6.00	
regia. English or Persian Walnut.	<i>50'</i>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
sieboldiana. Japanese Walnut. 50'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	4.50	4.00	
2 to 2½ in	6.50	5.00	
$2\frac{1}{2}$ to 3 in	10.00	7.50	
Juniperus chinensis. Chinese Juniper.	20 '		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.50	4.50	4.00
5 ftB&B	7.00	6.00	5.50
6 ftB&B	8.50	7.50	7.00
7 ftB&B	12.50	10.00	8.50
8 ftB&B		12.50	
For larger sizes to 14 ft., add	\$5.00	per fo	ot.

Juniperus	1-4 Each	5-24 Each	25 & up Each
chinensis albovariegata. Whiteleaf	Chines	e Junipe	r. 20'
3 ftB&B	7.50	6.00	5.00
4 ftB&B	8.50	7.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
chinensis columnaris. Columnar C	hinese .	Juniper.	20 '
4 ftB&B	6.00	5.00	4.00
5 ftB&B	7.50	6.50	5.50
6 ftB&B	10.00	8.00	7.00
chinensis globosa. Globe Chinese Ja	uniper.	5 '	
18 inB&B	4.00	3.50	3.00
24 inB&B	4.50	4.00	3.50
36 inB&B	6.00	5.00	
chinensis mas. 10'			
2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	6.00	5.00	4.00
3 ½ ftB&B	7.50	6.00	
4 ftB&B	10.00	7.50	
chinensis neaboriensis. Conical Ch	inese J	uniper.	10'
3 ftB&B	4.50	4.00	
4 ftB&B	5.50		
5 ftB&B	6.50		
6 ftB&B	8.50		
7 ftB&B	12.50		
8 ftB&B			
9 ftB&B	18.00		
chinensis oblonga. 8'			
5 ftB&B			
6 ftB&B			
7 ftB&B	12.50		
chinensis pfitzeriana. Pfitzer's Juni	per. e	3 ′	
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.50	3.25
3 to 3½ ft. spdB&B	5.50	4.50	4.00
$3\frac{1}{2}$ to 4 ft. spdB&B	6.50	5.50	5.00
4 to 4½ ft. spdB&B	7.50	6.50	6.00
$4\frac{1}{2}$ to 5 ft. spdB&B	10.00	8.50	7.50
5 to 6 ft. spdB&B			
6 to 7 ft. spdB&B			
(Upright form can be furnishe	ed in s	izes 18"	to 6')

					,		1-4 Each	5-24 Each	25 & up Each
Juniperus							Each	Each	Bach
chinensis	s sa	argent	i	Sarg	ent J	unip	er. 2'		
18 ir	ı				E	3&B	3.00	2.75	
24 ir	1				E	3&B	4.00	3.75	
30 in	1			• • • •	E	3&B	6.00	5.00	
chinensis	ssn	nithi.	Sr	nith	Chine	ese J	uniper.	8'	
								2.00	
communi	is.	Comn	non	Juni	per.	25'			
2 ft	t				E	3&B	3.00	2.50	2.00
							3.75	3.00	2.50
							4.00	3.50	3.00
5 ft	t				E	8&B	5.00	4.50	4.00
6 ft	t				E	8&B	6.00	5.50	5.00
7 ft	-				B	8&B	7.50	6.50	6.00
8 ft	-				B	8&B	9.00	8.00	7.50
communi	s d	ayi 2	25'	•					
4 ft					B	&B	5.00	4.00	
5 ft	- 				B	8&B	6.00	5.00	
communi	s d	epress	a	Pro	strate	Ju^{2}	niper.	<i>3'</i>	
								1.75	1.50
24			_				2.50		
			_					2.75	
							5.00		
$\stackrel{\circ}{4}$							7.50		
communi	s d	epress	аа	urea	. Gold	den .	Prostra	te Junip	er. 3'
18	to	24	in.	spd.	В	&B	3.00	2.50	
							3.50		
								4.00	
								5.00	
								6.00	
4	to	5	ft.	spd.	B	&B	10.00	7.50	
communis depressa plumosa. Purple Spreading Juniper. 3'									
_	_		-	_			0 = -	2.05	
							2.75		
							3.50		
							4.50		3.00
3	to	ა ½	It.	• • • •	B	w B	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	- ~ ·		
communis hibernica. Irish Juniper.		0.00	1 77
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B 5 ftB&B	$\frac{4.00}{5.00}$	3.50 4.50	$3.00 \\ 4.00$
	$5.00 \\ 7.50$	6.00	5.50
	10.00	7.50	0.00
	12.50	10.00	
	15.00	10.00	
communis kraccovica. Polish Junia		,	
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Junipe 2 ft	$\frac{7.}{2.50}$	2.25	2.00
3 ft	$\frac{2.50}{3.00}$	2.25 2.75	$\frac{2.00}{2.50}$
. Al	4.50	4.00	$\frac{2.50}{3.50}$
5 ftB&B	6.00	5.00	0.00
			o.t
communis suecica nana. Dwarf Sw			<i>6'</i>
2 ftB&B	3.50	3.00	
3 ft	_,,,	4.00	
4 ftB&B	6.00	5.00	
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	
2 ftB&B	5.00	4.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	3.50	3.00	
4 ftB&B	4.50	4.00	
5 ftB&B	6.00	5.50	
6 ftB&B	7.50	6.50	
7 ftB&B	8.50	7.50	
8 ftB&B	12.50	10.00	
9 ftB&B	15.00	12.50	
10 ftB&B	18.00	15.00	
excelsa stricta. Spiny Greek Junipe		0.00	1 7 5
18 inB&B	$\frac{2.50}{2.00}$	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B 3 ftB&B	$\frac{3.50}{4.50}$	$\frac{3.00}{4.00}$	2.75 3.50
3 ftB&B 3 ½ ftB&B	$\frac{4.50}{7.00}$	6.00	5.00
4 ftB&B	8.50	7.50	6.50
	10.00	9.00	8.00
4 /2 10	10.00	0,00	0.00

	1-4 Each		25 & up Each
Juniperus excelsa stricta			
5 ftB&B		10.00	9.00
5½ ftB&B		12.50	
6 ftB&B	17.50	15.00	
7 ftB&B	20.00		
8 ftB&B	22.50		
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spdB&B	2.50	2.00	1.75
24 to 30 in. spdB&B	3.00	2.50	2.25
$2\frac{1}{2}$ to 3 ft. spdB&B	3.50	3.00	2.75
3 to 3½ ft. spdB&B	4.50	4.00	3.50
horizontalis glauca. Blue Creeping	Junipe	er. 1'	
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B	5.00	4.50	
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	2.75	2.50
3 ftB&B	5.00	4.00	3.50
4 ftB&B	7.50	6.00	
japonica aurea. Golden Japanese	Juniper.	. 8'	
18 inB&B	3.50	3.00	
2 ftB&B			
3 ftB&B			
recurva. Himalayan Juniper. 30'			
2 ftB&B	3.50		
rigida. Needle Juniper. 30'			
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	2.50	2.00	1.75
2 to 2½ ft. spdB&B	3.00	2.50	2.00
$2\frac{1}{2}$ to 3 ft. spdB&B	3.75	3.00	2.50
3 to 3½ ft. spdB&B	5.00	4.00	3.50
3½ to 4 ft. spdB&B			
4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B			

	1-4 Each		25 & up Each
Juniperus			
sabina tamariscifolia. Tamarix Sc	avin. 2		
18 to 24 in. spdB&B	2.75	2.25	2.00
24 to 30 in. spdB&B	4.00	3.50	3.00
$2\frac{1}{2}$ to 3 ft. spdB&B	5.00	4.50	4.00
3 to 3½ ft. spdB&B	7.50	6.00	5.50
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	3.50	3.00	
30 to 36 in. spdB&B		4.00	
scopulorum. Colorado Juniper. 40'	,		
3 ftB&B		3.50	3.25
4 ftB&B			
5 ftB&B			6.00
6 ftB&B			
		10.00	
8 ftB&B		12.50	10.00
For larger sizes to 16 ft., add			t.
sphaerica.			
2 ftB&B	3 50	3.00	
3 ftB&B	4.50	4.00	
Ignance Trailing Innine	as 01		
squamata. Japanese Trailing Junipe 2 to 2½ ft. spdB&B			
2 to 2½ ft. spdB&B	5.00		
	.,		
squamata meyeri. Meyer Juniper.	4'	0.00	0.50
18 to 24 in	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
virginiana. Red Cedar. 40'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	7.00	6.50
7 ftB&B	10.00	9.00	8.00
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B			
For larger sizes to 18 ft., add	\$5.00	per fo	ot.

virginiana burki. Syn. virginiana venusta.

	1-4	5-24	25 & up
Juniperus	Each	Each	Each
virginiana cannarti. Cannart Red	Cedar.	<i>15</i> ′	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
	8.00	7.00	
	11.00	9.00	8.00
7 ftB&B	15.00	.12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
10 ftB&B	27.50	22.50	18.00
For larger sizes to 18 ft., add	\$5.00	per fo	ot.
virginiana elegantissima. Goldtip	Red Ce	dar. 15	•
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.50	5.50	
5 ftB&B	7.50		
	10.00		
	15.00		
	20.00		
9 ftB&B	25.00		
virginiana glauca. Silver Red Cede			
3 ftB&B		4.00	3.50
4 ftB&B			4.50
5 ftB&B		7.00	6.00
6 ftB&B			
7 ftB&B			
8 ftB&B		15.00	
9 ftB&B		·	- L
For larger sizes to 18 ft., add		per 10	Ot.
virginiana globosa. Globe Red Ced		0	0.00
18 to 24 inB&B	4.00	3.50	
24 to 30 inB&B			4.00
3 to 3½ ftB&B	6.00	5.50	
virginiana keteleeri. 15'			
2 ftB&B			
3 ftB&B			3.75
	7.50	6.00	
		7.50	
6 ftB&B	12,50	10.00	

	1-4 Each		25 & up Each
Juniperus			
virginiana kosteri. Koster Red Ce	edar. 4	•	
2 to 2½ ft. spdB&B			2.75
$2\frac{1}{2}$ to 3 ft. spdB&B		4.00	3.50
3 to 3½ ft. spdB&B	6.00	5.00	4.50
$3\frac{1}{2}$ to 4 ft. spdB&B		6.50	
4 to 4½ ft. spdB&B			
$4\frac{1}{2}$ to 5 ft. spdB&B		10.00	
5 to 6 ft. spdB&B	15.00		
virginiana pendula. Weeping Red		<i>15</i> ′	
6 ftB&B			
7 ftB&B	15.00		
virginiana schotti. Schott Red Cedar. 15'			
3 ftB&B	5.00	4.50	
4 ftB&B		5.50	
5 ftB&B	8.50	7.50	6.50
6 ftB&B			8.00
7 ftB&B	15.00	12.50	10.00
For larger sizes to 16 ft., add \$5.00 per foot.			
virginiana tripartita. Fountain Re	d Ceda	r. 5'	
2 ftB&B	4.50	4.00	
2 ½ ftB&B	5.50	5.00	
3 ftB&B	8.50	7.50	
3 ½ ftB&B	10.00	9.00	
4 ftB&B	12.50	10.00	
virginiana venusta. 15'			
3 ftB&B		4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.50	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
Kalmia latifolia. Mountain Laurel. 6'			
18 to 24 inB&B	3.00	2.50	2.25
2 to 3 ftB&B			
3 to 4 ftB&B			
Kerria japonica. <i>Kerria. 4</i> '			
	.60	.50	.45
2 to 3 ft	.75	.60	.55
		.00	.00
japonica florepleno. Double Kerrio		p-1 P-1	
18 to 24 in	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Koelreuteria paniculata. Goldenrain		Each	Lacii
4 to 5 ft	. 1.75	1.50	1.25
5 to 6 ft	. 2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
Kolkwitzia amabilis. Beauty Bush. 8	,		
2 to 3 ft	.75	.60	.50
3 to 4 ft	. 1.00	.75	.65
4 to 5 ft	. 1.25	1.00	.90
5 to 6 ft		1.25	1.00
6 to 8 ft	. 1.75	1.50	
*Laburnum alpinum. Scotch Laburnu			
4 to 5 ft			
5 to 6 ft	. 5.00		
6 to 8 ft. heavy B&I	3 15.00		
8 to 10 ft. heavy B&I	3 20.00		
*vulgare. Goldenchain. 20'			
4 to 5 ft	. 2.50	2.00	
5 to 6 ft	. 3.50	3.00	
6 to 8 ft. heavyB&1	3 12.50		
8 to 10 ft. heavyB&I	3 15.00		
10 to 12 ft. heavyB&1	3 20.00		
*watereri. Waterer Laburnum.	20'		
4 ft	. 7.50		
5 ft	. 10.00		
6 ft	. 12.50		
Lagerstroemia indica rubra. Red Cro	pemyrtle.	12'	
18 to 24 in. from pots	. 1.25	1.00	
Larix dahurica. Dahurian Larch. 60	,		
5 to 6 ftB&I	3 5.00		
6 to 8 ftB&I	6.00		
8 to 10 ftB&F	3 7.50		
europea. European Larch. 60'			
5 to 6 ftB&F	6.00	5.00	
6 to 8 ftB&F	7.50	6.00	
8 to 10 ftB&B		7.50	
laricina. American Larch. 50'			
6 to 8 ftB&E	10.00		
8 to 10 ftB&E	12.50		
10 to 12 ftB&E	15.00		

	1-4 Each	5-24 Each	25 & up Each
Larix	Each	Mach	Liach
leptolepis. Japanese Larch. 50'			
4 to 5 ftB&B	5.00	4.00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
10 to 12 ftB&B	15.00	12.50	
12 to 14 ftB&B	20.00		
Laurocerasus officinalis schipkaensis.	<i>10</i> ′		
12 to 15 in.,4 in. pots	1.00	.75	
18 to 24 inB&B	1.50	1.25	1.00
Leiophyllum buxifolium prostratum.	•		
Allegheny Sandmyrtle. 2'			
8 to 12 inB&B	2.50	2.00	
Lespedeza bicolor. Shrub Bushclover.	6 '		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
formosa syn. penduliflorum. Purp	le Busi	hclover.	4'
2 year			.30
3 year	.60	.50	.40
formosa albiflora. Japanese Bushc	lover.	5'	
2 year	.60	.50	.40
Leucothoe catesbaei. Drooping Leucoth	noe. 4'		
15 to 18 inB&B	2.00	1.75	1.50
18 to 24 inB&B	2.50	2.00	1.75
24 to 30 inB&B	3.50		
Libocedrus decurrens. Incense Cedar.	100'		
18 to 24 inB&B	2.25	2.00	
24 to 30 inB&B	3.00	2.50	
Ligustrum acuminatum. 10'			
	.40		
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. Bigber	rry Pri	vet. 10'	,
2 to 3 ft	•		.25
3 to 4 ft	.50	.40	.35

	1-4 Each	5-24 Each	25 & up Each
Ligustrum	1344011	134011	231(61)
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to · 5 ft	.50	.45	.40
ibota. Ibota Privet. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
ibota nanum. Pygmy Privet. 6'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet. 6	,		
18 to 24 in. spd	.45	.35	.30
24 to 30 in. spd	.55	.45	.40
2 ½ to 3 ft. spd	.75	.65	.55
3 to 4 ft. spd	1.25	1.00	.75
4 to 5 ft. spd	1.75	1.50	1.25
lodense. Dwarf Privet. 3'			
12 to 15 in	.35	.25	.20
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
ovalifolium. California Privet. 10			
18 to 24 in	.20	.10	.06
24 to 30 in	.25	.12	.07
ovalifolium variegatum. Golden Pr	ivet. 1	0'	
15 to 18 in	.40	.30	.25
18 to 24 in	.45	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Ligustrum vulgare. European Privet. 12'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
6 to 8 ft	1.00	.80	.75
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
vulgare leucocarpum. Yellowberry	Privet.	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.50
Lindera benzoin. (See Benzoin aestivale	·).		
*Liquidambar formosana Formosa Sw	eetgum.	<i>60'</i>	
5 to 6 ft	5.00		
6 to 8 ft	7.5 0		
*styraciflua. Sweetgum. 60'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.50	4.00
1 % to 2 in	6.00	5.50	5.00
	7.50	6.50	6.00
$2\frac{1}{2}$ to 3 in	12.50	10.00	7.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		15.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
*Liriodendron chinense. Chinese Tulip		70'	
5 to 6 ft	6.00		
6 to 8 ft	7.50		
*tulipifera. Tuliptree. 80' 6 to 8 ft	9.00	1 77	1 50
6 to 8 ft	$\frac{2.00}{2.50}$	1.75	1.50
1 ½ to 1½ in	3.00	2.25 2.75	2.00
1½ to 1¾ in	4.00	3.50	2.50 3.00
1 3/4 to 2 in	5.00	4.50	$\frac{3.00}{4.00}$
	7.50	6.00	5.00
2 ½ to 3 in	12.50	10.00	7.50
	20.00	15.00	1.00
	25.00	18.00	

	1-4 Each	5-24 Each	25 & up Each
Liriodendron			
*tulipifera pyramidale. Pyramid To	_	e. 70'	
6 to 8 ft			
8 to 10 ft 1	0.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50		
2 to $2\frac{1}{2}$ in	5.00		
$2\frac{1}{2}$ to 3 in	20.00		
3 to 3½ in 3	30.00	4	
Lonicera alseuosmoides.			× 0
2 year		.60	.50
bella albida. White Belle Honeysuc	kle. 1	10'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
bella rosea. Belle Honeysuckle. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
billardi. 8'	•••	.00	•00
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50		
5 to 6 ft	.75	.60	.50
browni plantierensis. Orange Honey		· .	
2 year	.50	.40	.35
3 year	.60	.50	
caprifolium. Sweet Honeysuckle. 10) '		
2 year	.50	.40	.30
chrysantha. Coralline Honeysuckle.	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.00	.85	.75
conjugialis. 8'	_,,,		***
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
	. (0	.00	.00
dioica. Limber Honeysuckle. 10'	F.0	4.0	9.5
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Lonicera	7 01		
fragrantissima. Winter Honeysuck		20	95
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	
fuchsioides.			
2 year	.75	.65	.60
gracilipes. Spangled Honeysuckle.	<i>6'</i>		•
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
heckrotti. Everblooming Honeysuc	kle. 15'		
2 year	.50	.40	.30
•			
henryi. Henry Honeysuckle. 15'			
2 year	1.00	.85	.75
hirsuta. Hairy Honeysuckle. 15'			
2 year	.50	.40	
3 year	.60	.50	
· · · · · · · · · · · · · · · · · · ·	151		
japonica. Japanese Honeysuckle.		00	15
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese	Honeys	suckle.	20'
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica reticulata aurea.			
Yellow Japanese Honeysuckle. 18	5′		
2 year		.35	.25
•			.20
kesselringi. Black fruited Honeys			
2 to 3 ft		.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
korolkowi floribunda. Broad Bluel	eaf Hox	onenak	'e. 10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65		
4 to 5 ft	.75		.60
5 to 6 ft,	1.00	.85	

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft		.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.10
maacki podocarpa. Late Honeysuch		1.00	
3 to 4 ft		50	
	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
5 to 0 1t	. ()	.00	.50
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft			.00
0 00 0 20	•••	•00	
muendeniensis. Muenden Honeysuc	kle. 8'		
5 to 6 ft	.65	.55	.50
6 to 8 ft	.75	.65	.60
nitida. 3'			
6 to 12 in	.50	.40	.30
periclymenum belgica. Dutch Woo	dbine.	<i>15</i> ′	
2 year	.40	.30	.25
3 year	.50	•	.35
· ·	,00	• = 0	.00
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.60	.50	.40
prolifera syn. sullivanti. Grape H	loneysuc	kle. 5'	
3 year		.45	.35
•			.00
quinquelocularis. Mistletoe Honey.			
3 to 4 ft	.60		
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Lonicera	7.7	~ O.	
ruprechtiana. Manchurian Honeysu			0.0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
saccata. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
sempervirens. Trumpet Honeysuck	le. 15'		
2 year	.40	.30	.25
3 year	.50	.40	.30
Thom Honousele	le. 2'		
spinosa alberti. Thorn Honeysuck	ie. z $.45$	าะ	20
12 to 15 in	.55	.35	.30
15 to 18 in	•		
18 to 24 in	.75	.60	.5 5
standishi. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
syringantha. Lilac Honeysuckle.	4 '		
15 to 18 in., 4 inch pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	
syringantha wolfi. Wolf Honeysuc	ekle. 6'	,	
15 to 18 in., 4 in. pots		.75	
2 to 3 ft., field grown		1.25	
tatarica. Red Tatarian Honeysuck			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	•00
tatarica alba. White Tatarian Hon			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65

Lonicera

Lonicera			
tatarica grandiflora. Pink Tatarian	n Hon	eysuckle.	10'
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tatarica lutea. Yellow Tartarian H	oneysu	ckle. 10'	
3 to 4 ft	.75	•	
tatarica siberica. Siberian Honeysu	ickle.	<i>10</i> ′	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tellmanniana.			
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.25	1.00	
verna. δ'			
2 year	.50	.35	.30
virginalis alba. Maiden Honeysuck	le. 10	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
Lycium chinense. Chinese Matrimony V	ine.	5 '	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
halimifolium. Common Matrimony	Vine.	6'	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
Lyonia ligustrina. He-Huckleberry. 12	,		
15 to 18 in	1.25	1.00	
18 to 24 in	1.50	1.25	
Maackia amurensis. Amur Maackia. 40'			
2 to 3 ft	1.50		
3 to 4 ft	2.00		

	1-4 Each	5-24 Each	25 & up Each
Magnolia acuminata. Cucumber Tree.		Bach	Each
4 to 5 ftB&B	3.00	2.50	
5 to 6 ftB&B	4.00	3.50	
6 to 8 ftB&B	5.00	4.00	
8 to 10 ftB&B	6.00	5.00	
conspicua. Yulan. 50'			
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	12.50		
fraseri. Fraser Magnolia. 50'			
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	12.50		
glauca. Sweetbay. 25'			
2 to 3 ftB&B	2.50	2.00	1.50
3 to 4 ftB&B	3.50	3.00	2.50
4 to 5 ftB&B	5.00	4.50	4.00
5 to 6 ftB&B	7.50	6.00	5.50
6 to 8 ftB&B	10.00	8.00	7.00
8 to 10 ftB&B	12.50	10.00	9.00
hypoleuca. Silver Magnolia. 50'			
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
6 to 8 ftB&B	15.00	12.50	
8 to 10 ftB&B	20.00	17.50	
kobus. 30'			
4 to 5 ftB&B	5.00	4.00	• 3.50
5 to 6 ftB&B	7.50	6.50	6.00
6 to 8 ftB&B	10.00	9.00	8.50
8 to 10 ftB&B	12.50	10.00	9.00
8 to 10 ft. specB&B	20.00		
lennei. Lenne Magnolia. 20'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	6.00		
5 to 6 ftB&B	10.00		
parviflora. Oyama Magnolia. 30'			
3 to 4 ftB&B	10.00	7.50	
4 to 5 ftB&B	12.50	10.00	
5 to 6 ftB&B	15.00		
soulangeana. Saucer Magnolia. 2	() '		
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B		5.00	
5 to 6 ftB&B	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Magnolia	13 a 011	110011	Laci
soulangeana nigra. 20'			
5 to 6 ftB&B	15.00		
stellata. Star Magnolia. 8'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.50	
stellata rosea. Pinkstar Magnolia.	<i>15</i> ′		
2 to 3 ftB&B	7.50	,	
3 to 4 ftB&B	10.00		
4 to 5 ftB&B	12.50		
5 to 6 ftB&B	15.00		
tripetala. Umbrella Magnolia. 30	•		
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
Mahonia aquifolium. Oregon Hollygray	ne. 5'		
18 to 24 inB&B	2.00	1.75	1.50
24 to 30 inB&B	2.50	2.00	1.75
30 to 36 inB&B	3.00	2.75	2.50
Malus angustifolia. Southern Crab. 25	; *		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
baccata. Siberian Crab. 30'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3.50
baccata mandshurica. Manchurian	Crab.	<i>30</i> ′	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3,50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Malus			
brevipes. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
coronaria. Wild Sweet Crab. 30'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3.00
10 to 12 ft	10.00	7.50	
coronaria Charlotte. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.50	2.00	_,_,
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
dolga. <i>15'</i>			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	1,00
8 to 10 ft	5.00	4.00	
	0.00	4.00	
Elisa Rathke. Weeping Flg. Apple	. 8'		
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00		
florentina. Florentine Crab. 20'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
floribunda. Japanese Flowering Ca	rab. 20	,	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3,50

Malus	1-4 Each	5-24 Each	25 & up Each
floribunda atrosanguinea. Carmine	Crab.	20'	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
	12.50	٠	
floribunda lemoinei. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	2.50	2.00
8 to 10 ft	5.00	4.00	•
fusca. Oregon Crab. 20'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	2.50	
8 to 10 ft	5.00	4.00	
glaucescens. Dunbar Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.00	2.50	2.00
halliana. Hall Crab. 15'			
6 to 8 ft	6.00	5.00	
halliana parkmani. Parkman Crab.	<i>15</i> ′		
. 3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
hopa. Red Flowering Crab. 12'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.50	3.50	
ioensis. Prairie Crab. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	2.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
ioensis bechteli. Bechtel Crab. 15'		1 50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50	6.00	
micromalus. Midget Crab. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab. 20	0'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
purpurea. Purple Crab. 15'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	. 1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea eleyi. Eley Flowering Cra	ab. 15'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	

	1-4 Each	5-24 Each	25 & up Each
Malus			
prunifolia rinki. Chinese Apple.			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3.50
robusta. Cherry Crab. 15'			
3 to 4 ft	1.50	.1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
robusta fastigiata. 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
robusta persicifolia. 12'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
sargenti. Sargent Crab. 6'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2,00
		2,00	
scheideckeri. Scheidecker Crab. 2 3 to 4 ft	0 1.25	1.00	
	1.25 1.50	1.00 1.25	
		1.25 1.60	
5 to 6 ft	$\frac{2.00}{3.00}$	2.50	
	5.00	2.00	
sieboldi. Toringo Crab. 15'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
spectabilis. Chinese Flowering Crab	. 15'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
6 to 8 ft	3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
spectabilis alba plena. Dbl. White	Chinese	Crab.	<i>15</i> ′
3 to 4 ft	1.25	1.00	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00		
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
theifera rosea. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
toringoides. Cutleaf Crab. 15'	3,00	_, _,	
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	3.50		
8 to 10 ft	5.00		
tschonoski. 20'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.50
yunnanensis veitchi. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
zumi. Zumi Crab. 12'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus	Each	Bach	Liach
zumi calocarpa. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulberr	y. 10'		
3 yr. heads, 5 to 7 ft. stems	3.00		
alba tatarica. Russian Mulberry.	<i>60</i> ′		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.75	1.50
1 3/4 to 2 in	2.50	2.25	2.00
2 to 2½ in	3.50	3.00	
Myrica carolinensis. Northern Bayberr	y. 5'		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	.60
cerifera. Southern Waxmyrtle. 5'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
gale. Sweetgale. 4'			
18 to 24 inB&B	2.00	1.50	
2 to 3 ftB&B		2.00	
Nandina domestica. Nandina. 8'			
18 to 24 inB&B	2.50	2.00	
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00		.60
4 to 5 ft	1.25	1.00	.75
sinensis. Tube Neillia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00		.60
4 to 5 ft	1.25	1.00	.75
Nemopanthus mucronatus. Mountain H	folly. 1	0'	
2 to 3 ft	1.25		
3 to 4 ft	1.50		

	1-4 Each	5-24 Each	25 & up Each
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
*Nyssa aquatica. Big Tupelo. 40'			
2 to 3 ft	2.00		
*sylvatica. Tupelo. 40'			
$3 \text{ to } 4 \text{ ft.} \dots \dots \dots$	1.75	1.50	1.25
4 to 5 ft	2.50	1.75	1.50
5 to 6 ft	2.75	2.25	1.75
6 to 8 ft	$\frac{2.75}{3.75}$	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	7.50	6.50	0.00
10 to 12 to	1.00	0.00	
Osmanthus aquifolium. Holly Osmant	hus. 15	•	
12 to 18 in., 4" pots	2.00		
Ostrya virginiana. American Hophorn	beam.	40 '	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50		
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum. Sourwood.		_,00	
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.00 1.25	1.00
4 to 5 ft		1.60	1.35
5 to 6 ft		2.50	$\frac{1.33}{2.00}$
6 to 8 ft	4.00	$\frac{2.50}{3.50}$	3.00
8 to 10 ft	6.50	5.50	$\frac{3.00}{4.50}$
10 to 12 ft		7.50	4.00
		1.00	
Pachistima canbyi. Canby Pachistima.	1'	20	F 0
3 inch pots	.75	.60	.50
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year	3.00	2.50	
Paulownia tomentosa. Royal Paulown	ia. 30'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	.50	.40	.30
3 year	.60	.50	
	.00	.00	.40
sepium. Chinese Silkvine. 25'			
2 year	1.25		

	1-4 Each	5-24 Each	25 & up Each
Perowskia atriplicifolia. 4'			4 00
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
Phellodendron amurense. Amur Corkt	ree. 50	,	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.75	2.50
$1\frac{3}{4}$ to 2 in	4.00	3.50	3.00
2 to 2½ in	5.50	4.50	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.50	5.00
3 to 3½ in	12.50	10.00	
$3\frac{1}{2}$ to 4 in	15.00	12.50	
chinense. Chinese Corktree. 30'			
8 to 10 ft	3.00	2.50	
1 1/4 to 1 1/2 in	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
1 % to 2 in	5.00	4.00	
2 to 2½ in	6.00	5.00	
sachalinense. Sakhalin Corktree. E	50 '		
6 to 8 ft		3,00	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
1 3/4 to 2 in	6.00	5.00	
2 to 2½ in	9.00	7.50	
	0.00	*****	
Philadelphus Albatre. 6'	4.0	9.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Argentine. 5'	-	4.0	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
Banniere. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
Bouquet Blanc. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
coronarius. Sweet Mockorange.	10 '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
coronarius aureus. Golden Mocko	range.	4'	
18 to 24 in	.45	.40	.35
24 to 30 in	.55	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
coronarius nanus. 4'			
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
coronarius multiflorus plenus. 6'			
2 to 3 ft	.50	.40	.30
	.00	.40	.00
Dame Blanche. 6'			
2 to 3 ft	.40	.30	.25
dianthiflorus plenus. 4'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
Favorite. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40

,	1-4	5-24	25 & up
Philadelphus	Each	Each	Each
Glacier. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	•40
		, ,	
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mocko	range.	8 '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
lemoinei erectus. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.20
0 00 4 10	.00	•40	
nepalensis. Nepal Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
1 00 0 10	•00	•00	• • • •
nivalis. Snowbank Mockorange. 10	,		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75

Philadelphus Norma. 8' 2 to 3 ft. .40 .30 .2 3 to 4 ft. .50 .40 .3 4 to 5 ft. .60 .50 .4 5 to 6 ft. .75 .60 .5 Ophelia. 6' 2 to 3 ft. .40 .30 .2 3 to 4 ft .50 .40 .3	ip h
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	15
5 to 6 ft	0
Ophelia. 6' 2 to 3 ft	.0
2 to 3 ft	0
2 to 3 ft	
	5
3 to 4 ft	0
Pavillon Blanc. 8'	
3 to 4 ft	0
4 to 5 ft	0
5 to 6 ft	0
6 to 8 ft	5
pyramidale. 6'	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
Sybille. 5'	
2 to 3 ft	0
virginal. 8'	
2 to 3 ft	Λ
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
	•)
Voie Lactee. 6' 2 to 3 ft	0
3 to 4 ft	
G. 00. 01	U
zeyheri. Zeyher Mockorange. 10'	
3 to 4 ft	0
4 to 5 ft	
5 to 6 ft	
6 to 8 ft	5
Photinia villosa. 8'	
3 to 4 ft	0
4 to 5 ft	5
5 to 6 ft 1.50 1.25 1.0	0
6 to 8 ft	0
8 to 10 ft 3.50 3.00	

	1-4 Each	5-24 2 Each	25 & up Each
Photinia	Hacii	Laci	Lacii
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	3.00	$\frac{1}{2}.50$	2.00
Physocarpus intermedius parvifolius.			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
0 to 4 to	.00	•90	.40
opulifolius. Ninebark. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
opulifolius luteus. Goldleaf Nineb	ark. 10) '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
opulifolius nanus. b'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60		
4 to 5 ft	.75		
	•••	•••	.00
Picea alba. White Spruce. 50'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B		12.50	10.00
		15.00	
10 ftB&B		20.00	
For larger sizes to 18 ft., add	\$5.00	per foot	•
alba gloriosa. 30'			
2 ftB&B	7.50		
3 ftB&B	10.00		
4 ftB&B	12.50		

	1-4 Each	5-24 Each	25 & up Each
Picea	220011	2300011	220011
alcockiana. Alcock Spruce. 75'			
4 ftB&B	12.50		
8 ftB&B	20.00		
canadensis. Black Hills Spruce. 6	o'		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	9.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add	\$5.00	per foot	•
engelmanni. Engelmann Spruce. 7	5 '		
6 ftB&B	15.00		
7 ftB&B	18.00		
For larger sizes to 16 ft., add	\$5.00	per foot	•
excelsa. Norway Spruce. 75'			
2 ftB&B	2.00	1.50	1.25
3 ftB&B	2.50	2.00	1.75
4 ftB&B	4.50	3.50	3.00
5 ftB&B	6.00	5.00	4.00
6 ftB&B	7.50	6.00	5.00
7 ftB&B	10.00	7.50	6.00
8 ftB&B	12.50	10.00	
9 ftB&B	15.00	12.50	
10 ftB&B	18.00		
For larger sizes to 25 ft., add	\$5.00	per foot.	
excelsa aurea. Golden Norway Spr	uce. 7	'5 '	
3 ft B&B		8.00	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
6 ftB&B	18.00		
7 ftB&B	22.50		
8 ftB&B	27.50		
9 ftB&B	35.00		
excelsa clanbrasiliana. 7'			
15 inB&B	5.00		
18 inB&B	6.50		
2 ftB&B	8.00		

Picea	1-4 Each	5-24 Each	25 & up Each
excelsa maxwelli. Maxwell Spruce	3. 6'		
18 to 24 inB&B			
24 to 30 inB&B			
30 to 36 inB&B		10.00	
36 to 42 inB&B		12.50	
excelsa nana compacta. Dwarf Sy	oruce.	4'	
18 to 24 inB&B	7.50	6.00	5.00
24 to 30 inB&B	10.00	7.50	6.00
30 to 36 inB&B	12.50	10.00	8.00
36 to 42 inB&B	15.00	12.50	10.00
42 to 48 inB&B	20.00		
excelsa nana pyramidalis. $Pyrami$	dal Dw	f. Spruc	e. 4'
- 18 inB&B	6.00		
2 ftB&B	7.50		
excelsa pendula. Weeping Spruce.	20'		
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.00	
6 ftB&B	12.50	10.00	
excelsa pygmea. Pygmy Norway k	Spruce.	20'	
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce.	<i>6'</i>		
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	12.50		
glauca conica. Dwarf Alberta Spr	ruce. 6	,	
18 inB&B	5.00	4.00	
2 ftB&B	6.00	5.00	
2½ ftB&B	7.50	6.00	
3 ftB&B	10.00	7.50	
mariana. Black Spruce. 30'			
3 ftB&B	3.50	3.00	
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.00	
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
For larger sizes to 16 feet, a	dd \$5.0	00 per i	oot.

	1-4 Each	5-24 Each	25 & up
Picea	Lacn	Lach	Each
mariana doumeti. Doumet Spruce.	25'		
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50		
omorika. Serbian Spruce. 50'			
3 ftB&B	12.50		
	15.00		
5 ftB&B			
· · · · · · · · · · · · · · · · · · ·			
orientalis. Oriental Spruce. 75'			
	4.00		
3 ftB&B	5.00		
10 ftB&B			
11 ftB&B	40.00		
polita. Tigertail Spruce. 75'			
2 ftB&B	4.00		
9 ftB&B	20.00		
10 ftB&B	25.00		
For larger sizes to 16 ft., add	\$5.00	per foo	ot.
pungens. Colorado Spruce. 60'		2.00	0 50
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
	7.50	6.00	5.00
	10.00	7.50	$6.00 \\ 7.50$
7 ftB&B 1 8 ftB&B 1	12.50	10.00 12.50	1.50
For larger sizes to 18 ft., add			\+
roi larger sizes to 10 1t., aud	φυ.υυ	per 100) (,
pungens glauca. Blue Colorado Spi	ruce. (30 '	
2 ftB&B	4.00	3.50	3.00
3 ftB&B		4.50	4.00
4 ftB&B		6.50	6.00
	10.00	9.00	8.00
	15.00	12.50	10.00
	18.00	15.00	12.50
	25.00	20.00	17.50
9 ftB&B		30.00	
For larger sizes to 17 ft add	\$5.00	per fo	ot.

	1-4 Each	5-24 Each	25 & up Each
Picea	pa /-	\ 8	
pungens kosteri. Koster Blue Spr	uce. 50)′	
2 ftB&B	5.00	4.50	4.00
2 ½ ftB&B	6.00	5.50	5.00
3 ftB&B	7.50	7.00	6.50
3 ½ ftB&B	10.00	9.00	8.50
4 ftB&B	12.00	11.00	10.00
4½ ftB&B	14.00	13.00	12.00
5 ftB&B	16.00	15.00	14.00
5 ½ ftB&B	17.50	16.00	15.00
6 ftB&B	20.00	18.00	
7 ftB&B	25.00	20.00	
8 ftB&B	30.00	25.00	
10 ftB&B	60.00		
12 ftB&B	70.00		
13 ftB&B			
14 ftB&B	90.00		
pungens moerheimi. 40'			
2½ ftB&B	7.00	6.50	
3 ftB&B	8.50	8.00	
3 ½ ftB&B	12.00	10.00	
rubra. Red Spruce. 60'			
5 ftB&B	6.00	5.00	4.50
6 ftB&B	7.50	6.50	5.50
7 ftB&B	10.00	7.50	
8 ftB&B	15.00	12.50	
9 ftB&B	20.00	15.00	
Pieris floribunda. Mountain Andromeda	ı. 4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'		•	
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	5.00	_,_,	
mariana. Staggerbush. 4'			
18 to 24 inB&B	2.25	1.75	
24 to 30 inB&B	3.00	2.50	
30 to 36 inB&B	4.00	3.50	
		3.00	

	1-4 Each	5-24 Each	25 & up Each
Pinus banksiana. Jack Pine. 60'			
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B		12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B		18.00	15.00
11 ftB&B		22.50	18.00
For larger sizes to 16 ft., add	\$5.00 j	per foo	t.
densiflora. Japanese Red Pine. 6			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	5.00	4.50	4.00
6 ftB&B 7 ftB&B	6.50 9.00	5.50 7.50	5.00 6.50
7 ftB&B 8 ftB&B		10.00	9.00
9 ftB&B	15.00	12.50	9.00
For larger sizes to 17 ft., add			ot
	α ψο.σο	per 10	
flexilis. Limber Pine. 30'	5 50		
4 ftB&B			
5 ftB&B			
6 ftB&B 7 ftB&B			
For larger sizes to 14 ft., add		nor fo	o.t
,	,	her 10	00.
montana. Swiss Mountain Pine. 10		0.00	
18 inB&B			
2 ftB&B			2.25
2 ½ ftB&B			3.50
3 ftB&B			
$3\frac{1}{2}$ ftB&B 4 ftB&B			
5 ftB&B		15.00	
6 ftB&B		10.00	14.00
7 ftB&B			
montana mughus. Dwarf Mountair		4'	
15 to 18 in. spdB&B		1.75	1.50
18 to 24 in. spdB&B			
2 to 2½ ft. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B	4.50	3.75	3.50

D'	1-4 Each	5-24 Each	25 & up Each
Pinus montana mughus	0.50	= = 0	F 0.0
3 to 3½ ft. spdB&B		5.50	
3½ to 4 ft. spdB&B		8.00	
4 to 5 ft. spdB&B		12.50	10.00
1	25.00		
6 to 7 ft. spdB&B	35.00		
nigra. Austrian Pine. 50'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
10 ftB&B	27.50	22.50	18.00
For larger sizes to 16 ft., add	\$5.00	per foo	ot.
ponderosa. Western Yellow Pine.	<i>60'</i>		
2 ftB&B	3.00	2.75	2.50
3 ft	4.00	3.75	3.50
4 ftB&B	6.00	5.00	
10 ftB&B	20.00		
For larger sizes to 18 ft., add	\$5.00	per foo	ot.
resinosa. Red Pine. 50'			
3 ftB&B	4.00	3.50	3.00
4 ftB&B		4.50	
5 ftB&B		6.00	
6 ftB&B		8.50	
7 ftB&B		12.50	
8 ftB&B			
9 ftB&B			
For larger sizes to 16 ft., add			
	- 40.00	P To	- ••
strobus. White Pine. 75'			
2 ftB&B		2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B		4.50	
	7.50	6.00	
6 ftB&B			
7 ftB&B			10.00
8 ftB&B			
For larger sizes to 12 ft., add	d \$5.00	per fo	ot.

Pinus	1-4 Each	5-24 Each	25 & up Each
sylvestris. Scotch Pine. 50'	134011	Zacii	230011
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B		8.50	7.50
8 ftB&B		12.50	10.00
9 ftB&B		15.00	12.50
10 ftB&B		18.00	15.00
11 ftB&B		22.50	18.00
For larger sizes to 18 ft., add		per 10	ot.
thunbergi. Japanese Black Pine.		0.00	
2 ftB&B			
3 ftB&B		4.00	
8 ftB&B		0	
For larger sizes to 14 ft., add			t.
Platanus occidentalis. American Planet			4 %0
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
1 3/4 to 2 in	5.00		
2 to $2\frac{1}{2}$ in	6.50	5.50	
orientalis. European Planetree. 80			
6 to 8 ft			1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.50
$1 \frac{3}{4}$ to 2 in	4.00	3.75	
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
Polygonum auberti. China Fleecevine.			
2 year	.50	.35	.25
Populus alba. White Poplar. 60'			
10 to 12 ft	1.75	1.50	
1 \(\) to \(2 \) in	3.00	2.50	
2 to 2½ in	3.50	3.00	
alba nivea. Silver Poplar. 90'		4 -	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.00		
berolinensis. Volga Poplar. 40'	0.50	0.05	0.00
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	
1 ¾ to 2 in	5.00	4.00	3.50

	1-4 Each	5-24 Each	
Populus bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	$\frac{1.15}{2.25}$	$\frac{1.30}{2.00}$	
	2.75	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
$1\frac{3}{4}$ to 2 in	4.50	3.50	
2 to 2½ in	6.50	5.50	
$2\frac{1}{2}$ to 3 in	10.00	7.50	
3 to $3\frac{1}{2}$ in	12.50	10.00	
4 to $4\frac{1}{2}$ in	15.00		
certinensis. Certinensis Poplar. 40	,		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.00	2.50	2.00
1 % to 2 in	4.00	3.50	3.00
maximowiczi. Japanese Poplar. 4	0 '		
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
2 to 2½ in	6.50	5.00	
nigra italica. Lombardy Poplar. 6	?O'		
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	1.60	1.35
1 3/4 to 2 in	3.00	2.50	2.00
2 to $2\frac{1}{2}$ in	4.00	3.00	
$2\frac{1}{2}$ to 3 in	5.00	4.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	
suaveolens przewalski. 40'			
1½ to 1¾ in	3.50		
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.75	2.25	1.75
10 to 12 ft	3.50	3.00	2.50
1 ¾ to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	4.00

	1-4 Each	5-24 Each	25 & up Each
Populus .			
trichocarpa. Black Cottonwood. 4			
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.25	1.75
1 % to 2 in	3.50	3.00	2.50
2 to 2½ in	4.00	3.50	3.00
Potentilla fruticosa. Shrubby Cinquefoil	l. 4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
Prinsepia sinensis. Cherry Prinsepia. 6'	,		
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum. 2	o '		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
americana Newport. Purple-leaved	d Ameri	can Plu	ım. 20'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
armeniaca sibirica. Siberian Apric	cot. 12'		
4 to 5 ft			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena. Double White Flow	verina C	herry.	<i>30'</i>
6 to 8 ft	3.50	3.00	
	5.00		
10 to 12 ft	6.00	5.00	
3 to 4 in. specimens			
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
cerasifera pissardi. Purpleleaf Pl			
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.65	
8 to 10 ft	2.50	2.00	

Prunus		1-4 Each	5-24 Each	25 & up Each
	urpleleaf Sand Cherry.	20 '		
3 to 4	ft	.75	.60	.50
4 to 5	ft	1.00	.75	.65
demissa. V	Vestern Chokecherry. 30) '		
3 to 4	ft	.60	.50	
4 to 5	ft	.75	.60	
5 to 6	ft	1.00	.75	
dunbari. D	unbar Plum. 6'			
2 to 3	ft	.85	.70	.60
3 to 4	ft	1.00	.85	.75
4 to 5	ft	1.25	1.10	1.00
5 to 6	ft	1.50	1.25	
glandulosa.	Flowering Almond. 18	<i>0'</i>		
2 to 3	ft	.50	.40	.30
3 to 4	ft	.60	.50	.40
4 to 5	ft	.75	.60	.50
glandulosa a	-	a.t		
	hiteflowering Almond.		F 0	4 =
	ft	.65	.50	
	ft	.75	.65	.60
2 to 3	ft. own roots	1.50		
glandulosa s				
	nkflowering Almond. 6'		~ ~	, _
	ft	.65	.50	
	ft	.75	.65	.60
	ft. own roots	1.50		
3 to 4	ft. own roots	2.00		
hortulana. <i>1</i>	Hortulan Plum. 30'			
4 to 5	ft	1.25	1.00	
5 to 6	ft	1.50	1.25	
6 to 8	ft	2.00	1.50	
8 to 10	ft	2.50	2.00	
	ne Cherry. 15'			
	ft	1.75	1.50	1.25
	ft	2.00	1.75	1.50
6 to 8	ft	2.50	2.25	2.00
japonica.	Chinese Bush Cherry. 12	2'		
2 to 3	ft	1.50	1.25	
3 to 4	ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Prunus *lannesiana. Hitoye Cherry. 30'			
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.25	
*lannesiana Amayadori. 30'		_,_,	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
*lannesiana Jonioi. 25'	3.00	3,00	
	2.00		
*lannesiana sirotae. Mt. Fuji Chea		,	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
maacki. Amur Cherry. 12'	0.00	0.00	
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
maritima. Beech Plum. 12'	1.20	1.00	.,0
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.85	.75
moseri fl. pl. 12'	_,_,	,,,,	
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	
mume. Japanese Apricot. 15'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
padus. European Bird Cherry. 30'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.00	2.50	
persica. (See Amygdalus).			
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Prunus	Bach	EXCT	Each
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	2.50	2.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
*serrulata Higantakura. Dbl. Whi	te Flg.	Cherry.	<i>30'</i>
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
*serrulata Hisakura. Dbl. Pink Fl.	g. Cher	ry. 30'	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	
*serrulata James H. Veitch. syn. F	ugenz	o. 30'	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	
*serrulata sachalinensis. syn. Sarge	enti.		
Yama Cherry. 50'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	3.50
10 to 12 ft	10.00	7.50	
*sieboldi. syn. Naden. Siebold Cher	rry. 40) '	
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Prunus	Hach	Lacii	134(11
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	3.50
10 to 12 ft	10.00	7.50	
*subhirtella ascendens. Shiro-higa	n. 20'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higan Cherry.	<i>30</i> ′		
5 to 6 ft	5.00	4.00	
	7.50	5.00	
	10.00		
10 to 12 ft., specB&B			
*subhirtella pendula. Weeping Hig		rra 15'	
2 yr. hds, 4 to 6 ft. stem		3.00	2.50
	0.00	0.00	4.00
tomentosa. Nanking Cherry. 8'		0.0	F0
	.75		
3 to 4 ft	1.00	.75	.60
4 to 5 ft		1.00	.75
5 to 6 ft		1.25	
triloba. Single Flowering Plum. 1			
	2.50		
5 to 6 ft	3.50	101	
triloba plena. Double Flowering I			CO
3 to 4 ft		.75	.60
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	1.00
virginiana. Chokecherry. 30'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.75	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*yedoensis. Yoshino Cherry. 35'			
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	6.00	5.00	3.50

5-24 25 & up Each Each 1-4 Each Prunus *yedoensis taizanfukun. 5 ft..... 1.75 1.50 1.255 to 6 ft...... 2.50 2.00 1.75 6 to 8 ft...... 3.50 3.00 2.25 8 to 10 ft...... 6.00 5.00 3.50 10 to 12 ft., spec.....B&B 30.00

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.00, \$2.50 and \$3.50 each, respectively.

Amanogawa—semi-double pale pink
Gioiko—semi-double pale yellow
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kuramayami—double pink
Kwanzan—syn. Sekiyama—double deep pink
Miyako—double pink
Shirofugen—double light pink
Shogetsu—double soft pink
Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir. 70'

2	ftB&B	2.50	2.25	2.00
3	ftB&B	3.00	2.75	2.50
4	ftB&B	4.50	4.00	3.50
5	ftB&B	6.00	5.00	4.50
6	ftB&B	8.50	7.50	6.00
7	ftB&B	10.00	8.50	7.50
8	ftB&B	15.00	12.50	10.00
9	ftB&B	18.50	15.00	12.50
10	ftB&B	22.50	18.50	15.00

For larger sizes to 20 ft., add \$5.00 per foot.

	1-4 Each		25 & up Each
Pseudolarix kaempferi. Golden Larch.			
7 ftB&B			
8 ftB&B	35.00		
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
Pueraria thunbergiana. Kudzu-bean.	40 '		
2 year	.45	.30	.20
D (See Chataeans)			
Pyracantha. (See Crataegus).			
Pyrus calleryana. Callery Pear. 20'		4 50	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
salicifolia. Willowleaf Pear. 30'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
serrulata. 20'			
	2.50	2.00	
6 to 8 ft		2.50	
Quercus alba. White Oak. 75'			
	3.75		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00		
	6.00	5.50	
	7.50		
		7.50	
·-	12.50	10.00	
3 to 3½ in	15.00		
bicolor. Swamp White Oak. 60'			
6 to 8 ft	3.75	3.25	
1 ½ to 1½ in	5.00	4.50	
1½ to 1¾ in		5.50	
	7.50	6.50	
	10.00	7.50	
	15.00		

			1-4 Each	5-24 Each	25 & up Each
Quercus					
		et Oak. 75'			
6	to 8		4.00	3.50	2.50
		in	5.00	4.50	4.00
	to 1 3/4	in	6.00	5.50	5.00
1 3/4	to 2		7.50	6.50	6.00
2	to $2\frac{1}{2}$	in	10.00	7.50	
. –	to 3	in	15.00	12.50	
3	to 3 ½	in	20.00		
lyrata.	Overcu	o Oak. 75'			
1 ½	to 13/4	in	10.00		
1 3/4	to 2	in	12.50		
2	to 2 ½	in	15.00		
macrocai	rpa. M	ossycup Oak. 75'			
•	_	in	5:50	4.50	4.00
	to 2		6.50	5.50	5.00
2	to 2 ½	in	10.00	7.50	6.50
2 ½	to 3		12.50	10.00	8.50
3		in	15.00	12.50	
3 ½	to 4	in		15.00	
palustris	. Pin C	Dak. 75'			
6	to 8	ft	2.00	1.75	1.50
1 1/4	to 1½	in	3.00	2.50	2.00
1 ½	to 13/4	in	3.50	3.00	2.50
1 3/4	to 2	in	5.00	4.00	3.50
2	to 2 ½	in	7.50	6.50	5.00
2 ½	to 3	in	10.00	7.50	6.00
3	to 3 ½	in	12.50	10.00	7.50
3 ½	to 4		15.00	12.50	10.00
4	to 5	in	30.00	25.00	
5	to 6	in			
phellos.	Willow	Oak. 40'			
4 to	5 in	l	40.00		
5 to	6 in	l	50.00		
prinus.	Chestni	ıt Oak. 50'			
6	to 8	ft	3.50	3.00	
1 1/4	to 1½	in	4.50	4.00	
$1\frac{1}{2}$	to 13/4	in	6.00	5.00	
1 3/4	to 2	in	7.50	6.0θ	
2	to 2 ½	in	10.00	8.00	
2 1/2	to 3	in	15.00	12.50	
3		in		15.00	

	1-4 Each	5-24 Each	25 & up Each
Quercus			
robur. English Oak. 80'			
6 to 8 ft	4.50	4.00	3.00
1½ to 1¾ in	6.00	5.00	4.00
2 to 2½ in	10.00	7.50	
2 ½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3 ½ to 4 in	25.00		
rubra. Red Oak. 75'			
6 to 8 ft	3.50	2.75	2.50
1½ to 1½ in	4.50	3.75	3.50
1½ to 1¾ in	5.50	5.00	4.50
1 % to 2 in	7.50	6.00	5.50
2 to 2½ in	10.00	7.50	6.50
$2\frac{1}{2}$ to 3 in	15.00	12.50	10.00
3 to $3\frac{1}{2}$ in	20.00	15.00	
3½ to 4 in	25.00	18.00	
texana. 75'			
1¼ to 1½ in	5.00	4.00	
1½ to 1¾ in	6.00	5.00	
1 3/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	8.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
velutina. Black Oak. 70'			
6 to 8 ft	4.00	3.50	
1 1/4 to 1 1/2 in	5.00	4.50	
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Bucktho	awa 05	•	
2 to 3 ft			.30
3 to 4 ft			.40
	•00	• 40	•40
cathartica. Buckthorn. 12'	F 0	4.0	0 =
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	.55
dahurica. Dahurian Buckthorn. 12	•		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00		.60
6 to 8 ft	1.25	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Rhamnus	Lach	Pacif	Each
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
frangula asplenifolia. Fernleaf Rh	namnus.	12'	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00	3.50	
koraiensis. 12'			
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
purshiana. Cascara Buckthorn. 12	,		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
Rhododendron carolinianum. Carolina	Rhodode	ndron.	<i>6</i> ′
2 to 3 ftB&B	4.50	4.00	3.75
catawbiense. Catawba Rhododenda	on. 8'		
2 to 3 ftB&B	4.50	4.00	3.50
3 to 4 ftB&B	6.00	5.00	4.75
maximum. Rosebay Rhododendron.	<i>15'</i>		
2 to 3 ftB&B	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	7.50	2.00	2,00
Rhodora canadensis. Rhodora. 3'	0.50	0.00	
15 to 18 inB&B	2.50	2.00	
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.40	.35
Rhus canadensis. Fragrant Sumac. 6'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Rhus			
copallina. Shining Sumac. 20'		, -	4.0
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
cotinus. Purple Fringe or Smoketre			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75		
glabra. Smooth Sumac. 12'			
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
javanica syn. osbecki. Java Sumac	. 18'		
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.45	.35	.30
5 to 6 ft	.60	.45	.40
typhina laciniata. Shredded Sumac	. 25 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.55	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	
Ribes alpinum. Mountain Currant. 4'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	
aureum. Slender Golden Currant.	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45

	1-4 Each	5-24 Each	25 & up Each
Ribes			
fasciculatum. Winterberry Currant.		4.0	25
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
3 10 4 11	.75	.00	.50
gordonianum. Gordon Currant. 8'			
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Currant	. 8'	•	
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 5'			
2 to 3 ft	3.00		
	0.00		
fertilis. 25'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft	1.75	1.50	
2 yr. standard, 4 to 5 ft	2.00	1.75	
Bush form 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.00		
kelseyi. Kelsey Locust. 8'			
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
pseudoacacia. Common Locust. 60°	,		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	
pseudoacacia bessoniana. Besson I	Locust.	40'	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
pseudoacacia decaisneana. Decaisu	ie Loci	ıst. 40'	
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		

	1-4 Each	5-24 Each	25 & up Each
Robinia Managarita 70'			
pseudoacacia Marguerite. 10' 4 to 5 ft	3.50	3.00	
5 to 6 ft	$\frac{3.50}{4.50}$	4.00	
	4.00	4.00	
pseudoacacia umbraculifera. 20'	0.50		
3 to 4 ft	2.50		
viscosa. Clammy Locust. 10'			4.0
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	.90	.75
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
blanda. Meadow Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
* D			•
canina. Dogbrier. 8'	4.0	20	0.5
2 to 3 ft	.40	.30	.25
5 to 4 tt	.50	.40	.50
coriifolia froebeli. Froebel Rose.	<i>5'</i>		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.40
davurica. Dahurian Rose. 6'			
18 to 24 in	1.00	.75	
ecae. Eca Rose. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
foetida. Austrian Copper Rose. 4	,		
2 to 3 ft	1.00	.75	
foetida persiana. Persian Yellow I	Rose.		
2 year	1.00	.75	
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40

Rosa	1-4 Each	5-24 Each	25 & up Each
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'	***	.00	.00
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
lucida. Virginia Rose. 6'			,,,
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	.75
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.25	1.00	
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.60	.50	.40
multiflora cathayensis. Cathay Ros	se. 6'		
3 to 4 ft	.60	.50	.40
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
pendulina. 3'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rouletti.		2.0	F 0
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40
rubiginosa. Sweetbriar. 6'	4.0	0.5	2.0
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60 $.75$.60	.50
0 00 0 10	.10	.00	.00

110 HEMILI KOHANKIE			
	1-4 Each	5-24 Each	25 & up Each
Rosa	Dacii	14cm	136611
rubiginosa hybrids. Lady Penze	ance, Lo	ord Pe	nzance,
Green Mantle, Lucy Ashton	, Jeannie	e Dean	s, and
Flora McIvor. 6'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.45
rugosa. Rugosa Rose. 6'	40	20	.25
18 to 24 in	.40	.30	·
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.50
rugosa alba. White Rugosa Rose.	6 '		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	
rugosa hybrids. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
Varieties:-Blanche de Coube			r,
C. F. Worth, Agnes Carme			
Nova Zembla, Mad. Geo. 1			
thony Waterer, Belle Poite			
Lipton, Hansa, Agnes, F.			
rugosa hyb.—climbing. Max Graf	75	.60	
	•••	.00	
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.50	.45	.40

3 ft.....

4 ft.....

2 to

3 to

.50

.55

.65

.65

.75

PAINESVILLE	, OHIO			117	
Rosa			5-24 Each	25 & up Each	
spinosissima hispida. Bristly	Scotch	Rose.	6 '		
2 to 3 ft		.75		.50	
spinosissima hybrids. 5' 2 to 3 ft 3 to 4 ft Grahamstown, Townsend Blush, Dbl. White, Dbl.	d, Bicol	.25 or na	1.00 na, D	bl.	
wichuraiana. Wichurian Rose. 2 year 3 year wichuraiana hybrids. 2'	• • • •	.40 .50	.30		
Jersey Beauty, Sweetheart, Universal Favor- ite, Manda's Triumph, South Orange Perfec- tion, Evergreen Gem.					
Roses					
Hybrid Perpetuals. 2 year No. 160 .50					
Anne de Diesbach Baroness Rothchild Baron de Bonstettin Earl of Dufferin Clio Eugene Furst Frau Karl Druschki Gen. Jacqueminot Geo. Arends	J. B. C. Mme. A. Mrs. Jo. Magna M. P. V. Margar Paul N. Tom W. Ulrich	Albert ohn L Char Wilder ret Di eyron Vood	aing ta r ckson	ier	
Hybrid Teas. 2 year No. 1	.75	.6	0		
Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock Killarney Lady Alice Stanley Lady Hillingdon Mad. Abel Chatenay	Madame Mrs. He Mrs. He Pres. H Radiano Rev. F. Sunburs White I Willown	enry I enry I Ioover ce Page st Killar	Bowle Morse Robe		

Climbing roses. 2 year No. 1	1-4 5-24 25 & up Each Each Each L60 .50 .45
American Beauty	Mad. Gregoire Staechelin
American Pillar	Mary Wallace
Aviateur Bleriot	Paul's Scarlet Climber
Dr. W. Van Fleet	Roserie
Dorothy Perkins	Silver Moon
Excelsa	Star of Persia
Gardenia	White Dorothy Perkins
Hiawatha	
Polyantha hybrids 2 year N	o. 165 .5 5
Else Poulsen	Ideal
Gloria Mundi	Katherine Zeimet
Golden Salmon	Lafayette
Rubus deliciosus. Boulder Re	aspberry. 5'
2 to 3 ft	1.25 1.00 .75
3 to 4 ft	1.50 1.25 1.00
odoratus. Flowering Ras	pberry. 6'
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
phoenicolasius. Wineberr	y. 8'
3 to 4 ft	1.00 .75
Salix babylonica. Babylon W	eeping Willow. 50'
6 to 8 ft	1.50 1.25 1.00
8 to 10 ft	1.75 1.50 1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25 2.00
•	sconsin Weeping Willow. 40'
	1.50 1.25 1.00
8 to 10 ft	
	2.25 2.00 1.75
	lamon Weeping Willow. 50'
	1.75 1.50 1.25
	2.00 1.75 1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in $1\frac{1}{2}$ to $1\frac{3}{4}$ in	
	3.50 3.00 2.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	7.50 5.00 4.00
3 to 3½ in	

	1-4 Each	5-24 Each	25 & up Each		
Salix					
caprea. Goat Willow. 20'					
5 to 6 ft	.75	.60	.50		
6 to 8 ft	1.00	.75	.65		
8 to 10 ft	1.25	1.00	.90		
discolor. Pussy Willow. 20'					
5 to 6 ft	.75	.60	.50		
6 to 8 ft	1.00	.80	.65		
8 to 10 ft	1.25	1.00	.90		
doniana. 9'					
3 to 4 ft	1.25	1.00	.75		
4 to 5 ft	1.50	1.25			
elegantissima. Thurlow Weeping W	Villow	<i>50</i> ′			
6 to 8 ft	1.50	1.25	1.00		
8 to 10 ft	2.00	1.50	1.25		
1½ to 1½ in	2.50	2.25	1.75		
1½ to 1¾ in	2.75	2.50	2.00		
1 % to 2 in	3.00	2.75	2.50		
2 to 2½ in	4.00	3.50	3.00		
incana. syn. rosmarinifolia. Rosemary Willow. 20'					
3 to 4 ft. shrub form			.40		
4 to 5 ft. shrub form	.65	.55	.50		
5 to 6 ft. shrub form	.75	.65			
6 to 8 ft. shrub form	1.00	.75			
irrorata. Bluestem Willow. 12'					
3 to 4 ft	.75	.60	.50		
4 to 5 ft	1.00	.75	.60		
5 to 6 ft	1.25	1.00	.75		
6 to 8 ft	1.50	1.25	1.00		
8 to 10 ft	2.00	1.50			
jessoensis. 6'					
2 to 3 ft	1.50	1.25	1.00		
3 to 4 ft	2.00	1.50			
matsudana. Hankow Willow. 35'					
5 to 6 ft	.75	.60	.50		
6 to 8 ft	1.00	.75	.60		
8 to 10 ft	1.25	1.00	.75		
1 ½ to ½ in	1.75	1.50	1.25		
$1\frac{1}{2}$ to 2 in	2.50	2.25	2.00		

	1-4 Each	5-24 Each	25 & up Each
Salix			
matsudana tortuosa. 20'			
5 to 6 ft	2.75	2.50	
mutabilis. 5'			
	60	.50	.40
3 to 4 ft	.75	.60	.50
9 00 ± 10	• 10	•00	•00
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	1.00
nigricans cotinifolia. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.75	2.50	2.25
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	1.40
		2.00	
$1 \frac{3}{4}$ to 2 in	3.00	2.50	2.00
purpurea nana. Dwf. Purple Osie	r. 3'		
2 to 3 ft	1.00	.75	.60
	2.00	•••	•00
regalis. Royal Willow. 30'			
	.90	.80	
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	
sieboldiana. Siebold Willow. 30'			
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	•••
uralensis. 15'			
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.65	.50
6 to 8 ft		.90	
8 to 10 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Salix			
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
1 1/4 to 1 1/2 in	2.00	1.75	1.40
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.00	1.60
1 3/4 to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golden	Willor	v. 30'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	2.50	2.00	1.75
1 3/4 to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
vitellina glauca. Blue Russian Wil	low. 2	?o '	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
vitellina pendula. Golden Weeping	Willor	v. 40'	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.25	2.00
1 3/4 to 2 in	3.00	2.75	2.50
wentworthi. 50'			
	1.50	1.25	1.00
	2.25	2.00	1.50
1 3/4 to 2 in	2.75	2.50	2.00
Sambucus canadensis. American Elder.	10 '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
canadensis acutiloba. Cutleaved El	der. 1	O '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
nigra. European Elder. 15'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60

122 HENRY KOHANKIE	& SUN		
	1-4	5-24	25 & up
Sambucus	Each	Each	Each
nigra aurea. Golden European Ele	der. 15'	•	,
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	65	.50	.45
5 to 6 ft	.75	.65	.60
>		• • • •	• • • •
nigra variegata. Variegated Elder.			
3 to 4 ft	.75	.50	
4 to 5 ft	1.00	.75	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruited	Elder.	<i>8</i> ′	
3 to 4 ft	1.25		
racemosa. European Red Elder. 8	3 *		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
Sassafras variifolium. Sassafras. 50'			
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	2.75	
10 to 12 ft	4.50	3.50	2.00
	200	3.30	
Schizophragma hydrangeoides. 20'			
Japanese Hydrangea-vine	1.00	05	7 5
from pots	1.00	.85	.75
Sciadopitys verticillata. Umbrella Pine	. 60'		
6 ftB&B	50.00		
Shepherdia argentea. Silver Buffalobern	ry. 15'		
4 to 5 ft	_	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
Skimmia japonica. Japanese Skimmia.			
6 in. bushy, 4 in. pots		1.25	
	1,00	T+MU	
Smilax rotundifolia. Horsebrier.	F 0	4.0	0.0
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40

Solanum dulcamara. True Bittersweet.	1-4 Each	5-24 Each	25 & up Each			
2 year	.40	.30	.25			
		.00	.20			
*Sophora japonica. Chinese Scholartree	`	4 00				
2 to 3 ft	1.25	1.00	.75			
3 to 4 ft	1.50	1.25	1.00			
4 to 5 ft	2.50	2.00	1.50			
5 to 6 ft	3.00	. 2.50				
6 to 8 ft	4.00	3.50				
5 to 6 ft. specB&B	7.50					
6 to 8 ft. specB&B	10.00					
vicifolia. Vetchleaf Sophora. 6'						
3 to 4 ft	2.50					
Sorbaria aitchisoni. Kashmir False Spi	raea.	8'				
3 to 4 ft	.50	.45	.40			
4 to 5 ft	.65	.55	.50			
5 to 6 ft	.75	.65	.60			
arborea glabrata. 15'						
3 to 4 ft	.60	.50	.40			
4 to 5 ft	.75	.60	.50			
5 to 6 ft	.85	.70				
6 to 8 ft	1.00	.85				
lindleyana. Lindley False Spiraea.	8 '					
3 to 4 ft	.55	.45	.40			
4 to 5 ft	.65	.55	.50			
5 to 6 ft	.75	.65				
sorbifolia. Ural False Spiraea. 6'						
2 to 3 ft	.45	.35	.30			
3 to 4 ft	.55	.45	.40			
4 to 5 ft	.65	.55				
5 to 6 ft	.75	.65	.60			
			• • • •			
Sorbus americana. American Mountain						
	2.50	2.00				
	3.00	2.50				
8 to 10 ft	4.00					
aria latifolia. White Beam-tree. 40	"					
6 to 8 ft	2.50	2.00				
8 to 10 ft	3.00	2.50				
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00				
1½ to 1¾ in	4.00	3.50				

1-4 Each	5-24 Each	25 & up Each
Sorbus	\ P	
aucuparia. European Mountain Ash. 50 6 to 8 ft 2.50		1 60
		$\begin{array}{c} 1.60 \\ 2.00 \end{array}$
8 to 10 ft 3.00 $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.50		2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		3.00
1 % to 2 in 4.50		3.50
2 to 2½ in 6.00		4.50
2 ½ to 3 in		6.50
commixta. Japanese Mountain Ash. 25	•	
4 to 5 ft 3.00		
5 to 6 ft 3.50		
quercifolia. Oak-leaf Mountain Ash. 25	7	
6 to 8 ft 2.78	5 2.25	2.00
8 to 10 ft 3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.00	0 4.50	4.00
$1\frac{3}{4}$ to 2 in	5.00	
2 to $2\frac{1}{2}$ in	6.00	
$2\frac{1}{2}$ to 3 in	7.50	
3 to $3\frac{1}{2}$ in	0 10.00	
spuria. 16'		
6 to 8 ft 3.0	0 2.50	
8 to 10 ft 3.50	0 3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	0 3.50	
Spirea arguta. Garland Spiraea. 6'		
2 to 3 ft		.20
3 to 4 ft		.25
4 to 5 ft		.30
5 to 6 ft	0 .50	.40
aitchisoni. (See Sorbaria).		
billiardi. Billiard Spiraea. 6'		
2 to 3 ft		.20
3 to 4 ft		.25
4 to 5 ft	0 .40	.30
bumalda. Bumalda Spiraea. 3'		
18 to 24 in		.25
24 to 30 in	5 .35	.30
bumalda Anthony Waterer.		
Anthony Waterer Spiraea. 3'		<u> </u>
18 to 24 in		.25
24 to 30 in	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
bumalda walluffi. 3'	, -		
18 to 24 in	.45		
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalifo	lia).		
chamaedryfolia ulmifolia. Elmleaf	Spiraee	a. 6'	
2 to 3 ft	.75	·	
dasyantha. 8'			
3 to 4 ft	1.25	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
			,,
froebeli. Froebel Spiraea. 4'		- 0	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
japonica. Japanese Spiraea. 6'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ovalifolia. White Japanes	se Spira	ea. 3'	
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ruberrima. Pink Japanese	e Spirae	a. 5'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
latifolia syn. bethlehemensis $Pink$	Meadow	Spirae	a. 6'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5	,		
2 to 3 ft	.45	.35	.30
nipponica rotundifolia. Big Nippo	on Spira	ea. 10'	
3 to 4 ft			
4 to 5 ft	.75	.60	
5 to 6 ft			

	1-4 Each	5-24 Each	25 & up Each			
Spiraea						
prunifolia. Bridal Wreath. 8'	4.5	95	20			
2 to 3 ft	.45	.35	.30			
	.55	.45	.40			
4 to 5 ft	.65 $.75$.55	.50			
	.10	.00	.00			
pubescens. 6'	0.0	F 0				
3 to 4 ft	.60	.50				
	.75	.60				
reevesiana. Reeves Spiraea. 8'		0.0				
2 to 3 ft	.40	.30	.25			
3 to 4 ft	.45	.35	.30			
reevesiana lanceata. Double Ree	ves Spira	rea. 8'				
2 to 3 ft	.45	.35				
3 to 4 ft	.55	.45				
salicifolia. Willowleaf Spiraea. 5'	•					
2 to 3 ft	.35	.25	.20			
3 to 4 ft	.40	.30	.25			
4 to 5 ft	.50	.40	.35			
sorbifolia. (See Sorbaria).						
superba. Striped Spiraea. 4'						
18 to 24 in	.40	.30	.25			
2 to 3 ft	.50	.40	.35			
syringiflora. Lilac Spiraea. 3'						
18 to 24 in	.60	.50				
thunbergi. Thunberg Spiraea. 5'						
18 to 24 in	.35	.25	.20			
2 to 3 ft	.45	.35	.30			
3 to 4 ft	.55	.45	.40			
4 to 5 ft	.65	.55	.50			
tomentosa. Hardhack. 4'						
2 to 3 ft	.40	.30	.25			
3 to 4 ft	.50	.40	.35			
trichocarpa. Korean Spiraea. 4'						
2 to 3 ft	.40	.30	.25			
3 to 4 ft	.50	.40	.30			
4 to 5 ft	.60	.50	.40			
van houttei. Vanhoutte Spiraea.	10'					
2 to 3 ft	.35	.25	.18			
3 to 4 ft	.40	.30	.22			
4 to 5 ft	.50	.40	.35			
5 to 6 ft	.65	.55	.50			

	1-4 Each	5-24 Each	25 & up Each		
Spiraea					
veitchi. Veitch Spiraea. 12'					
2 to 3 ft	.50	.40	.35		
3 to 4 ft	.60	.50	.45		
wilsoni. Wilson Spiraea. 6'					
3 to 4 ft	1.00	.75	.60		
Staphylea bumalda. Bumalda Bladdernus	t. 8'	•			
2 to 3 ft	.60	.50	.40		
3 to 4 ft	.75	.60	.50		
4 to 5 ft	1.00	.75	.60		
colchica. Colchis Bladdernut. 12'					
3 to 4 ft	1.75	1.25			
4 to 5 ft	2.00				
pinnata. European Bladdernut. 12	,				
3 to 4 ft	.60	.50	.40		
4 to 5 ft	.75	.60	.50		
5 to 6 ft	1.00	.75	.65		
6 to 8 ft	1.25	1.00			
trifolia. American Bladdernut. 12'					
2 to 3 ft	.50	.40	.30		
3 to 4 ft	.60	.50	.40		
4 to 5 ft	.75	.60	.50		
5 to 6 ft	1.00	.75	.60		
6 to 8 ft	1.25	1.00	.75		
Stephanandra flexuosa. Cutleaf Stephan	and ra.	<i>6'</i>			
2 to 3 ft	.40	.30	.25		
3 to 4 ft	.50	.40	.35		
Stewartia pentagyna. Mountain Stewartia. 15'					
3 to 4 ftB&B	5.00	4.00			
4 to 5 ftB&B	6.00	5.00			
5 to 6 ftB&B	7.50	6.50			
6 to 8 ftB&B 1	10.00				
pentagyna grandiflora. 15'					
4 to 5 ftB&B	7.50				
5 to 6 ftB&B 1					
6 to 8 ftB&B 1					
pseudocamellia. Japanese Stewartic	a. 25'				
2 to 3 ftB&B					
3 to 4 ftB&B					

Stranvaesia	david	liana. <i>5'</i>	1-4 Each	5-24 Each	25 & up Each	
		in., from pots	1.25	1.00	.75	
*Styrax jap	onica.	Japanese Snowbell.	20'			
3		ft	1.00	.75	.65	
4	to 5	ft	1.50	1.25	1.00	
5		ft	2.50	2.00	1.50	
6		ft	3.50	3.00	2.50	
*obassi	ia. F	ragrant Snowbell. 20'				
· 4	to 5	ft	3.00	2.50		
5	to 6	ft	4.00	3.00		
6	to 8	ft	5.00	4.00		
Symphorica	rpos o	chenaulti. b'				
2	to 3	ft	.35	.25	.20	
3	to 4	ft	.40	.30	.25	
mollis.	Spre	eading Snowberry. 6'				
2	_	ft	.35	.25	.20	
3	to 4	ft	.40	.30	.25	
occiden	italis.	Western Snowberry.	5 '			
2 ·		ft	.40	.30	.25	
3	to 4	ft	.50	.40	.35	
o. heyeri. 5'						
2	to 3	ft	.50	.35	.25	
racemosus. Snowberry. 6'						
2	to 3	ft	.35	.25	.20	
3	to 4	ft	.40	.30	.25	
4	to 5	ft	.50	.40	.30	
vulgari	s. Co	oralberry. 5'				
2	to 3	ft	.35	.25	.20	
3	to 4	ft	.40	.30	.25	
*Symplocos	panio	culata. syn. crataegoid	les.			
* "		eetleaf. 10'				
2	to 3	ft	1.00	.75	.60	
		ft	1.25	1.00	.75	
		ft	1.75	1.50	1.00	
		ft	2.50	2.00	1.50	
		ft	3.50	2.50		
Syringa affi	inis.	Early Lilac. 12'				
_		ft	1.50			

Syringa	1-4 Each	5-24 Each	25 & up Each
affinis giraldi. Purple Early Lilac.		Each	Pacif
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
chinensis. syn. rothomagensis. Chir	nese Lile	ac. 10'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
chinensis alba. White Chinese Lilae	. 10'		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	•
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
chinensis saugeana. Purple Chines	e Lilac.	<i>10</i> ′	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.00	
henryi eximea. 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
henryi lutece. 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
japonica. Japanese Tree Lilac. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.90	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
10 to 12 ft	6.00	5.00	

Syringa josikaea. Hungarian Lilac. 10' 2 to 3 ft .50 .40 .35 3 to 4 ft .60 .50 .45 4 to 5 ft .75 .60 .50 .50 6 to 8 ft 1.00 .75 .60 .60 6 to 8 ft 1.25 1.00 .75 .50 3 to 4 ft 2.00 1.75 1.50 4 to 5 ft 2.50 2.25 .50 3 to 4 ft 1.50 1.25 1.50 .50				1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	Syringa					
3 to 4 ft	josikaea	. <i>B</i>	Iungarian Lilac. 10'			
### 4 to 5 ft	2 t	o 3	ft	.50	.40	.35
5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.25 oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 1.25 1.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.75 10 to 12 ft. 6.00 5.00 5.00 6 to 8 ft. spec. .8&B 10.00 1.75	3 t	o 4	ft	.60	.50	.45
6 to 8 ft. 1.25 1.00 .75 microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.25 oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 1.25 1.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.75 10 to 12 ft. 6.00 5.00 5.00 6 to 8 ft. spec. B&B 10.00 1.75	4 t	o 5	ft	.75	.60	.50
microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.25 oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 1.25 1.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.50 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. .B&B 10.00	5 t	o 6	ft	1.00	.75	.60
2 to 3 ft. 1.50 1.25 1.00 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.25 oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50 , oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 1.25 1.00 palibiniana. 10' 4 to 5 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	6 t	o 8	ft	1.25	1.00	.75
3 to 4 ft	microph	ylla.	Littleleaf Lilac. 10'			
4 to 5 ft. 2.50 2.25 oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50 oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	2 t	o 3	ft	1.50	1.25	1.00
oblata. 12' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50 oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	3 t	o 4	ft	2.00	1.75	1.50
3 to 4 ft	4 t	to 5	ft	2.50	2.25	
4 to 5 ft. 1.75 1.50 , oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	oblata.	12'				
oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	3 t	0 4	ft	1.50	1.25	
oblata dilatata. 12' 2 to 3 ft. 1.00 .75 .60 3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	4 t	o 5	ft	1.75	1.50	
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	oblata d					,
3 to 4 ft. 1.25 1.00 .75 4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00	2 t	o 3	ft	1.00	.75	.60
4 to 5 ft. 1.50 1.25 1.00 palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 15' 4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00						
palibiniana. 10' 2 to 3 ft. 1.50 3 to 4 ft. 2.00 pekinensis. Peking Lilac. 4 to 5 ft. 1.00 5 to 6 ft. 1.50 6 to 8 ft. 1.75 10 to 12 ft. 6.00 6 to 8 ft. spec. B&B 10.00						
3 to 4 ft						
3 to 4 ft	2 t	0 3	ft	1.50		
4 to 5 ft. 1.00 .90 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.50 2.25 1.75 10 to 12 ft. 6.00 5.00 6 to 8 ft. spec. B&B 10.00						
5 to 6 ft 1.50 1.25 1.00 6 to 8 ft 1.75 1.50 1.25 8 to 10 ft 2.50 2.25 1.75 10 to 12 ft 6.00 5.00 6 to 8 ft. spec. B&B 10.00	pekinen	sis.	Peking Lilac. 15'			
5 to 6 ft 1.50 1.25 1.00 6 to 8 ft 1.75 1.50 1.25 8 to 10 ft 2.50 2.25 1.75 10 to 12 ft 6.00 5.00 6 to 8 ft. spec. B&B 10.00	4 t	o 5	ft	1.00	.90	.75
6 to 8 ft	5 t					
8 to 10 ft				1.75	1.50	1.25
10 to 12 ft				2.50	2.25	1.75
-				6.00	5.00	
0 to 10 ft	6 t	o 8	ft. specB&B	10.00		
8 to 10 ft. specB&B 12.50	8 t	to 10	ft. specB&B	12.50		
persica. Persian Lilac. 10'	persica.	Per	sian Lilac. 10'			
2 to 3 ft	2 t	o 3	ft	.55	.45	.40
3 to 4 ft	3 t	o 4	ft	.65	.55	.50
4 to 5 ft						
5 to 6 ft				1.00	.90	
persica alba. White Persian Lilac. 10'	persica	alba.	White Persian Lilac.	10'		
2 to 3 ft	2 t	o 3	ft	.85	.75	,
3 to 4 ft 1.00 .90	3 t	o 4	ft			

Sy

		1-4 Each	5-24 Each	25 & up Each
ringa				
villosa.	Late Lilac. 8'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	.55
5 to	6 ft	1.00	.75	.65
6 to	8 ft	1.25	1.00	
vulgaris.	Common Purple Lilac.	<i>15'</i>		
2 to	3 ft	.35	.25	.20
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40
5 to	6 ft	.75	.65	.60
.6 to	8 ft	1.00	.85	.75
4 to	5 ft. clumps	4.00		
5 to	6 ft. clumps	5.00		
vulgaris a	lba. Common White Li	lac. 15'		
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	.55
5 to	6 ft	1.00	.75	.65
6 to	8 ft	1.25	1.00	.75
4 to	5 ft. clumps	4.00		
5 to	6 ft. clumps	5.00		
vulgaris.	Named Varieties. 15'			
These	e hybrid lilacs are grov	wn on ·	their ov	wn
roots	in bush form. Grafte	ed plant	ts can	be
suppl	ied at a discount of 50	7o .		
2 to	3 ft	.75	.60	.50
3 to	4 ft	1.00	.85	.75
4 to	5 ft	1.50	1.25	1.00
5 to	6 ft	2.25	2.00	1.50
6 to	8 ft	3.00	2.50	2.25
Belle de	Nancy—Double Rose.			
2-3'	3-4' 4-5' 5-6' 6-8'			
Chas. J	oly-Dark Purplish Red	1.		
	3-4' 4-5' 5-6'			
Frau Da	ammann—Single White.	,		
	3-4' 4-5' 5-6'			
La Tou	r d'Auvergne-Double	Purple.		
	3-4' 4-5' 5-6'			

Syringa vulgaris. Named Varieties.

Ludwig Spaeth—Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited qualtity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices: A list of varieties will be forwarded on request.

			1-4 Each	5-24 Each	25 & up Each
2 t	to 3	ft	1.50	Bach	
3 t	to 4	ft	2.00		
4 t	to 5	ft	2.50		
5 t	to 6	ft	3.50		
Tamarix afr	icana	. African Tamarix. 1	5 '		
3 t	to 4	ft	.40	.30	.25
4 t	to 5	ft	.50	.40	.35
5 t	to 6	ft	.75	.60	.50
6 t	o 8	ft	1.00	.85	.75
gallica.	Fre	ench Tamarix. 10'			
3 t	o 4	ft	.45	.35	.30
4 t	o 5	ft	.60	.45	.40
gallica i	indica	. India Tamarix. 10'			
3 t	o 4	ft	.45	.35	.30
4 t	o 5	ft	.60	.45	.40
5 t	o 6	ft	.75	.60	.50
juniperi	na.	Juniper Tamarix. 15'			
3 t	o 4	ft	1.50	1.25	
4 t	o 5	ft	1.75		
odessana	a. C	dessa Tamarix. 6'			
3 t	o 4	ft	.45	.35	.30
4 t	0 5	ft	.60	.45	.40
5 t	o 6	ft	.75	.60	.50

	1-4 Each	5-24 Each	
Tamarix	130011	Hacii	2300011
pentandra. Fivestamen Tamarix.	12 '		
3 to 4 ft		.45	.35
4 to 5 ft			
5 to 6 ft		.75	
tetandra purpurea. Fourstamen T	am ario	10'	
3 to 4 ft		. 40	.35
4 to 5 ft			
5 to 6 ft			* * *
Taxodium distichum. Common Baldcy	_		
4 to 5 ftB&B 5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ft			
	10.00	12.00	
Taxus baccata. English Yew. 50'	0 = 0	0.00	Q # 0
18 inB&B			2.50
2 ftB&B		4.00	3.50
2½ ftB&B	6.00	5.00	4.50
baccata erecta. Broom Yew. 10'			
2½ ftB&B	7.50		
3 ftB&B	10.00		
3 ½ ftB&B	15.00		
4 ftB&B	20.00		
	. 4		
baccata fastigiata. Irish Yew. 10			
2 ftB&B			
3 ftB&B	15.00		
baccata repandens. Spreading En	alieb V	ew. 2'	
15 to 18 in. spdB&B			2.00
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
30 to 36 in. spdB&B			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Vern	C!	
baccata washingtoni. Washington		U	
24 in. specB&B 30 in. specB&B			
	12,00		
canadensis. Canada Yew. 3'			
15 to 18 in. spdB&B			
18 to 24 in. spdB&B	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Taxus			
cuspidata. Japanese Yew. 10'			
15 to 18 in. spdB&B			1.35
18 to 24 in. spdB&B	2.50	2.25	
2 to 2½ ft. spdB&B		2.75	
2 ½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B		6.50	5.50
$3\frac{1}{2}$ to 4 ft. spd $B\&B$			
	15.00	12.50	
$4\frac{1}{2}$ to 5 ft. spdB&B			
cuspidata brevifolia. Dwarf Japa			0.50
15 to 18 inB&B		3.00	2.50
18 to 24 in			
24 to 30 inB&B		6.50	5.50
30 to 36 in		8.50	
36 to 42 in			
cuspidata brevifolia compacta. 6'		F 0.0	
18 to 24 inB&B		5.00	
24 to 30 inB&B	7.50		
cuspidata capitata. Upright Japan			
18 inB&B	2.50	2.25	2.00
2 ftB&B			
2 ½ ftB&B			
3 ftB&B		6.00	5.00
3 ½ ftB&B		7.50	
4 ftB&B	12.50		
Tecoma. (See Bignonia).			
Thuja occidentalis. American Arborvito	Ť		
3 ftB&B	2.25	2.00	
4 ft	3.50	3.00	2.75
4 ft. heavy specB&B	6.00	4 0 0	
5 ftB&B		4.00	3.75
	7.50	F F 0	F 0.0
6 ftB&B	6.50	5.50	5.00
· ·	10.00	0.50	0.00
	7.50	6.50	6.00
7 ft. heavy specB&B	12.50	0 50	7 50
8 ft	10.00	8.50	7.50
v1	15.00	10.00	0 50
	12.50		8.50
		12.50	10.00
10 ft. heavy specB&B For larger sizes to 15 ft., add		non foot	
roi larger sizes to 10 It., add	φυ.υυ	ber 1001	U •

, 5 22	1-4	5-24	25 & up
Thuja	Each	Each	Each
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 15'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	12.50	10.00	
9 ftB&B	15.00	12.50	
10 ftB&B		15.00	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis columbia. Silver-tippe	ed Arb	orvitae.	40'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.00	4.00
6 ftB&B	7.50	6.00	
7 ftB&B	8.50	7.00	
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
10 ftB&B	15.00		
occidentalis compacta. Compact	Arborvi	tae. 4'	
15 inB&B	1.50	1.25	1.00
18 inB&B	1.75	1.50	1.25
24 inB&B	2.00	1.75	1.50
30 inB&B	3.00	2.50	2.00
36 inB&B	4.00	3.00	2.75
42 inB&B	5.00	4.50	4.00
48 inB&B	7.50		
occidentalis compacta. Parsons Ar	rborvite	ne. 10'	
2½ ftB&B	2.75		1.75
3 ftB&B	4.00	3.00	2.50
3 ½ ftB&B	4.50	3.50	3.00
4 ftB&B	5.00	4.00	3.50
4½ ftB&B	6.00	5.00	
5 ftB&B	7.50	6.00	
5 ½ ftB&B	8.50	7.50	
6 ftB&B	10.00	8.00	
	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis elegantissima. 15'			
2 ftB&B	2.00	1.50	1.25
3 ftB&B	2.50	2.25	2.00
4 ftB&B	3.50	3.00	2.50
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.00
8 ftB&B	10.00	9.00	7.50
9 ftB&B	12.50	10.00	9.00
10 ftB&B	15.00	12.50	
For larger sizes to 15 ft., add	\$5.00	per foo	t.
occidentalis ellwangeriana. Tom T	Thumb	Arborvi	tae. 6'
2 ftB&B	2.50	2.00	1.50
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3 ½ ftB&B	4.50	4.00	3.50
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	6.50	5.50	5.00
5 ftB&B	9.00	7.50	
occidentalis ericoides. Heath Arbo	rvitae.	5'	
3 ftB&B	3.50	3.00	
4 ftB&B	5.00		
occidentalis globosa. Globe Arbor	vitae.	3'	
18 inB&B	1.75	1.50	1.25
24 inB&B	2.00	1.75	1.50
30 inB&B	3.00	2.50	2.00
36 inB&B	3.50	3.00	2.50
occidentalis hoveyi. Hovey Golden	n Arbo	rvitae.	8'
18 inB&B	1.75	1.50	1.25
2 ftB&B	2.00	1.75	1.50
2 ½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3 ½ ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
4 ½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
5 ½ ftB&B	10.00		
6 ft	12.50		
7 ftB&B	15.00		

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis Little Gem. 2'			
15 inB&B			
18 inB&B	4.00	3.50	
occidentalis lutea. Geo. Peabody's		vitae. 1	5'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
	5.50		
		6.50	
7 ftB&B		8.00	
8 ftB&B	12.50	10.00	8.50
9 ftB&B	15.00	12.50	10.00
10 ftB&B	18.00	15.00	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis pumila. Green Globe	Arbor	vitae. 3'	
18 in. spreadB&B	2.25	2.00	1.75
24 in. spreadB&B	3.00	2.50	2.25
30 in. spreadB&B	3.50	3.00	2.75
36 in. spreadB&B	5.00	4.00	3.50
42 in. spreadB&B	7.50	6.00	5.00
occidentalis pyramidalis. Pyramid	al Arb	orvitae.	25'
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	8.50	7.50
8 ftB&B	12.50	10.00	9.00
9 ftB&B	15.00	12.50	10.00
10 ftB&B	18.00	15.00	12.50
11 ftB&B	22.50	18.50	15.00
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae. 2	?O'		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	
7 ftB&B	10.00	8.50	
For larger sizes to 13 ft., add	d \$5.0	0 per fo	ot.

Th:	1-4 Each	5-24 Each	25 & up Each
Thuja occidentalis recurva nana. 6'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	$\frac{2.50}{3.00}$	$\frac{2.25}{2.50}$	2.00 2.25
2 ½ ftB&B	3.50	$\frac{2.30}{3.00}$	$\frac{2.25}{2.75}$
3 ftB&B	4.50	$\frac{3.00}{4.00}$	$\frac{2.75}{3.50}$
3 ½ ftB&B	6.00	5.00	0.00
		10'	
occidentalis reevesi. Reeves Arbor	3.00	2.50	2.00
2 ½ ftB&B 3 ftB&B	3.50	3.00	$\frac{2.00}{2.50}$
3 ½ ftB&B	$\frac{3.50}{4.00}$	3.50	3.00
$4 ext{ ft.} \dots B\&B$	5.00	$\frac{3.50}{4.50}$	$\frac{3.00}{4.00}$
4 ½ ftB&B	6.50	5.50	5.00
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	1.00
8 ftB&B	15.00	10.00	
occidentalis reidi. Reid Arborvita	2.50	2.00	1.75
	$\frac{2.50}{3.00}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
2 ftB&B 2½ ftB&B	3.50	$\frac{2.50}{3.00}$	2.25 2.75
3 ftB&B	$\frac{3.50}{4.50}$	3.75	3.25
3 ½ ftB&B	5.50	4.50	0.40
4 ftB&B	6.50	5.50	
	7.50	6.50	
4 ½ ftB&B 5 ftB&B		7.50	
	12.50	10.00	
occidentalis riversi. Rivers Arborv			2.00
4 ftB&B	4.00	3.50	3.00
	5.00	4.50	4.00
			$5.00 \\ 6.00$
			0.00
10 ftB&B		12.50	
For larger sizes to 12 ft., add		_	
occidentalis rosenthali. Rosenthal 2 ftB&B		2.00	1.50
3 ftB&B			$\frac{1.50}{2.50}$
4 ftB&B			
5 ftB&B	6.50		5.00
	7.50	6.50	0.00
7 ftB&B		0.00	
	10.00		

, , , , , , , , , , , , , , , , , , , ,	1-4	5-24	25 & up
Thuja	Each	Each	Each
occidentalis spiralis. Spiral Arbora	vitae.	25 '	
2 ftB&B	2.50	2.00	1.75
3 ftB&B		2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	8.50	7.50
8 ftB&B			
9 ftB&B			
For larger sizes to 14 ft., add	1 \$5.00	per fo	ot.
occidentalis umbraculifera. Dwar	f Arbo	rvitae.	3'
15 to 18 in. spdB&B	1.50	1.25	1.00
18 to 24 in. spdB&B	1.75	1.50	1.25
24 to 30 in. spdB&B	2.50	2.00	1.50
2½ to 3 ft. sprB&B	3.00	2.50	2.00
3 to 3½ ft. sprB&B	4.00	3.50	
$3\frac{1}{2}$ to 4 ft. spd $B\&B$			
4 to 5 ft. spdB&B	7.50	6.50	
occidentalis vervaeneana. Vervae	ne Art	orvitae.	12'
3 ftB&B	2.25	2.00	1.75
4 ftB&B	3.50	3.00	2.75
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.50	5.50
7 ftB&B			
8 ftB&B			8.00
9 ftB&B			
10 ftB&B			
For larger sizes to 12 ft., add	\$5.00	per foo	t.
occidentalis wareana. Ware or Si	berian .	Arborvit	ae. 15'
18 inB&B	2.00	1.75	1.50
2 ftB&B	2.50	2.00	1.75
2 ½ ftB&B	3.00	2.50	2.00
3 ftB&B			
3 ½ ftB&B			
4 ftB&B		4.50	
4½ ftB&B		5.50	
	7.50	6.50	
	10.00		7.50
	14.00	12.00	10.00
	18.50		
9 ftB&B	22.00	20.00	

	1-4		25 & up
Thuja	Each	Each	Each
occidentalis wareana lutescens.			
Golden Ware Arborvitae. 15'			
3 ½ ftB&B	4.00		
4 ftB&B			
5 ftB&B	7.50		
occidentalis woodwardi. Woodwa	rd Arbo	rvitae.	6 '
18 inB&B	2.50	2.00	1.75
24 inB&B	3.00	2.50	
30 inB&B		3.00	2.50
36 inB&B	4.50	3.50	
orientalis. Oriental Arborvitae. 25	5 ' .		
3 ftB&B		3.00	2.50
4 ftB&B		3.50	3.00
5 ftB&B		4.50	4.00
6 ftB&B		5.50	
7 ftB&B		6.50	
8 ftB&B		7.50	
9 ftB&B			
10 ftB&B			^+
For larger sizes to 15 ft., ad			06.
orientalis conspicua. Goldspire A			
2 ftB&B		3.00	
3 ftB&B		3.50	
4 ftB&B	5.00		
orientalis elegantissima.	****		
Rollinson's Golden Arborvitae.		0.50	0.00
2 ftB&B		2.50	2.00
2 ½ ftB&B 3 ftB&B		3.00 4.00	
4 ftB&B			
5 ftB&B		6.50	6.00
6 ftB&B			
7 ftB&B		10.00	1.00
orientalis nana aurea. Berkmans (
18 inB&B		2.00	1.75
2 ftB&B			2.50
2 ½ ftB&B		3.50	•
3 ftB&B	5.00		
orientalis sieboldi. Siebold Arbora	vitae. 3	,	
2 ftB&B	3.50		
3 ftB&B	4.00		

,	1-4 Each	5-24 Each	25 & up Each
Thuja	Dath	Each	19acn
plicata. Giant Arborvitae. 20'			
3 ftB&B	3.00	2.50	
4 ftB&B	4.00	3.50	
5 ftB&B	5.00	4.50	
6 ftB&B	6.00	5.50	
7 ftB&B	7.50	6.50	
8 ftB&B		8.50	
9 ftB&B	12.50	10.00	
standishi. Standish Arborvitae. 15	5 ′		
2 ftB&B	2.50		
7 ftB&B			
8 ftB&B			
9 ftB&B			
10 ftB&B	18.00		
Tilia americana. American Linden. 75'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.25
1 % to 2 in	4.00	3.25	2.75
2 to 2½ in	5.00	4.00	3.50
	7.50	6.00	5.00
3 to 3½ in		10.00	
$3\frac{1}{2}$ to 4 in		12.50	
4 to 5 in			
5 to 6 in	35.00		
cordata. Littleleaf European Linde	en. 70'		
8 to 10 ft	3.50	3.00	2.50
1 1/4 to 1 1/2 in	4.00	3.50	3.25
1½ to 1¾ in	5.00	4.50	4.00
1 3/4 to 2 in	6.00	5.50	5.00
2 to 2½ in	10.00	7.50	6.00
euchlora. Crimean Linden. 75'			
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00	3.50	3.00
1 1/4 to 1 1/2 in	5.00	4.50	4.00
1½ to 1¾ in	6.50	5.50	5.00
1 3/4 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	8.50	
2 ½ to 3 in	15.00		

Tilia	1-4 Each	5-24 Each	25 & up Each
henryana. 50'			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50	5.50	
$1 \frac{3}{4}$ to 2 in	7.50	6.50	
2 to 2½ in	10.00	8.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
heterophylla. Beetree Linden. 60'			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
1 ¾ to 2 in	5.00	4.00	
2 to 2½ in	6.50	5.00	
2½ to 3 in	9.00	7.50	
3 to 3½ in	12.50		
oliveri. 50'			
8 to 10 ft	5.00		
platyphyllos. Bigleaf European La		75 '	
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	2.75
		4.00	$\frac{2.15}{3.75}$
17	4.50		
$1\frac{3}{4}$ to 2 in	5.50	5.00	4.50
$\frac{2}{2}$ to $\frac{2}{2}$ in	7.50	6.00	5.50
$2\frac{1}{2}$ to 3 in	10.00	7.50	6.50
3 to $3\frac{1}{2}$ in	15.00	12.50	
$3\frac{1}{2}$ to 4 in	17.50		
4 to 5 in	25.00		
tomentosa. Silver Linden. 40'			
6 to 8 ft	3.50	3.00	2.50
1½ to 1¾ in	6.50	5.50	5.00
1 \(\frac{1}{4} \) to \(2 \) in	7.50	7.00	6.50
2 to $2\frac{1}{2}$ in	10.00	8.50	8.00
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to $3\frac{1}{2}$ in	20.00	18.00	
vulgaris. Common European Linde	n. 75'		
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.50	3.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.50	4.00
1 3/4 to 2 in	6.00	5.50	5.00
$\frac{1}{4}$ to $\frac{2}{2}$ in	8.50	7.00	6.00
$2\frac{1}{2}$ to 3 in	10.00	8.50	7.50
3 to $3\frac{1}{2}$ in	15.00		1.00
$3\frac{1}{2}$ to 4 in	17.50	15.00	
4 to 5 in	25.00		

	1-4 Each	5-24 Each	25 & up Each
Tripterygium regeli. 5'	1 = 0	4.05	4 00
2 to 3 ftB&B		1.25	1.00
3 to 4 ftB&B		1.50	1.25
Tsuga canadensis. Canada Hemlock.			
2 ftB&B		1.75	1.50
3 ftB&B		3.00	2.50
4 ftB&B		4.50	3.75
4 ft. ex. broadB&B		2.00	~ 00
5 ftB&B		6.00	5.00
5 ft. ex. broadB&B		7 50	0.50
6 ftB&B		7.50	6.50
7 ftB&B		10.00	9.00
8 ftB&B			10.00
9 ftB&B		15.00	
For larger sizes to 16 ft., add		per 100t	•
caroliniana. Carolina Hemlock. 50 2 ftB&B		4.00	
		5.00	
3 ftB&B 4 ftB&B		9.00	
5 ftB&B		9.00	
	12.00		
sieboldi. Siebold Hemlock. 35'	FO 00		
7 ft. specimensB&B			
8 ft. specimensB&B	00.00		
Ulex europeaus. Common Gorse. 4'	1.05	1 00	
18 to 24 in., 4 in. pots	1.25	1.00	
Ulmus americana. American Elm. 80'			
8 to 10 ft	1.50		1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	1.75	1.50
1 \(\) to \(2 \) in	3.00	2.50	2.00
2 to 2½ in	4.00	3.50	3.00
	6.50	5.00	4.00
3 to 3½ in	10.00	7.50	
3½ to 4 in	12.50	10.00	
americana moline. Moline Elm. 8	80 '		
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.00
1 3/4 to 2 in	3.50	3.00	2.50
2 to $2\frac{1}{2}$ in	5.00	4.00	3.50
$2\frac{1}{2}$ to 3 in	7.50	6.00	

Ulmus				1-4 Each	5-24 Each	25 & up Each
americ	ana v	vase-s	haped. 50'			
6	to	8	ft	1.25	1.00	.75
8	to	10	ft	1.50	1.25	1.00
11	1/4 to	$1\frac{1}{2}$	in	2.00	1.50	1.25
13	½ to	$1\frac{3}{4}$	in	3.00	2.50	2.00
1 3	¾ to	2	in	3.50	3.00	2.50
2	to	$2\frac{1}{2}$	in	5.00	4.00	3.50
2 1	$\frac{1}{2}$ to	3	in	7.50	6.00	*
campes	stris.	Eng	lish Elm. 75'			
6	to	8	ft	2.00	1.75	
8	to	10	ft	2.50	2.25	
1 1	4 to	$1\frac{1}{2}$	in	3.00	2.75	
1 1	½ to	$1\frac{3}{4}$	in	4.00	3.50	
13	4 to	2	in	6.00	5.00	
2	to	$2\frac{1}{2}$	in	8.50	7.50	
2 1	$\frac{1}{2}$ to	3	in	12.50	10.00	
3	to	3 ½	in	20.00	15.00	
31	$\frac{1}{2}$ to	4	in	25.00	20.00	
4	to	5	in	35.00		
campes	tris	klemn	neri. Klemmer E	lm. 75'		
8	to 10) ft	• • • • • • • • • • • • • • • • • • • •	5.00		
campes	tris	latifol	ia. Belgian Elm.	. 75 '		
8	to	10	ft	3.00		
1 1	⁄4 to	$1\frac{1}{2}$	in	4.00		
1 1	½ to	$1\frac{3}{4}$	in	5.00		
1 3	4 to	2	in	7.50		
2	, to	$2\frac{1}{2}$	in	10.00		
	$\frac{1}{2}$ to	3	in	12.50		
3	to	3 ½	in	20.00		
campes	tris	monui	nentalis. Monun	nent El	m. 75'	
6	to	8		4.00	3.50	
8		10		5.00	4.00	
1 1		$1\frac{1}{2}$		6.00	5.00	
				7.50		
$\frac{1}{2}$		2	in	10.00	7.50	
2			in		10.00	
	½ to	3 2 1/2				
3	to	5 1/2	in	25.00		

PAINESVILLE, OH	10		145
Ulmus	1-4 Each	5-24 Each	25 & up Each
campestris purpurea. Purpleleaf	English	Elm. 7	o '
8 to 10 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
1½ to 1¾ in	4.00	3.75	
1 3/4 to 2 in	6.00	5.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in		10.00	
campestris vegeta. $Huntingdon\ H$			
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	$\frac{2.25}{2.75}$	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		3.25	3.00
$1\frac{3}{4}$ to 2 in	5.00	4.50	4.00
$\frac{1}{4}$ to $\frac{2}{2}$ in	8.50	7.50	6.00
$2\frac{1}{2}$ to 3 in		10.00	8.00
3 to 3½ in		12.50	0.00
$3\frac{1}{2}$ to 4 in		15.00	
4 to 5 in		10.00	
5 to 6 in			
campestris wheatleyi. Wheatley I		,	
6 to 8 ft			1
8 to 10 ft			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in			
1 % to 2 in			
2 to $2\frac{1}{2}$ in			
2½ to 3 in			
fulva. Slippery Elm. 65'	20.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50		
1¾ to 2 in			
2 to 2½ in			
2½ to 3 in			
	10.00		
glabra. Scotch Elm. 75'	4.00	9.50	
1½ to 1½ in		3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		4.50	
$1 \frac{3}{4}$ to 2 in			
_			
$2\frac{1}{2}$ to 3 in			
		15.00	
		001	
glabra camperdowni. Camperdor 6 ft. stem			
U It. Stelli	. 4.00	3.50	

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
glabra nana. Globe Elm.			
6 to 8 ft. standards	10.00		
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50		
1 % to 2 in	7.50		
2 to $2\frac{1}{2}$ in	10.00		
$2\frac{1}{2}$ to 3 in	12.50		
3 to 3½ in	15.00		
parvifolia. Chinese Elm. 30'			4 -
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
racemosa. Rock Elm. 80'			
3 to $3\frac{1}{2}$ in	25.00		
$3\frac{1}{2}$ to 4 in			
4 to 5 in	35.00		
Vaccinium corymbosum. Highbush Blu	eberry.	<i>8</i> ′	
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
vacillans. Dryland Blueberry. 3'			
12 to 15 inB&B	2.00	1.75	
	2.00	1.10	
Viburnum acerifolium. Mapleleaf Viba			
18 to 24 in			
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	1.00	.85	.75
americanum. American Cranberry	bush. 1	!0 '	
2 to 3 ft		.40	.35
3 to 4 ft			
	.75		
5 to 6 ft		.80	.75
6 to 8 ft	1.50	1.25	1.00
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	2.25	2.00	

	1-4 Each		25 & up Each
Viburnum	,		
1 . 7			
carlesi. Fragrant Viburnum. 4'	1 75	1 50	1 05
18 to 24 inB&B	$1.75 \\ 2.00$	1.50 1.75	$1.25 \\ 1.50$
2 to 3 ftB&B 3 to 4 ftB&B	2.50	2.25	2.00
18 to 24 in., own roots, B&B	2.30 2.25	2.20	2.00
2 to 3 ft., own roots, B&B	2.75	2.50	
Standards	2.10	2.00	
18 to 24 in. stemB&B	2.50		
2 to 3 ft. stemB&B	3.50		
cassinoides. Withe Rod. 6'			
2 to 3 ft	.65	.60	.55
3 to 4 ft	.75	.70	.65
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
dentatum. Arrow Wood. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.90	.75	.70
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
5 to 6 ft. specB&B	7.50		
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	1.25	1.00	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.80	.70
lantana rugosum. Wrinkleleaf Wo	ıyfarinç	g-tree.	15 '
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75

Viburnum	1-4 Each	5-24 Each	25 & up Each
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft. specB.&B	15.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.10	1.00
nudum. Smooth Withe Rod. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	
opulus. High Bush Cranberry. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	75	.60	.55
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.75	1.65	1.50
opulus nanum. Dwarf Cranberry	Bush.	2'	
10 to 12 in	.55	.45	.40
12 to 15 in	.65	.55	.50
15 to 18 in	.75	.65	.60
opulus sterile. Common Snowball.	<i>10</i> ′		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	
ovatifolium. Eggleaf Viburnum.	10'		
3 to 4 ft	1.50	1.25	
prunifolium. Blackhaw. 12'			
	1.25	1.00	.90
	1.50	1.35	1.25
4 to 5 ft	1.75	1.65	1.50
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00		3.50
8 to 10 ft	6.50	5.00	

¥7°1	1-4 Each	5-24 Each	25 & up Each
Viburnum Daymon Wilson of			
pubescens. Downy Viburnum. 6'	75	0.0	50
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
rhytidophyllum. Leatherleaf Vibur	num. 8	•	
18 to 24 inB&B	1.50	1.25	1.00
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	3.00	2.50	2.00
rufidulum. Southern Blackhaw. 10'			
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	1.75	1.65	1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
sargenti. Sargent Cranberrybush.	10'		
2 to 3 ft	.50		
3 to 4 ft	.75		
4 to 5 ft	1.00		
5 to 6 ft	1.50		
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.50	1.00	.75
6 to 8 ft	2.50	1.50	1.25
8 to 10 ft	3.50	3.00	
·			
theiferum. Tea Viburnum. 12'	1.05	1 00	
2 to 3 ft	1.25	1.00	
tomentosum. Doublefile Viburnum.	8 '		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
tomentosum plicatum. Japanese S	nowball	. 8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.50	1.25	
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.25 1.50	
4 00 0 10	1.70	1.00	

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
venosum canbyi. Canby Viburnum	. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
Vinca minor. Periwinkle.			
8 to 12 in	.12	.10	.08
minor alba. White Periwinkle.			
2 year	.40	.30	.25
minor rubra plena. Dbl. Red Per	iwinkle.		
2 year	.50	.40	.30
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
		•00	
agnus castus alba. White Chaste-t		4 =	กะ
2 to 3 ft	.55 .65	.45	.35
3 to 4 ft	.00	.50	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60		.35
3 to 4 ft	.75	.60	
negundo incisa. Cutleaf Chaste-tre	e. 4'		
3 to 4 ft	1.00	.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
amurensis. Amur Grape. 40'			
3 year	.75	.60	
·		.00	
coignetiae. Gloryvine. 40'	0.0	50	4.0
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00		
*	40'		
2 year	.45	.35	
3 year	.55	.45	.40 .

	1-4 Each	5-24 Each	25 & up Each
Vitis	14011	Haon	224011
labrusca. Fox Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
rotundifolia. Muscadine Grape. 40) '	•	
3 year	.60	.50	.40
4 year	.75	.60	.50
vulpina. Riverbank Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
4 year	.75	.60	.50
Weigela Abel Carriere. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
amabilis. Rose Weigela. 8'	•		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
candida. Snow Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
desboisi. Desbois Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Eva Rathke. 5'	.		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	
	•••	• • • •	• • • •
floribunda. Crimson Weigela. 8'	4.0	.30	.25
2 to 3 ft	.40	.30 .45	•
3 to 4 ft	.50 .75	.45	.50
4 10 9 10,	.10	.00	.50
groenewegeni. Greenway Weigela.	8'		
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35

		E 0.4	0 = 0
	1-4 Each		25 & up Each
Weigela			
Gustav Mallot. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.55	.40
hortensis rubra. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
innering Ignances Weigela 9'			
japonica. Japanese Weigela. 8' 3 to 4 ft	.40	.30	
4 to 5 ft	.50	.40	
rosea. Pink Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
· Dynant IZani	J I	17 of a of a	E1
rosea nana variegata. Dwarf Varie			.25
2 to 3 ft	.40	.30	·
3 to 4 ft	.50	.35	.30
sieboldi argenteomarginata. Varies	gated V	Veigela.	<i>8</i> ′
3 to 4 ft	.65	.50	
styriaca. 8'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
Vanhoutte. Van Houtte Weigela.	8 '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
		•=0	•••
Wistaria frutescens. American Wistaria		กะ	0.5
2 year	.50	.35	.25
3 year	.60	.45	.35
frutescens magnifica. Yelloweye W			
2 year	.50	.35	.25
3 year	.60	.45	.35
multijuga. Japanese Wistaria. 30'			
2 year	.50	.40	.35
3 year	.60	.50	.45
4 year	.75	.65	.55

	1-4 Each	5-24 Each	
Wistaria			
sinensis. Chinese Purple Wistaria.	40°		
2 year	•	.35	.30
3 year			.40
2 year grafted flower-		•	
ing plants	1.25	1.00	
Standards. 4 ft. stem,			
30 in. head	6.00		
sinensis alba. Chinese White Wistan	nia 10	,	
2 year	.45		.30
3 year		.45	
4 year		.75	•40
2 year grafted flower-	1.00	.10	
ing plants	1.25	1.00	
Standards. 4 ft. stem,	1.20	1.00	
30 in. head	6.00		
oo maaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	0.00		
venusta. Silky Wistaria. 30'			
3 year	.60	.50	
4 year	.75		
Xanthoceras sorbifolia. 15'			
2 to 3 ftB&B	4.00		
	5.00		
Zanthorhiza apiifolia. Yellowroot. 3'	4	0.5	0 =
12 to 15 in. clumps	.45	.35	
15 to 18 in. clumps	.50	.40	.30
Zanthoxylum americanum. Prickly Ash	. 15'		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
7-11 Carologt Zellerin 501			
Zelkova serrata. Sawleaf Zelkova. 50' 2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
6 to 8 ft	3.50	3.00	2.00
	3.00	3.00	

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

· =	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$ *sanguisorbae. Bright green foliage, 2"	.20	\$.18 .18
Acanthus mollis. Purple rose, July, 4' mollis latifolius. Rose, July, 2-3'	.20 .20	
*Achillea ageratifolia aizoon. White, May, June,	2.0	1.0
8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July, Aug.,		
5'	.30	.25
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'		
	•10	• 1 2
Adenophora potanini. Light blue, July, Aug.,	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Variegated foliage, 1'	.18	.15
For loss than 6ve add 6ve cents nor almost 4. 41.		

T = 0	5-24 each	25&up each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.20	
*genevensis. Bright blue, May, 6"	.18	.15
*reptans. Blue, May, 6"	.15	.12
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June, July,	•20	.20
2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		10
Double. Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, August, 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug. 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*atlanticum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July, 6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4"	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
Amsonia tabernaemontana. Blue, May, June,		
3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
capensis. Blue, summer, 18"	.18	.15
italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.13	.12
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
*Androsace lanuginosa. Rose, June, 8"	.35	
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	
sarmentosa. 10050, builo, o	• 10	
*Anemone baldensis. White and pink, July, 1'	.25	
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
* japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Prince Heinrich. Deep pink, fall,		
3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,		
fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery pink,		
fall, 2'	.25	
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*pennsylvanica. White, July, 1½'	.15	
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"		•10
vermans. winder, reprint, o	•00	
*Antennaria dioica. White, May, 6"	.15	.12
* A - 1	.20	.18
*Anthemis cinerea. White, Aug., 1'	.20	.18
*nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,	•10	•12
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
tinctoria keiwayi. Wilite, Sury, S	•10	.10
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'.	.25	
Antirrhinum cranifolium. Blue, July, Aug.,		
15"	.25	.20
For less than five, add five cents per plant to the	e 5-24	rate.

*Acuiloria almina Pluo More Tuno 1/	5-24 each .18	25&up each .15
*Aquilegia alpina. Blue, May, June, 1' *caerulea. Blue, May, June, 1½'	.20	.18
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba. White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various,	•10	•10
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
skinneri. Red and yellow, May, 2'	.18	.15
vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
	0.0	10
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
Arisaema dracontium. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,		
6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.12
*maritima. Pink, May, June, 6"	.15	.12
*maritima alba. White, May, June, 6"	.15	.12
*robusta. Crimson, May, June, 10"	.15	.12
		4

	5-24 each	25&up each
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
dracunculus. White, August, 2'	.20	.18
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus ruber. Rosy purple, July, 8"	.25	• 1.0
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,	.20	.10
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Ballard's Crimson. Fall, 3'	.20	.10
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	•12
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20
frikarti Wonder of Staefa. Lavender, fall,	.20	.20
2'	.45	

	5-24 each	25&up each
Aster		
himalaicus. Lilac, Aug., 18"	.30	.25
hyb. luteus. Yellow, Sept., 3'	.45	
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept., 3'	.18	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt. Everest. White, fall, 3'	.20	
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Snow Queen. White, Sept., Oct., 4'	.15	.12
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept., 3'	.30	.25
tataricus. Purple, Oct., and Nov., 6'	.15	.12
White Climax. White, fall, 4'	.15	.12
dwarf varieties.		
Countess of Dudley. Clear pink, Sept.,		
9"	.20	.18
Lady Henry Maddocks. Pink, Sept., 1'	.20	.18
Lavanda. Lavender blue, Sept., 6"	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,	2.0	~ -
tinged lilac, Aug., 4'	.30	.25
	- 04	

	each	each
Astilbe		
arendsi Moerheimi. White, July, 3' arendsi Philadelphia. Lavender rose, July,	.30	.25
2'	.30	٠
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink, July,	25	0.0
3'	.25	.20
rosea Queen of Holland. Rose pink,, July,	0.5	9.0
3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, Apr., May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue,	4.4	
April, 5"	.18	.15
*deltoidea eyrei. Rosy lilac, Apr., 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	F
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, Apr., May, 6"		4 F
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, Apr., May, 3"	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, August, 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	
Boykinia rotundifolia. White, June 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15
*Calamintha alpina. Purple, summer, 6"	.18	.15
They loss than five odd five cents now plant to the	0 5 04	mata

*Calandrinia umbellata. Crimson, summer, 6"	5-24 each .20	25&up each .18
Calimeris incisa. Pink, summer, 2'	.25	
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, Apr., May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15 .15	.12
	.10	,14
*Campanula alliariaefolia. White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9" * carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	.10
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	20
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, August, 4'	.18	.15
latifolia macrantha. Purplish blue, July,	.20	•10
3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,	4.0	
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2' persicifolia alba. White, June, 2'	.18	.15
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15

	5-24 each	25&up each
Campanula		
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12" *sarmatica. Pale blue, summer, 12"	.18	.15
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
*Carlina acaulis. White summer, 6"	.25	
Cassia marilandica. Yellow, July, 3-4'	.15	.12
Catananche caerulea. Blue, June, July, 18"	.15	.12
Caulophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
*macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2' ruthenica. Straw color, July, 4'	.18	.12
Centranthus augustifolius. Rose, summer, 18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.	1 "	10
White, July, 8"* *biebersteini. White, June, 6"	.15	.12
*tomentosum. White, June, 6"	.15	.13
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White. *arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.25	.20
balsamita. Yellow, Aug., Sept., 2'	.25	.20

	5-24 each	25&up each
Chrysanthemum coreanum. Blush, fall, 3' Cushion varieties. Fall, 1' (white, yellow, pink, red, bronze)		.15
hardy button varieties	.15	.12
Baby Marguerite—pink. Bronze Button—bronze. Irene—blush white. Lillian Doty—pink. Mitzi—yellow. Mrs. H. Harrison—pink. Niza—delicate pink. Ouray—rich bronze. White Doty—white.		
hardy large flowering, double, fall, 4'	.15	.12
Angelo—pink. Boston—orange. Brune Poitevine—deep velvety reddis Canariense—yellow. Comoleta—yellow. Golden Queen—yellow. Harvest Home—yellow. Indian—coppery red. L'Argentuillais—deep chestnut. Marie Antoinette—deep pink. Mrs. F. H. Bergen—pale pink. Mrs. H. Craig—yellow, overlaid orang Murillo—pink. Oconto—white. Ohio Gold—yellow. Old Homestead—pink. Pacific Supreme—pink. R. Marion Hatton—canary yellow. Snowclad—white. Vesuve—red.	sh bro	nze.
Aladdin. Coppery bronze, Aug., 2'	.25	.20
Dazzler. Cardinal red, fall, 2' Daybreak. Shell pink, fall, 2'	.18	.15
Eden. Bright rose, fall, 2' Emma Marie. Lemon yellow, fall, 2'	.18	.15 .15
Zimia Ziarro. Zomon yonow, ran, z	.10	•10

	5-24 each	25&up each
Chrysanthemum	Cucii	04022
Glory of Seven Oaks, Yellow,		
Sept., 2'	.18	.15
Granny Scovill. Coral bronze, fall, 2'	.25	
Jean Cumming. White, fall, 2'	.20	
Judith Anderson. Yellow, fall, 18"	.25	
Mrs. Willis J. Martin, Strawberry,		
fall, 2'	.18	.15
Peggy Ann Hoover. Lilac pink, fall,	10	1 5
The gaine White Cont 10"	.18	.15
Tassiva. White, Sept., 18"	.18	.15
2'	.18	.15
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.		
Excelsior—golden yellow.		
Gypsy Girl, crimson, shading chestnut.		
Lady Smith—bright pink. Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink.		
•		9.0
Korean hybrids. Oct., 2-2½'	.25	.20
Aphrodite—pale pink		
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Daphne—daphne pink. Diana—rose pink, blended lilac rose.		
Indian Summer—double orange		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red		
Profusion—rich coppery old gold		
Saturn—orange and bronze		
maximum. White, all summer, 2'	.15	.12
maximum Alaska. White, JulyAug., 2'		
maximum Chiffon. Dbl. White, summer,	.10	•14
18"	.30	
maximum Etoile d'Or. White, July, Aug. 18"	•	.18
	.20	.10
maximum Giant Single. White, summer, 30"	20	
00	.50	

	5-24 each	25&up each
Chrysanthemum		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White, sum-		
mer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
zawadsky. Pink, June, July, 2'	.20	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, August, 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, 6"	.18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple, May, June,		
1'	.30	
parviflorum. Yellow, May, June, 1'	.30	
spectabile. Rose, June, 2'	.30	
For less than five, add five cents per plant to th	0 5-94	rute
For less than hye, and hye cents per plant to th	C 0-24	rate,

	5-24 each	25&up each
Delphinium belladonna.	eacii	eacn
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue. July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.30	.25
sibirica hybrida. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June,		
1'	.15	.12
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.		
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.	ے د	4.0
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.	1 2	10
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9" *deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.15	.12
giganicus. meu, gury, 2	.10	.10

Dianthus	5-24 each	25&up each
*grisebachi. Purple, June, 1'	.20	.18
*graniticus. Purple, July, 6"	.18	.15
hardy pinks.	•	
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,		
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25	
*Hardy Harvard. Red, summer, 1'	.35	4 5
*Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Pheasant's Eye. Pink, white eye, June, 1' *Souv. de Sales. Dbl. pink, June, 9"	.18	.15
*White Reserve. White, June, July, 9"	.18	.15
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
Dictamnus albus. White, June, 2'	.20	.18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15

D::::-1:-	5-24 each	25&up each
Digitalis purpurea. Mixed, June, July, 3'	.15	.12
purpurea maculata. Spotted, June, July,	• 1.0	•12
18"	.15	.12
purpurea monstrosa. Various, June,		
July, 3'	.15	.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3'	.15	.12
Shirley Hybrids. Mixed, June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.18	.15
*latilobum. White, May, June, 1'	.15	.12
Doronicum caucasicum. Yellow, April, May,		
18"	.30	.25
plantagineum excelsum. Yellow, April,		
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	o t
*fladnizensis. White, Apr., May, 3" *hispanica. Yellow, April, 2"	.30	.25 .25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer,		
2'	.20	.18
*Dryas octopetala. White, June, July, 4"	.35	
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	
*tenuifolius. Blue, summer, 5"	.25	.20
Elymus glaucus. Blue Lime Grass, 3'	.18	.15
*Epigaea repens. Pink, Apr., May, 4"	.30	
For less than five, add five cents per plant to the	he 5-2	4 rate.

Epilobium angustifolium. Rose, Aug., 4'	5-24 each	25&up each .15
•		.10
*Epimedium niveum. White, May, June, 1'	.30	9.0
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass. 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink, June, 1'	.20	.18
macranthus. Violet. June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	
*planum. Blue, July, Aug., 3'	.15	.12
*Erysimum kotschyanum. Orange, May, June,		
5"	.18	.15
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.18	.15
Eulalia gracillima. Japan Rush, 4-6'	.15	.12
japonica variegata. 4-6'	.15	.12
zebrina. Zebra Grass, 4-6'	.18	.15
Eupatorium ageratoides. White, Aug., 3'	.15	.12
*coelestinum. Blue, Sept., Oct., 18"	.15	.12
purpureum. Purple, Aug., Sept., 5'	.15	.12
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.15	.12
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.20	.18
Festuca glauca. Fescue Grass, June, 10"	.15	.12
Foeniculum atrosanguineum. Summer, 3'	.18	.15
*Fragaria indica. White, May, 6"	.15	.12
Fuchsia magellanica. Red, summer, 3'	.30	
Funkia. (See Hosta). For less than five add five cents per plant to the	10 K 94	Lwata

Gaillardia grandiflora. Yellow and Crimson,	5-24 each	25&up each
all summer, 2'	.15	.12
Burgundy. Red, summer, 2' Mrs. Sherbrook. Yellow, summer, 2' Sun God. Yellow, August, 2'	.30 .30 .30	.25
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
**Galium boreale. White, July, 1½'	.18 .20 .25	.15 .18 .20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, August, 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6" *Purdomi. Blue, July, Aug., 6"	.35	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.15	.12
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer,		
$1\frac{1}{2}$.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.18	.15
*sibericum. Scarlet, June, July, 1'	.20	.10
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2" *trichosantha. Blue, May, June, 6"	.25	.20
	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
Gypsophila acutifolia. Pink, July, 2-3'	.15	.12
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-		
mer, 3'	.35	.30
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink, summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	* O
	.18	.15
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	
autumnale superbum. Yellow, Sept., 5'		.15
bigelovi. Yellow, Sept., 4'	.20	.18
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper, June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug. 3'	.18	.15
pitcheriana. Orange, July, Aug., 3'	.15	.12
*Helleborus niger. White, Feb., Mar., 1'	.65	
*Helxine soleiroli. Creeping herb, 1"	.18	.15
For less than five, add five cents per plant to the	ne 5-24	1 rate.

Hamanas His Assist Assist color June 2'	5-24 each .18	25&up each .15
Hemerocallis Apricot. Apricot color, June, 2'		
aurantiaca. Orange, June, July, $2\frac{1}{2}$.18	.15
Dr. Regal. Orange yellow, May, 18"	.15	.13
dumortieri. Orange, June, 2'	.18	.15
flava. Lemon yellow, June, 3'	.10	.18
florham. Golden yellow, June, 3'	.15	.12
fulva. Bronze, August, 3'	.15	.12
Gold Dust. Indian yellow, June, $2\frac{1}{2}$.18	.15
gracilis. Yellow, June. 2'	1.00	.10
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, $2\frac{1}{2}$.20	. <u></u> ()
luteola. Orange, June, 2'	.15	.12
	.25	.12
May Queen. Orange, May, 4'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15	.12
thunbergi. Lemon yellow, June, 2-3'	.15	.12
thunbergi. Demon yellow, June, 2-3	.10	•12
hybrids. Named varieties, 2-3' Bay State. Deep yellow, Aug. Gypsy. Deep orange, July. Harvest Moon. Orange, July. Lemona. Pale lemon yellow, Aug. Mrs. W. H. Wyman. Pale lemon, Aug. The Gem. Deep orange, June, July.	.50 g.	.40
*Hepatica triloba. Light blue, March, Apr., 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	.15
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White, June, July, 3'	.18	.15
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Red, June, July, 2'	.18	.15
*Grenadier. Red, summer, 15"	.35	•10
*Pleu de Feu. Red, May, June, 2'	.30	.25
*rosamundi. Coral, summer, 18"	.30	.25
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.35	
*sanguinea hybrids. Various, summer, 18"	.18	.15
*villosa. White, summer, 12"	.20	.18
	W 0.4	

Hibiscus Mallow Marvels. Mixed, July, Aug.,	5-24 each	25&up each
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,		
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye, Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
• • • • • • • • • • • • • • • • • • • •	4 =	1.0
Hosta caerulea. Blue, July, 1½'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
sieboldiana. Silvery foliage	.10	.18
sub-cordata grandiflora. White, Aug.,	.20	•10
18"	.20	.18
undulata variegata. White foliage, 2'	.15	.12
	.20	·- -
*Houstonia purpurea. Purple, May, June, 1' *serpyllifolia. Blue, April, 2"	.18	.15
		.10
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).	4.0	
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
*Hyssopus officinalis. Purple, Aug., 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April,	10	15
6"*sempervirens Snowflake. White, May, 9"	.18 $.25$.15
*tenoreana. Purplish white, June, 6"	.25	.20
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
*Incarvillea delavayi. Rosy purple, June, July,		
2'	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8"	.18	.15
royleana. Yellow, July, Aug., 18"	.20	
*Iris cristata. Light blue, May, June, 6"	.18	.15
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, June, 6"	.25	.20
fall blooming. Spring and fall, 1½-2'	.30	
Autumn King—blue-purple		
Autumn Queen—snow white		
Olive White—cream		
Ultra —ultramarine-blue		
germanica. May, June, 1½-2'.		
Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Smoky purple, purp	le	
maroon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.25	.20
Cinnabar. Violet, maroon falls	.25	.20
Coppersmith. Coppery red	.25	4.0
Darius. Yellow, lilac and white falls	.15	.12
Dream. Light pink	.18	10
Fairy, White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina Pale blue	.12	.10
Germaine Perthius. Violet purple	.13	.12
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls	.20	.18
Jubilee. Cream, dotted brown	.18	.15
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	.15	.12
		7 3. 2.2

	5-24 each	25&up each
Iris germanica.	eacii	eacn
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.20	.18
Leonidas. Lavender, mauve falls	.25	
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		
falls	.18	.15
Loreley. Light yellow, blue falls	.12	.09
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	
Moonlight. Silvery white	.15	.12
Monsignor. Violet purple, crimson		
falls	.15	.12
Mt. Royal. Pansy purple	.18	
Nuee d'Orage. Slate gray with bronze		
and purple falls	.12	.10
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica, Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pluie d'Or. Yellow	.18	
Pocahontas. White	.18	.15
Prairie Gold. Yellow	.15	.12
Princess Victoria Louise. Sulphur		
yellow, rich violet falls	.12	.10
Queen Caterina. Lavender violet,		
orange beard	.18	.15
Rhein Nixe. White, violet falls	.15	.12
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to		
buff	.25	.20
Sherwin-Wright. Golden yellow	.12	.10
Snow White. White	.15	
Souv. de Mad. Gaudichau. Deep vel-		
vety purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	.12	.10
Thais. Soft rosy mauve	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

5-24 25&up each each

To the contract of the contrac	eacn	eacn
Iris germanica	9.0	
True Delight. Pure pink	.20	1.0
Victorine. White, mottled blue	.15	.12
Wedgewood. Blue	.15	.12
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls.	• •	
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
The state of the s		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.30	.25
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Fascination. Double mauve pink, vei	ned wh	ite.
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kuma-funjin. Purple blue, orange ba	rg	
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Manadzuru. White, reined blue.		
Norma. Deep purple.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple & Gold. Violet purple, golden		
Pyramid. Double violet purple, veine	a wnite	2.
Seacrest. Foam white.		
Uchiu. Crimson purple, white veins.		•
Uchi-Wa. Double sky blue.	, ,	
Warei-hotei. Lavender blue, light blue	e halo.	
prismatica. Violet, May, June, 2'	.18	.15
pseudacorus. Yellow, June, 3'	.15	.12
*pumila alba. Dwarf, white, April, 9"	.15	.12
*pumila caerulea. Dwarf, blue, April, 9"		.12
*pumila californica. Yellow, April, 9"	.20	.18
*pumila Curiosa. Yellow, Apr., May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.20	.18
*pumila Grande. Violet, blue falls, April,		V == 0
May, 9"		.20
*pumila Louise. Dark blue, April, 6"		
*pumila lutea. Pale yellow, April, 6"		.12
For less than five, add five cents per plant to t	he 5-24	rate.

	5-24 each	25&up each
Iris * will Salar White Applie C"	10	15
*pumila Schneecuppe. White, April, 6" *pumila Sambo. Violet, April, 9"	.18	.15
sibirica. Purplish blue, June, 3'	.15	.12
sibirica alba. White, June, 3'	.15	.12
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender). July,		
2'	.18	.15
*nana. Lavender, Aug., 9"	.25	
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug., Sept., 3'	.18	.15
Lilium auratum. (Gold Band Lily). White		
with gold band, July, Aug., 3'	.30	.25
auratum platyphyllum. White, spotted		
yellow, July, Aug., 3'	.40	.35
batemanniae. Salmon red, July, 3'	.30	.25
browni. White, July, 3'	.65 $.15$.12
canadense. Yellow to red, June, July, 3' candidum. White, June, 3'	.10	.12
For less than five, add five cents per plant to the	ie 5-24	rate,

	5-24 each	25&up each
Lilium	00011	
carolinianum. Orange, July, Aug., 3'	.35	
concolor. Scarlet, July, 1'	.30	.25
elegans. Shades yellow and red, July, 2'	.25	
elegans Alice Wilson. Lemon, June, July,		
2'	.45	
elegans atrosanguineum. Dark crimson,	4.0	
June, July, 1'	.40	
elegans Orange Queen. Orange, June,	.35	
July, 18"grayi. Red, July, 3'	.25	
hansoni. Orange, June, July, 4'	.45	
henryi. Yellow, July, 2'	.35	
leichtlini. Red, July, Aug., 4'	.50	
longiflorum giganteum. Waxy white, 2'	.30	.25
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White, June,		
July, 2'	.35	
philadelphicum. Orange red, June, July,	•00	
3'	.18	.15
regale. White, July, 4'	.30	.25
rubellum. Rose pink, June, July, 18"	.35	.30
speciosum album. White, Aug., 3'	.30	.25
speciosum longiflorum. White, Aug., 3'	.30	.25
speciosum melpomene. White, Aug., 3'	.30	.25
speciosum rubrum. Pinkish red, Aug., 3'	.30	.25
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	V
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	.20
tigrinum. Orange, spotted, Aug., 4'	.20	.18
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
*Limonium auriculaefolium. Blue, June, July,		
6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12

*Linaria aequitriloba. Pale mauve, June, 1"	5-24 each .20	25&up each .18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6" *cymbalaria. Lavender, summer, 4"	.20	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
Linum austriacum. Blue, summer, 2'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	. . .
*viscosum. Rose, summer, 18"	.18	.15
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'.	.18	.15
polyphyllus roseus. Pink, June, July, 3'.	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 2'	.18	.15
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2' coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	•
tristis. Pink, summer, 2'	.18	.15
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3" punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15

	5-24 each	25&up each
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'	.15	.12
moschata alba. White, July, Aug., 2'	.15	.12
Marrubium vulgare. White, summer, 3'	.25	
Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
parthenoides. White, May, 1'	.15	.12
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2'	.15	.12
Mentha piperita. Peppermint, Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18
*Mertensia virginica. Purplish blue, March,		
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
*Mimulus luteus. Yellow, summer, 1'	.30	
Mitchella repens. White shaded pink, March,		
4"	.18	.15
Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug.,		
3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug.,		
3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	.12
*alpestris pink. May, June, 8"	.15	.12
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue, June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, summer,	95	0.0
1'	.25	.20
*Nierembergia rivularis. Creamy white, sum-	4.0	
mer, 4"	.18	.15

	5-24 each	25&up each
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
*missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.18	.15
trichocalyx. White, summer, 1'	.25	.20
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18
*Opuntia fragilis. Yellow, June, 4"	.25	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis, Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"		
2 year from pots	.12	.10
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Eugene Verdier. Pink	.40	.35
Felix Crousse. Brilliant Red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
L'Esperance. Rose pink	.60	.50
L'Indispensible. Shell pink	.60	.50
Livingstone. Soft pink	.75	.60
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	50
Marie Lemoine. Creamy white	.60	.50

	5-24 each	25&up each
Paeonia sinensis		
Marquise of Lansdowne. Large, pink Mons. Martin Cahuzac. Dark purple	.60	
garnet	1.00	
Mons. Jules Elie. Pink with darker		
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30
Solfaterre. Cream	.60	.50
Souv. de l'Exposition Universelle.		
Brilliant cherry, silver reflex	.35	.30
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow		
center	.35	.30
Virginie. Lilac rose	.35	.30
Wm. Mesman. White	.35	.30
Zoe Calot. Soft pink	.35	.30
single. Named colors, red, white, pink	1.00	
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to whi	te.	
Shi-pen-kue. Nearest to blue in Peonic	es.	
suffruticosa. Tree Peony. (See Page 88)		
*Papaver alpinum. Various, Summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June,		
3'	.25	.20
Enfield Beauty. Salmon, June, 2'	.18	
Fairy. Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June,		
3'	.35	
May Sadler. Salmon, June, 2'	.30	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
*Papaver orientale	each	Cacii
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon,		
June, 2'	.20	.18
Wurtembergia. Rose-red, June, 2'	.35	10
pilosum. Brick red, June, 3'	.20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug.,		
4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.25	.20
digitalis, White, August, 3'	.18	.15
glaber. Blue, summer, 2'	.20	.15
hirsutus. Rosy purple, July, Aug., 2' ovatus. Blue, July, Aug., 3'	.18	.15
*procerus. Blue, July, 1'	.20	•10
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2':	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	• 1. 4
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata. 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15

Border Queen. Dwarf pink.	•	5-24 each	25&up each
Bridesmaid. White, red eye	Phlox paniculata.	cacii	00,011
Bridesmaid. White, red eye. .12 .10 Brilliant. Deep rose, dark eye. .12 .10 Caran de Ache. Bright carmine rose .15 .12 Caroline Vandenburg. Lavender blue .25 Champs Elysees. Rich purplish crimson .15 .12 Commander. Crimson .18 .15 Count Zeppelin. White, red eye. .18 .15 Elizabeth Campbell. Salmon pink, carmine eye. .20 .18 Elizabeth Campbell. Salmon pink. .18 .15 Evelyn. Salmon rose. .20 .18 Fauce White. .30 .18 Fauce White. .30 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center. .15 .12	Border Oueen. Dwarf pink	.20	
Brilliant. Deep rose, dark eye. .12 .10 Caran de Ache. Bright carmine rose .15 .12 Caroline Vandenburg. Lavender blue .25 Champs Elysees. Rich purplish crimson .15 .12 Commander. Crimson .18 .15 Count Zeppelin. White, red eye. .18 .15 Count Zeppelin. White, red eye. .18 .15 Daily Sketch. Salmon pink, carmine eye .30 .8 Enchantress. Salmon pink, dark eye .18 .15 Elizabeth Campbell. Salmon pink. .18 .15 Elizabeth Campbell. Salmon pink. .18 .15 Evelyn. Salmon rose. .20 .18 Feuerbrand. Orange scarlet. .20 .18 Fiancee. White. .30 .30 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center. .15 .12 Gustave Lind. Deep salmon rose. .15 .12		.12	.10
Caran de Ache. Bright carmine rose .15 .12 Caroline Vandenburg. Lavender blue .25 Champs Elysees. Rich purplish crimson .15 .12 Commander. Crimson .18 .15 Count Zeppelin. White, red eye. .18 Daily Sketch. Salmon pink, carmine eye .30 Enchantress. Salmon pink, dark eye .18 .15 Elizabeth Campbell. Salmon pink. .18 .15 Elizabeth Campbell. Salmon pink. .18 .15 Evelyn. Salmon rose .20 .18 Feuerbrand. Orange scarlet. .20 .18 Fiancee. White .30 .15 .12 G. A. Strohlein. Orange scarlet, red eye .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon, lighter eye .25 .20 Grideur. Pink, crimson center .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Jules Sandeau. Large pink .18 .15	,	.12	.10
Champs Elysees. Rich purplish crimson .15 .12 Commander. Crimson .18 .15 Count Zeppelin. White, red eye .18 Daily Sketch. Salmon pink, carmine eye .30 Enchantress. Salmon pink, dark eye .18 Elizabeth Campbell. Salmon pink .18 Elizabeth Campbell. Salmon pink .18 Evelyn. Salmon rose .20 .18 .15 Evelyn. Salmon rose .20 .18 .15 Feuerbrand. Orange scarlet .20 .18 .15 Feuerbrand. Orange scarlet .20 .18 .15 Fauer Von Lassburg. White .15 .20 .18 Frau Von Lassburg. White .15 .20 .18 Frau Von Lassburg. White .15 .20 .18 .15 .12 G. A. Strohlein. Orange scarlet .15 .20 .18 .15 .12 George Stipp. Salmon, lighter eye. .25 <	<u>-</u>	.15	.12
Son	Caroline Vandenburg. Lavender blue	.25	
Commander. Crimson .18 .15 Count Zeppelin. White, red eye .18 Daily Sketch. Salmon pink, carmine eye .30 Enchantress. Salmon pink, dark eye .18 Elizabeth Campbell. Salmon pink .18 Elizabeth Campbell. Salmon pink .18 Evelyn. Salmon rose .20 .18 .15 Evelyn. Salmon rose .20 .18 .15 Feuerbrand. Orange scarlet .20 .18 .15 Fauce. White .30 Frau Von Lassburg. White .15 .12 .12 G. A. Strohlein. Orange scarlet, red .9 eye .18 .15 .12 George Stipp. Salmon, lighter eye .25 .20 .18 Grideur. Pink, crimson center .15 .12 .12 Gustave Lind. Deep salmon rose .15 .12 .12 Jules Sandeau. Large pink .18 .15 .12 Jules Sandeau. Large pink	Champs Elysees. Rich purplish crim-		
Count Zeppelin. White, red eye	son	.15	.12
Daily Sketch. Salmon pink, carmine .30 Enchantress. Salmon pink, dark eye .18 .15 Elizabeth Campbell. Salmon pink .18 .15 Evelyn. Salmon rose .20 .18 Feuerbrand. Orange scarlet .20 .18 Fiancee. White .30 .15 Frau Von Lassburg. White .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Mary Louise. Pure waxy white .35 Mia Ruys. White .25 Mrs. Jenkins. Pure white .15 .12 Mrs. Scholton. Dark salmon .18 .15 Mis	Commander. Crimson	.18	.15
Enchantress. Salmon pink, dark eye .18 .15 Elizabeth Campbell. Salmon pink18 .15 Evelyn. Salmon rose20 .18 Feuerbrand. Orange scarlet20 .18 Fiancee. White30 Frau Von Lassburg. White15 .12 G. A. Strohlein. Orange scarlet, red eye18 .15 George Stipp. Salmon, lighter eye25 .20 Grideur. Pink, crimson center15 .12 Gustave Lind. Deep salmon30 Johnson's Favorite. Salmon rose15 .12 Jules Sandeau. Large pink18 .15 Le Mahdi. Deep purple15 .12 Leo Schlageter. Bright scarlet35 .30 Lilian. Fine light pink25 Mad. Paul Dutrie. Soft pink18 Mary Louise. Pure waxy white35 Mia Ruys. White25 Mrs. Jenkins. Pure white15 .12 Mrs. Milly van Hoboken. Soft pink20 Mrs. Scholton. Dark salmon18 .15 Miss Lingard. White25 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose15 .12 Peachblossom. Shell pink15 .12 Peachblossom. Shell pink15 .12 Peachblossom. Shell pink15 .12 Prof. Virchow. Orange scarlet18 .15	-	.18	
Enchantress. Salmon pink, dark eye .18 .15 Elizabeth Campbell. Salmon pink. .18 .15 Evelyn. Salmon rose. .20 .18 Feuerbrand. Orange scarlet. .20 .18 Fiancee. White. .30 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center. .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose. .15 .12 Jules Sandeau. Large pink. .18 .15 Le Mahdi. Deep purple. .15 .12 Leo Schlageter. Bright scarlet. .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 .15 Mary Louise. Pure waxy white. .35 .35 Mia Ruys. White. .15	Daily Sketch. Salmon pink, carmine		
Elizabeth Campbell. Salmon pink. .18 Evelyn. Salmon rose. .20 .18 Feuerbrand. Orange scarlet. .20 .18 Fiancee. White. .30 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 Mia Ruys. White .25 Mrs. Jenkins.	eye		
Evelyn. Salmon rose. .20 .18 Feuerbrand. Orange scarlet. .20 .18 Fiancee. White. .30 .15 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red .18 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center. .15 .12 Gustave Lind. Deep salmon .30 .30 Johnson's Favorite. Salmon rose. .15 .12 Jules Sandeau. Large pink. .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet. .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .25 Mad Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Mrs. Scholton. Dark salmon. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, de			
Feuerbrand. Orange scarlet. .20 .18 Fiancee. White. .30 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red .20 .18 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center. .15 .12 Gustave Lind. Deep salmon. .30 Johnson's Favorite. Salmon rose. .15 .12 Jules Sandeau. Large pink. .18 .15 Le Mahdi. Deep purple. .15 .12 Leo Schlageter. Bright scarlet. .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 .15 Maid Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 .35 Mia Ruys. White. .25 .12 Mrs. Jenkins. Pure white. .15 .12 Mrs. Scholton. Dark salmon. .18 .15 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye .25 .20		•	
Fiancee. White. .30 Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .12 Mrs. Jenkins. Pure white .15 .12 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Miss Verboom. Rose .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 P	· ·		
Frau Von Lassburg. White. .15 .12 G. A. Strohlein. Orange scarlet, red eye .18 .15 George Stipp. Salmon, lighter eye .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .12 Mrs. Jenkins. Pure white .15 .12 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Miss Verboom. Rose .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12			.18
G. A. Strohlein. Orange scarlet, red 18 .15 George Stipp. Salmon, lighter eye			10
eye .18 .15 George Stipp. Salmon, lighter eye .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .25 Mrs. Jenkins. Pure white .15 .12 Mrs. Milly van Hoboken. Soft pink .20 .18 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15 <th>_</th> <th>.15</th> <th>.12</th>	_	.15	.12
George Stipp. Salmon, lighter eye. .25 .20 Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .12 Mrs. Jenkins. Pure white .15 .12 Mrs. Milly van Hoboken. Soft pink .20 .18 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Miss Verboom. Rose .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15		10	15
Grideur. Pink, crimson center .15 .12 Gustave Lind. Deep salmon .30 Johnson's Favorite. Salmon rose .15 .12 Jules Sandeau. Large pink .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .25 Mrs. Jenkins. Pure white .15 .12 Mrs. Milly van Hoboken. Soft pink .20 .18 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Miss Verboom. Rose .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15	· · · · · · · · · · · · · · · · · · ·		•
Gustave Lind. Deep salmon			
Johnson's Favorite. Salmon rose. .15 .12 Jules Sandeau. Large pink. .18 .15 Le Mahdi. Deep purple. .15 .12 Leo Schlageter. Bright scarlet. .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 .15 Maid Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye. .25 .20 Pantheon. Deep salmon rose. .15 .12 Peachblossom. Shell pink. .15 .12 Prof. Virchow. Orange scarlet. .18 .15	·		•12
Jules Sandeau. Large pink. .18 .15 Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 .15 Maid Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 .35 Mia Ruys. White. .25 .12 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15	•		12
Le Mahdi. Deep purple .15 .12 Leo Schlageter. Bright scarlet .35 .30 Lilian. Fine light pink .25 Mad. Paul Dutrie. Soft pink .18 .15 Maid Marian. Soft lavender .18 .15 Mary Louise. Pure waxy white .35 .35 Mia Ruys. White .25 .12 Mrs. Jenkins. Pure white .15 .12 Mrs. Milly van Hoboken. Soft pink .20 .18 Mrs. Scholton. Dark salmon .18 .15 Miss Lingard. White .18 .15 Miss Verboom. Rose .35 .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15			
Leo Schlageter. Bright scarlet. .35 .30 Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 .15 Maid Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Mrs. Scholton. Dark salmon. .18 .15 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15			
Lilian. Fine light pink. .25 Mad. Paul Dutrie. Soft pink. .18 Maid Marian. Soft lavender. .18 Mary Louise. Pure waxy white. .35 Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 Mrs. Milly van Hoboken. Soft pink. .20 .18 .15 Miss Scholton. Dark salmon. .18 .15 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye .25 .20 .20 Pantheon. Deep salmon rose .15 .12 .12 Peachblossom. Shell pink .15 .15 .12 Prof. Virchow. Orange scarlet .18			
Mad. Paul Dutrie. Soft pink. .18 .15 Maid Marian. Soft lavender. .18 .15 Mary Louise. Pure waxy white. .35 Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Mrs. Scholton. Dark salmon. .18 .15 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15			
Mary Louise. Pure waxy white.35Mia Ruys. White.25Mrs. Jenkins. Pure white.15Mrs. Milly van Hoboken. Soft pink.20.18.15Mrs. Scholton. Dark salmon.18Miss Lingard. White.18Miss Verboom. Rose.35Morgenrood. Bright rose, deeper eye.25.20Pantheon. Deep salmon rose.15.12Peachblossom. Shell pink.15.12Prof. Virchow. Orange scarlet.18	_	.18	.15
Mia Ruys. White. .25 Mrs. Jenkins. Pure white. .15 .12 Mrs. Milly van Hoboken. Soft pink. .20 .18 Mrs. Scholton. Dark salmon. .18 .15 Miss Lingard. White. .18 .15 Miss Verboom. Rose. .35 Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose .15 .12 Peachblossom. Shell pink .15 .12 Prof. Virchow. Orange scarlet .18 .15	Maid Marian. Soft lavender	.18	.15
Mrs. Jenkins. Pure white	Mary Louise. Pure waxy white	.35	
Mrs. Milly van Hoboken. Soft pink	Mia Ruys. White	.25	
Mrs. Scholton. Dark salmon	Mrs. Jenkins. Pure white	.15	.12
Miss Lingard. White	Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Verboom. Rose	Mrs. Scholton. Dark salmon	.18	.15
Morgenrood. Bright rose, deeper eye .25 .20 Pantheon. Deep salmon rose15 .12 Peachblossom. Shell pink15 .12 Prof. Virchow. Orange scarlet18 .15		.18	.15
Pantheon. Deep salmon rose.15.12Peachblossom. Shell pink.15.12Prof. Virchow. Orange scarlet.18.15		.35	
Peachblossom. Shell pink			
Prof. Virchow. Orange scarlet18 .15			
Kheinlander. Salmon pink, claret eye .15 .12			
	Kneinlander. Salmon pink, claret eye	.15	.12

	5-24 each	25&up each
Phlox paniculata		
Rokoko. Soft pink	.20	.18
Rosenberg. Dark red	.18	.15
eye	.15	.12
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
Widar. Light reddish violet, white eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
*reptans. Lilac, May, 6-12"	.15	.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, Apr., 4"	.20	.18
*subulata Blue Hills. Light blue, Apr., 4"	.20	
*subulata Fairy. Blue, purple eye, Apr., 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.15	.12
*subulata lilacina. Light blue, April, May,		
4"	.15	.12
*subulata Little Dot. Lilac, April, 4"	.15	.12
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye,		
April, 4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye, May, 5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
Phygelius capensis. Red, Aug., Sept., 3'	.20	·
Physalis francheti. Red pods, Oct., 2'	.15	.12
Physostegia virginiana. Rose, August, 3'	.15	.12
virginiana alba. White, August, 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		

Podophyllum peltatum. White, May, June, 1'	5-24 each .15	25&up each .12
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.15	.12
*caeruleum album. White, June, July, 1½'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	18	.15
Polygonum compactum. White, Aug., Sept.,		
1½'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May,		
6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May, June,	0.0	4.0
1' T 1'	.20	.18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15

	5-24 each	
*Primula		
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"	.25	.20
*Pulmonaria angustifolia. Blue, April, May, 8"	.20	.18
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
uliginosum. White, September, 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,		
6'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug.,		
6'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2'	.15	.12
subtomentosa. Lemon yellow, August,		
Sept., 4'	.15	.12
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, August, 4'	.15	.12
azurea grandiflora. Blue, August, 4'	.18	.15
farinacea. Blue, July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).	1 5	10
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3'	.20 .18	.15
viscosa. Pink, July, 3'	.15	.12
*Sanguinaria canadensis. White, April, 8"		
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.18	.15
*lingulata leichtlini. Rose, April, 1'	.18	.15
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	1.0
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April, 1'	.18	.15
*sarmentosa. White, summer, 2'	.30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer, 1'	.20	
caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various, sum-		
mer, 1'	.25	
japonica. Lavender, Aug., Sept., 18"	.18	.15
*Schivereckia bornmulleri. White, summer, 4"	.20	.18
*Scutellaria alpina. Purple and white, summer,		
6"	.18	.15
*coelestina. Blue, summer, 1'	.20	.18
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.15	.12
*aizoon. Yellow, July, Aug., 1'	.15	
*album. White, July, 4"	.15	.12
*altissimum. Yellow, July, Aug., 9"	.18	.15
*anglicum. Pink, July, Aug., 3"	.20	
*douglasi. Yellow, July, 2"	.15	.12

	5-24 each	25&up each
*Sedum	each	Cacii
*ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*lydium. White, July, 2"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum. Pink, Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July,		
4"	.18	.15
*murale. Pink, July, 1'	.18	.15
*obtusatum. Yellow, July, Aug., 3"	.20	.18
*reflexum. Yellow, July, Aug., 8"	.15	.12
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1'	.18	.15
*spectabile. Pink, Aug., Sept., 1½'	.15	.12
*spectabile Brilliant. Crimson, Sept., 1½'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug.,	• = 0	•
6"	.15	.12
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum.		,
Crimson, Aug., 6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
*arenarium. Yellow, July, 6"	.18	.15
*alberti. White, July, 8"	.20	.18
*atroviolaceum. Reddish purple, 8"	.25	• 20
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
*fauconetti. Pink, June, 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12
recording violated in. Violet 1ea, valie, 1	• 1.0	•12
*Shortia galacifolia. White, June, 8"	.25	.20
Sidalcea Rose Queen. Rose Pink, July, Aug.,		* 0
4'	.15	.12

*Silve alegateis White More Tune 6"	5-24 each .18	25&up each .15
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1' *maritima rosea. Pink, summer, 1'	.20	.13
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	• + 4
*saxifraga. White, summer, 6"	.18	.15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	.15
*Sisyrinchium angustifolium. Blue, June, July, 6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
		•
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.18	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept. 1' laevis alba. White, Aug., Sept., 1'	.15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Townsian shows I Doze A 1/	10	4 5
Teucrium chamaedrys. Rose, Aug., 1'	.18	.15
orientale. Blue, August, 10"	.20	.18

Thalictrum adiantifolium. Yellow, June, 4'	5-24 each .15	25&up each .12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.		
Purple, June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, August, 4'	.20	.18
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
Thermonic and initial Valley Type C/	.20	.18
Thermopsis caroliniana. Yellow, June, 6' mollis. Yellow, June, July, 2-3'	.20	.18
moms. Tenow, June, July, 2-0	.20	•10
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus.		
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.		
Rosy purple, June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trifolium rubens. Purplish red, summer, 1'	.18	
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	

*Tunica saxifraga. Light pink, June, July, 6"	5-24 each .18	25&up each .15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15
Verbascum chaixi. White, summer, 3'	.20	.18
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug. 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Vernonia noveboracensis. Purple, Aug., Sept.,	• 10	•
5'	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
*amethystina Royal Blue.		
June, July, 12"	.18	.15
*Blue Spires. Blue, summer, 18"	.20	.18
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept., 2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15	.12
*peduncularis. White, June, 6"	.18	.15
*pulchella. Blue, May, 1'	.15	.1.2
*repens. Pale blue, May, June, 2"	.15	.12
*rupestris. Blue, June, 6"	.15	.12
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spuria. Blue, June, 3'	.15	.12
*teucrium prostrata. Blue, June, 1'	.15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
For less than five, add five cents per plant to the	e 5-24	rate.

*Vesicaria utriculata. Yellow, Apr., May, 8"	5-24 each .20	25&up each .18
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	:40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer,		
6"	.15	.12
*cornuta alba, type. White, all summer,		
6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, summer,		
6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all sum-		
mer, 6"	.15	.12
*cornuta florariensis. Pale blue, summer,		
6"	.20	.18
*cornuta G. Wermig. Violet, all summer,		
6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all	4 2	10
summer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all sum- mer, 6"	15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,	.10	.14
6"	.20	.18
*cornuta White Perfection. White, all	`	• • • • • • • • • • • • • • • • • • • •
summer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.15	.12
*Jersey Gem. Rich violet, summer, 6"	.18	.15
*odorata. Blue, April, May, 6"	.15	.12
*odorata Gov. Herrick. Blue, May, 6"	.18	.15
*odorata Princess of Wales. Violet, May,		
6"	.18	.15
*odorata Rosina. Pink, May, 4"	.25	.20
*pedata. Violet, May, June, 6"	.18	.15
*primulifolia. Pale blue, summer, 6"	.20	.18
*wellsiana. Various, all summer, 6"	.18	.15

Yucca filamentosa. White, June, July, 7'	5-24 Each	25 & up Each
2 year	.15	.12
3 year	.18	.15
glauca. White, June, July, 3'	.25	.20

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

				•	Each 1-4	5-24 Each	25 & up Each
Apples,	Crab,	5 to	7	ft	1.00	.90	
	Standard,	5 to	7	ft	1.00	.90	
Cherry	Sour,	5 to	7	ft	1.00	.90	
	Sweet,	5 to	7	ft	1.00	.90	
Peaches,		5 to	7	ft	.75	.60	
Pears,	Dwarf,	5 to	6	ft	1.00	.90	
	Standard,	5 to	7	ft	1.00	.90	
Plums,		5 to	7	ft	1.00	.90	
Quinces,		4 to	5	ft	1.00	.90	
Asparagi	us		• •			.05	.03
Blackber	ries					.08	.06
Currants	p	• • • •	• • •	• • • • •	.30	.25	.20
Gooseber	ries			• • • • •	.30	.25	.20
Grapes,	3 yr. strong	• • • •	• •	• • • • •	.30	.25	.20
Raspberries						.08	.06
Rhubarb	• • • • • • • • •			• • • • •		.10	.08
Strawberries						.06	.05

CONIFEROUS EVERGREENS

Abies balsamea A. concolor A. c. violacea A. firma A. fraseri A. homolepis A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani C. Indahi Chamaecyparis lawsoniana C. l. pendula C. l. Triomphe de Boskoop C. nootkatensis C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana C. pisifera C. p. aurea C. p. filifera C. p. filifera aurea C. p. filifera aurea nova C. p. plumosa C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa lutescens C. p. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. sabina J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri J. virginiana J. v. cannarti J. v. elegantissima

J. v. glauca

J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula J. v. schotti J. v. tripartita J. s. venusta Picea alba P. a. gloriosa P. alcockiana P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni
P. excelsa
P. e. aurea
P. e. clanbrasiliana
P. e. maxwelli
P. e. nana compacta
P. e. nana pyramidalis
P. e. pendula
P. e. pygmaea
P. e. remonti
P. glauca conica
P. mariana
P. m. doumeti
P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
P. rubra
Pinus banksiana
P. densiflora Pinus banksiana P densiflora P. flexilis P. montana P. m. mughus P. nigra P. ponderosa P. resinosa P. strobus P. sylvestris P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni T. canadensis
T. cuspidata
T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata
There occidentalis Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta
T. o. compacta Parson's
T. o. elegantissima
T. o. ellwangeriana T. o. ericoides
T. o. globosa
T. o. hoveyi
T. o. lutea T. o. pumila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. Little Gem

Coniferous Evergreens Continued

T. o. recurva nana

T. o. recurva nana
T. o. reevesi
T. o. reidi
T. o. riversi
T. o. rosenthali
T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana
T. o. wareana
T. o. wareana
T. o. wareana
T. o. woodwardi

T. orientalis T. o. conspicua

T. o. elegantissima
T. o. nana aurea
T. o. sieboldi
T. plicata
T. standishi

Tsuga canadensis
T. caroliniana
T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri A. ledifolia

Berberis ilicifolia

B. julianae

B. sargentiana

B. triacanthophora
B. verruculosa
Bruckenthalia spiculifolia
Buxus microphylla

B. m. koreana

B. sempervirens handsworthi Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. searlei

Chamaedaphne calyculata

Crataegus pyracantha lalandi C. p. yunnanensis Daphne cneorum

Erica carnea

E. darleyensis
E. vagans
Euonymus patens
E. radicans

E. r. acutus

E. r. argenteo-marginatus

E. r. carrieri

E. r. colorata

E. r. minima E. r. vegetus Ilex cornuta

I. crenata

I. c. bullata
I. c. latifolia
I. c. microphylla
I. glabra

I. opaca

Kalmia latifolia Laurocerasus o. schipkaensis Leiophyllum buxifolium pros-

tratum

Leucothoe catesbaei Lonicera nitida L. pileata

Mahonia aquifolium
Osmanthus aquifolium
Pachistima canbyi
Pieris floribunda
P. japonica
Rhododendron carolinianum

R. catawbiense
R. maximum
Skimmia japonica
Stranvaesia davidiana
Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum

A. dasycarpum

A. d. pyramidale A. d. wieri

A. nigrum A. platanoides

A. p. schwedleri A. pseudoplatanus

A, rubrum

A. saccharum

Aesculus carnea A. glabra A. hippocastanum A. h. baumanni

A. octandra A. turbinata

Ailanthus glandulosa

A. vilmoriniana

Alnus cordata

A. glutinosa

A. g. laciniata
A. incana
A. japonica
Betula alba

B. a. fastigiata
B. a. laciniata
B. fontinalis

B. maximowicziana

B. lenta B. lutea

B. nigra
B. papyrifera
B. p. cordifolia
B. populifolia

Carpinus betulus
C. caroliniana
C. cordata
C. japonica
C. yedoensis

Deciduous Shade Trees Continued

Castanea sativa Catalpa bignonioides nana . speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Davidia involucrata Fagus americana F. sylvatica
F. s. fastigiata
F. s. heterophylla F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. chinensis F. excelsior
F. lanceolata
F. mandshurica
F. nigra
F. pennsylvanica
Ginkgo biloba Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra J. regia J. sieboldiana Larix dahurica L. europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. macrophylla M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. chinense
P. sachalinense
Platanus occidentalis
P. orientalis Populus alba P. berolinensis P. bolleana P. certinensis P. maximowiczi P. nigra italica P. simoni

P. suaveolens przewalski Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. cerris Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacacia
R. p. bessoniana
R. p. decaisneana
Salix babylonica
S. b. dolorosa
S. b. salamoni S. elegantissima S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S| v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. quercifolia Taxodium distichum
Tilia americana
T. cordata
T. euchlora
T. henryana
T. heterophylla
T. oliveri T. platyphyllus
T. tomentosa
T. vulgaris
Ulmus americana
U. a. moline U. a. vase-shaped U. c. klemmeri
U. c. latifolia
U. c. monumentalis U. c. purpurea U. c. vegeta U. c. wheatleyi U. fullya U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium A. r. maximowiczi Acer buergerianum A. ginnala A. griseum A. japonicum aureum A. nikoense A. palmatum A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata A. pennsylvanicum A. platanoides globosum A. spicatum
A. tartaricum
Albizzia julibrissin rosea
Alnus pendula
Amygdalus davidiana
A. d. alba A. persica alboplena
A. p. Clara Meyer
A. p. rosea plena
A. p. rubroplena
Aralia japonica
A. spinosa Asimina triloba Broussonetia papyrifera Cercis canadensis Cladrastis lutea Cornus florida C. f. plena C. f. rubra C. kousa C. mas C. officinalis Crataegus aprica C. arnoldiana C. arnoldiana
C. carrieri
C. coccinea
C. coccinioides
C. cordata
C. crusgalli
C. cuneata
C. hupehensis
C. macracantha
C. mollis
C. monogyna
C. nitida
C. oxyacantha C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea
C. peregrina
C. persistens C. persistens
C. pinnatifida major
C. pruinosa
C. prunifolia
C. punctata
C. succulenta
C. tomentosa
C. viridis
Diospyros virginian Diospyros virginiana
Gordonia alatamaha
Halesia tetraptera
Idesia polycarpa
Koelreuteria paniculata
Laburnum alpinum

L. vulgare L. watereri

Maackia amurensis Magnolia glauca M. kobus M. lennei M. soulangeana M. s. nigra M. s. nigra
Malus angustifolia
M. arnoldiana
M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei M. fusca M. glaucescens M. halliana M. h. parkmani M. hopa
M. ioensis
M. i. bechteli
M. micromalus M. niedzwetzkyana M. Oekonemurat Echtermeyer M. Oekonemurat Ec M. purpurea M. p. aldenhamensis M. p. eleyi M. prunifolia rinki M. robusta M. r. fastigiata M. r. persicifolia M. sargenti M. r. persicifolia
M. sargenti
M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. theifera
M. t. rosea
M. toringoides
M. tschonoski
M. yunnanensis M. yunnanensis veitchi M. zumi M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica
N. sylvatica
Oxydendrum arboreum
Prunus americana
P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi
P. hortulana
P. incisa
P. lannesiana
P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki
P. moseri fl. pl.
P. mume P. mume
P. padus
P. pennsylvanicum

Deciduous Small Trees Continued

P. serrulata

P. serrulata
P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Kuramayami
P. s. Kwansan
P. s. Miyako
P. s. sachalinensis
P. s. Shirofugen
P. s. Shogetsu

P. s. Shogetsu
P. s. Sumizome
P. sieboldi syn. Naden
P. spinosa

P. subhirtella

P. s. ascendens
P. s. autumnalis
P. s. pendula
P. virginiana

P. yedoensis

P. y. taizanfukun

Pyrus calleryana P. salicifolia P. serrulata

Rhus cotinus

R. javanica syn. osbecki Robinia fertilis R. hispida R. holdti

R. pseudoacacia Marguerite Salix caprea

S. matsudana S. regalis

Sophora japonica Sorbus americana

S. commixta
S. spuria
Styrax japonica
S. obassia

Syringa japonica

S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora

A. schumanni

Acanthopanax pentaphyllum

Aesculus parviflora

Alnus rugosa A. viridis

Amelanchier alnifolia

A. asiatica

A. canadensis A. laevis A. l. rosea

A. oblongifolia A. rotundifolia syn. vulgaris

A. sanguinea

A. stolonifera

Amorpha canescens

A. fruticosa

Amygdalus nana georgica

Aronia arbutifolia

A. atropurpurea

A. melanocarpa

A. m. elata

Artemisia abrotanum

Azalea calendulacea

A. canescens

A. kaempferi

A. lutea

A. mollis

A. nudiflora

A. pontica

A. poukhanensis

A. viscosa A. yodogawa Baccharis halimifolia

Benzoin aestivale Berberis aggregata

B. diaphana
B. henryana
B. koreana

B. neuberti

B. thunbergi

B. t. atropurpurea
B. t. minor

B. t. pluriflora
B. t. p. erecta
B. vernae

B. wilsonae

Berchemia racemosa Bischoffia trifoliata Buddleia davidi

B. d. superba
B. d. veitchi
B. farquhari
B. Ile de France
B. lindle

B. lindleyana

B. paniculata
Callicarpa americana
C. giraldiana
C. japonica

C. purpurea

Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi C. frutex

Caryopteris incana

C. tangutica Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis

Chionanthus virginica
Clerodendron trichotomum
Clethra alnifolia
C. barbinervis
C. paniculata

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia

Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia C. alternifolia
C. amomum syn. sericea
C. baileyi
C. pubescens
C. sanguinea
C. s. viridissima
C. stolonifera
C. s. flaviramea
Corylus americana
C. avellana
C. a. atropurpurea
C. rostrata
Cotoneaster acutifolia C. rostrata
C. a. villosula
C. adpressa
C. ambigua
C. apiculata
C. dammeri
C. dielsiana
C. divaricata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica
C. rosea
C. racemiflora
C. salicifolia
C. s. floccosa
C. salicifolia
C. s. floccosa
C. simonsi
C. tenuipes
C. wilsoni
C. zabeli
Cydonia cathayensis
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. kermesiana semi-plena
C. maulei
Cytisus nigricans
C. scoparius
C. s. andreanus
C. snachianus
C. snachianus Cotoneaster acutifolia C. a. villosula C. scoparius
C. s. andreanus
C. spachianus Daphne mezereum
D. m. alba
Deutzia gracilis
D. lemoinei
D. l. avalanche
D. I. compacta
D. myriantha Boule Rose
D. parviflora
D. rosea
D. rosea D. rosea campanulata D. r. carminea

D. r. eximea D. r. venusta D. scabra
D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi
D. vilmorinae
Diervilla sessilifolia
D. trifida
D. trifida
Dirca palustris
Eleagnus angustifolia
E. argentea
E. longipes
E. umbellata
Elsholtzia stauntoni
Enkianthus campanulatus
E. perulatus D. scabra E. perulatus
E. uonymus alatus
E. a. compacta
E. americanus
E. atropurpureus
E. bungeanus
E. europaeus
E. e. fructu-coccineus
E. latifolius
E. maacki
E. nanus
E. obovatus
E. oxyphyllus
E. yedoensis
Evodia hupehensis
Exochorda grandiflora
E. giraldi E. perulatus Evodia hupehensis
Exochorda grandiflora
E. giraldi
E. g. wilsoni
Fontanesia fortunei
Forsythia europea
F. intermedia
F. i. spectabilis
F. ovata
F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima
Fothergilla gardeni
Genista juncea
G. pilosa
G. sagittalis
G. tinctoria
Hamamelis japonica
H. j. rubra
H. vernalis
H. v. tomentella
H. virginiana
Hibiscus syriacus
H. variegatus
H. v. meehani
Hippophae rhamnoides
Holodiscus d. ariaefolius
Hovenia dulcis
Hydrangea arborescens
H. a. grandiflora
H. cineria sterilis
H. o. Otaksa
H. o. Thos. Hogg
H. paniculata
H. p. grandiflora
H. p. grandiflora
H. p. praecox

H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. noserianum
H. patulum
H. p. henryi
H. prolificum
Ilex geniculata
I. laevigata
I. monticola I. serrata syn. sieboldi I. verticillata
I. v. chrysocarpa
Indigofera amblyantha
I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor
L. formosa syn. penduliflorum
L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. variegatum L. vulgare
L. v. foliosum
L. v. leucocarpum
Lonicera bella albida
L. bella rosea L billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora

L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinensė L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata
M. s. rosea
Myrica carolinensis
M. cerifera
M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphius Albatre P. Argentine
P. Avalanche
P. Banniere
P. Bouquet Blanc P. coronarius
P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche P. dianthiflorus plenus
P. falconeri
P. Favorite
P. Gerbe de Neige
P. Glacier P. gordonianus
P. grandiflorus
P. lemoinei erectus
P. lewisi
P. Magdalene
P. nepalensis
P. nivalis
P. Norma
P. Ophelia
P. Pavillon Blanc
P. pyramidale
P. Sybille
P. virginal
P. Voie Lactee
P. zeyheri
Photinia villosa
P. v. laevis P. gordonianus P. v. laevis Physocarpus intermedius parvifolius P. monogynus
P. opulifolius
P. o. luteus
P. o. nanus
Pieris mariana
Potentilla fruticosa
Prinsepia sinensis
Prunus hessevi Prunus besseyi P. demissa P. dunbari P. glandulosa
P. g. albiplena
P. g. sinensis
P. japonica
P. maritima P. pumila

S. incana P. tomentosa S. irrorata S. jessoensis P. triloba P. t. plena Rhamnus caroliniana
R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana S. matsudana tortuosa S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis Rhodora canadensis Rhodotypos kerrioides S. c. acutiloba S. nigra Rhus canadensis S. n. aurea S. n. variegata R. copallina R. glabra
R. typhina
R. t. laciniata
Ribes alpinum S. pubens
S. p. leucocarpa
S. racemosus R. aureum Shepherdia argentea Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti S. lindleyana R. kelseyi S. sorbifolia Spirea arguta R. pseudoacacia umbraculifera R. viscosa S. billiardi Rosa acicularis S. bumalda S. b. Anthony Waterer S. b. walluffi S. chamaedryfolia ulmifolia R. blanda R. canina R. coriifolia froebeli S. dasyantha S. douglasi R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis S fortunei S froebeli S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia R. helenae R. hugonis R. humilis R. lucida S. margaritae S. nipponica rotundifolia R. marreti R. moyesi S. prunifolia R. multiflora S. pubescens S. reevesiana R. m. cathayensis R. nitida S. r. lanceata R. palustris S. salicifolia S. superba S. syringiflora R. pendulina R. rouletti R. rubiginosa R. r. hybrids S. thunbergi S. tomentosa S. trichocarpa S van houttei S. veitchi R. rubrifolia R. rugosa R. r. alba R. r. hybrids S. wilsoni R. sericea Staphylea bumalda S. colchica R. setigera S. pinnata S. trifolia R. spinosissima altaica R. s. hispida R. s. hybrids Stephanandra flexuosa R. wichuraiana
R. w. hybrids
R. hybrid perpetuals
R. hybrid tea Stewartia pentagyna S. p. grandiflora S. pseudocamellia Symphoricarpos chenaulti R. climbing R. polyantha hybrids S. mollis S. occidentalis S. o. heyeri Rubus deliciosus R. odoratus S. racemosus S. vulgaris R. phoenicolasius Salix discolor S. doniana Symplocos paniculata Syringa affinis

S. a. giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. v. hybrids
Tamarix africana
T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea
Ulex europeus Vaccinium corymbosum V. vacillans Viburnum acerifolium V. americanum V. americanum
V. bitchuiense
V. carlesi
V. cassinoides
V. dentatum
V. dilatatum
V. hupehense
V. lantana
V. l. rugosum
V. lentago

V. molle
V. nudum
V. opulus
V. o. nanum
V. o. sterile
V. ovatifolium
V. prunifolium
V. pubescens
V. rufidulum
V. sargenti
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus
V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea
M. rosea nana variegata
W. sieboldi argenteomarginata
W. styriaca
W. Van Houtte
Xanthoceras sorbifolia
Zanthorhiza apiifolia
Zanthoxylum americanum

VINES

Actinidia arguta
Akebia lobata
A. quinata
Ampelopsis aconitifolia
A. herryana
A. heterophylla
A. h. amurensis
A. h. elegans
A. quinquefolia
A. q. engelmanni
A. q. murorum
A. q. saintpauli
A. tricuspidata veitchi
A. t. lowi
Aristolochia sipho
A. tomentosa
Bignonia grandiflora
B. g. Mad. Gallen
B. radicans
B. speciosa
Celastrus orbiculatus
C. scandens
Clematis apiifolia

C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. vitalba
C. viticella
Decumaria barbara
Hedera helix
H. h. Albany

Vines Continued

H.h. baltica H.h. conglomerata H.h. gracilis

Hydrangea petiolaris Lonicera alseusmoides
L. browni plantierensis
L. caprifolium
L. fuchsoides

L. heckrotti L. henryi

L. hirsuta L. japonica

L. j. halleana L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. thibetica L. verna

Periploca graeca

P. sepium

Polygonum auberti

Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor
V. m. alba
V. m. rubra plena
Vitis aestivalis

V. amurensis V. coignetae V. cordifolia V. labrusca

V. rotundifolia V. vulpina Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora
Buddleia in variety
Clematis paniculata
Elscholtzia stauntoni
Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia
Ampelopsis tricuspidata
veitchi
Aronia arbutifolia
Aronia atropurpurea
Benzoin aestivale
*Betula papyrifera
*Betula populifolia
*Betula lenta
*Betula lutea
Cornus in variety
*Crataegus in variety
Euonymus in variety
*Hypericum prolificum
*Juniperus virginiana
*Juniperus communis
*Ligustrum in variety
Lonicera in variety

Morus alba

*Myrica carolinensis
Nyssa sylvatica
*Pinus in variety
Photinia villosa
Prunus besseyi
Prunus padus
Prunus pennsylvanicum
Prunus serotina
*Rhamnus in variety
*Rhus copallina
*Rhus glabra
*Rhus glabra
*Rhus typhina
Ribes in variety
Sambucus in variety
*Symphoricarpus in variety
Vaccinium corymbosum
Viburnum in variety
Vitis in variety
*Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaesyparis obtusa
compacta
Chamaecyparis obtusa nana
Cotoneaster adpressa
Cotoneaster horizontalis
Cotoneaster horibontalis
perpusilla
Cotoneaster rotundifolia
Daphne cneorum
Daphne mezereum
Euonymus radicans minima

Hypericum henryi
Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis
glauca
Juniperus suecica nana
Juniperus sabina
tamariscifolia
Lonicera spinosa alberti
Lonicera syringantha
Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and
varieties
Fagus americana
Hedera helix
Kalmia latifolia

Amelanchier in variety
Benzoin aestivale
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerfolium
Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans
acutus
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

*Rhus typhina
Robinia pseudacacia
*Rosa setigera
*Rosa wichuraiana
*Rubus odoratus
Salix caprea
Salix discolor

Salix discolor
Salix incana
*Symphoricarpus vulgaris
Vinca minor
Vitis vulpina

Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
citriodorus
Thymus vulgaris
Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B", this charge is included in the printed price.

DECIDUOUS SHRUBS

18-24	". .	 	 	 \$.25
2- 3	,	 	 	 	.35
3- 4	,	 	 	 	.50
4- 5	,	 	 	 	.60
5- 6	<i>'</i>	 • •	 	 	.75
6-8	,	 	 	 	1.00
8-10	,	 	 	 • •	1.50

DECIDUOUS TREES

	Diameter
	of Ball
$1\frac{1}{4}$ "	18"
1½" 2.50	18"
1 3/4 " 3.75	21"
2 " 5.00	24"
$2\frac{1}{2}$ "	30"
3 " 9.00	36"
3 ½ "12.50	42"
4 "16.00	48"
4 ½ "24.00	54"
5 "32.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



